

# FP25 LE

PREMIUM CATALYTIC-FREE  
ZERO-CLEARANCE FIREPLACES

**PACIFIC  
ENERGY**

CATALYTIC-FREE TECHNOLOGY

✓ MORE DURABLE

✓ MORE RELIABLE

✓ EASIER TO OPERATE



FOR HEATING MEDIUM TO LARGE SPACES



Heat Output Cord Wood

# 85,000 BTU

51,500 BTU EPA Test Fuel

Efficiency (HHV)	72%
Emissions	1.4 gm/hr.
Log Size (recommended)	16"
Log Size (max)	18"
Firebox Size	2.1 cu.ft.
Glass Viewing Area	184 sq.in.
Weight	610 lb.

EPA 2020  
CERTIFIED



- EPA 2020 Certified
- Reliable, durable non-catalytic technology
- Air wash system for super clean ceramic glass
- Boost air for easy lighting
- Oversize glass viewing window
- Floating firebox for extended stove life
- 304 Stainless Steel baffle, insulation cover, rails and flame shield
- High-tech multi-port combustion air injection system
- Extended Burn Technology (EBT)
- Integrated heat exchanger
- East-West loading
- 2x80 cfm temperature actuated blowers
- Single-Lever Air Control
- Cast iron door
- Inside and outside combustion air capable
- Mobile Home Approved

## Design Options


- Surround trim available in two colours

## Performance Options

- Powered Heat Distribution System



## PRODUCT DIMENSIONS





## MANTEL CLEARANCES AND DIMENSIONS

Minimum distance to the underside of the Mantel (max 12" deep) from the top of the Heat Exchanger Air Deflector.	16" (406mm)
Minimum distance to the adjacent wall from the side of the fireplace door.	22" (560mm)
Minimum distance to the Mantel side facing (max 4" deep) from the side of the fireplace door.	11 1/2" (292mm)
Minimum width of floor protection from side of door opening.	8" (200mm)
Minimum depth of non-combustible ember protector: from the front of the fireplace.	16 1/2" (420mm)

Raised hearth must be completely constructed of non-combustible materials

## MINIMUM FRAMING DIMENSIONS

	FP25	FP25 Arch
A	62"	62"
B	56 1/2"	56 1/2"
C	24"	24"
D	68 3/8"	68 3/8"
E	23 7/8"	23 7/8"
F	3 1/8"	3 1/8"



[pacificenergy.net](http://pacificenergy.net)

Pacific Energy is committed to continuous product improvement and innovation. As a result, appearance and specifications of the products featured in this brochure are subject to change without notice. For more information, please visit [pacificenergy.net](http://pacificenergy.net)

