


Please leave these reference guides at the installation location until the installation is finished. See owners manual for full installation and finishing instructions before making final decisions as information is subject to change.

Specifications (all measurements are in inches)



• GAS LINE OPENING: RIGHT SIDE • ELECTRICAL ACCESS: LEFT SIDE

Model	BTU	Height		Front Width		Back Width		Depth		Glass Viewing Area
		Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing	
CLW-72	49,500 (NG) 49,000 (LP)	40-3/4	48-5/8	81-1/2	86-1/2	81-1/2	86-1/2	18-15/16	22	75-1/2 x 18-3/8

Framing Opening *If installing the Komfort Zone Kit or Heat Transfer Kit(s), please refer to the installation manual included with the corresponding kit*




Dimension	CLW-72
A	48-5/8
B	79-1/4
C	86-1/2
D	22



E	F	G	H	I	J	K	L	M
22	86-1/2	22	86-1/2	123-13/16	86-1/2	31-1/4	61-1/16	87-1/8


Finishing Clearances

Horizontal Termination Framing




Dimension	CLW-72
N	39-5/8
O	21-1/8
P	6-3/8
Q	10-1/2
R	3/4


Non-Combustible Material Only
 Combustible Material Allowed
 Combustible Material Allowed
 No screws allowed above framing




Dimension	CLW-72
S	22
T	69-1/2
U	81-1/2





Mantel Clearances - Standard Installation (NO optional Komfort Zone heat distribution kit)




Mantel & Hearth Clearances - Komfort Zone Kit Installed (#KZK-072)




Additional mantel/hearth clearances on page 3



Horizontal Venting *Minimum* Requirements



Consult venting chart in the manual for all options above minimum requirements



H = Horizontal
V = Vertical