



Built-in and Plug-in

ELECTRIC FIREBOXES

 **Dimplex**[®]




The Future of
Fireplaces is Clear.™

Revillusion Firebox Features


 **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.


 **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.


 **ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.


 **Color Enhancement**
Adjust the flame base color to red or blue.

 **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.

 **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

 **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.

 **Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for any space.



 **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

Revillusion Built-in Electric Fireboxes



RBF24DLX Shown with Installation Trim (RBF24TRIM40)
24" Electric Fireplace Insert / Firebox

25 1/4" x 22 7/8" x 12" (WxHxD)
64.0 cm x 58.1 cm x 30.5 cm

 **ComfortSaver Heating System**
 **Just Plug It In** - Comes ready to plug in, can be hardwired.




RBF24DLXWC

Also available with Weathered Grey firebox interior



RBF30 Shown with Installation Trim (RBF30TRIM38)
30" Built-in Electric Firebox

31 1/4" x 26 5/8" x 12 1/8" (WxHxD)
79.2 cm x 67.6 cm x 30.7 cm

 **Direct-wire**




RBF36 Shown with Single Glass Pane (RBFGLOSS36)
36" Built-in Electric Firebox
37¹/₄" x 26⁵/₈" x 12¹/₈" (WxHxD)
94.4 cm x 67.7 cm x 30.7 cm

Direct-wire



RBF36P Shown with Single Glass Pane (RBFGLOSS36P)
36" Portrait Built-in Electric Firebox
37¹/₄" x 31¹/₈" x 12¹/₈" (WxHxD)
94.4 cm x 78.8 cm x 30.7 cm

Direct-wire



RBF42 Shown with Double Glass Doors (RBFDOOR42)
42" Built-in Electric Firebox
43¹/₄" x 31¹/₈" x 12¹/₈" (WxHxD)
109.8 cm x 78.8 cm x 30.7 cm

Direct-wire

Accessories

Double Glass Doors

Functional doors with tempered glass

Installation Trim

Ideal for retrofit and fireplace insert applications.

Single Glass Pane

Tempered front glass.

RBFDOOR30

33⁷/₈" x 27¹/₄" x 1⁷/₈" (WxHxD)
(85.9cm x 69.4cm x 4.67cm)

RBFDOOR36


39⁷/₈" x 27¹/₄" x 1⁷/₈" (WxHxD)
(101.1cm x 69.4cm x 4.67cm)

RBFDOOR36P

39⁷/₈" x 31³/₄" x 1⁷/₈" (WxHxD)
(101.1cm x 80.8cm x 4.67cm)

RBFDOOR42

45⁷/₈" x 31³/₄" x 1⁷/₈" (WxHxD)
(116.5cm x 80.8cm x 4.67cm)



RBF24TRIM36

36" x 32" x 1⁵/₈" (WxHxD)
(91.4cm x 81.3cm x 4.0cm)

RBF24TRIM40

40" x 32" x 1⁵/₈" (WxHxD)
(101.6cm x 81.3cm x 4.0cm)

RBF30TRIM38

38" x 28⁵/₈" x 1⁵/₈" (WxHxD)
(96.5cm x 80.3cm x 4.0cm)

RBF30TRIM44

44" x 34⁵/₈" x 1⁵/₈" (WxHxD)
(111.8cm x 87.9cm x 4.0cm)



RBFGLASS30

29¹/₄" x 22¹/₈" x ³/₄" (WxHxD)
(74.0cm x 56.0cm x 1.62cm)

RBFGLASS36

35¹/₈" x 22¹/₈" x ³/₄" (WxHxD)
(89.1cm x 56.0cm x 1.62cm)

RBFGLASS36P

35¹/₈" x 26⁵/₈" x ³/₄" (WxHxD)
(89.1cm x 67.5cm x 1.62cm)

RBFGLASS42

41¹/₈" x 26⁵/₈" x ³/₄" (WxHxD)
(104.5cm x 67.5cm x 1.62cm)

RBFPLUG

Optional 120V plug kit for RBF fireboxes.



Revillusion Electric Log Sets



RLG20

23³/₄" x 19" x 12¹/₂" (WxHxD)
60.3 cm x 48.2 cm x 31.7 cm

REM-KIT

Ash Mat for RLG20
18⁷/₈" x 1¹/₈" x 5⁵/₈" (WxHxD)
47.8 cm x 3.0 cm x 14.1 cm



RLG25

25⁵/₈" x 19" x 13" (WxHxD)
65.0 cm x 48.2 cm x 32.9 cm

Plug-in Electric Fireboxes



DF3015

30" Firebox with Logs
31¹/₂" x 26¹/₂" x 11¹/₄" (WxHxD)
80.0 cm x 67.0 cm x 28.4 cm
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Heater Disable



DF3033ST

33" Firebox with Logs
33¹/₈" x 23³/₈" x 9⁵/₈" (WxHxD)
84.1 cm x 59.4 cm x 24.2 cm
120 V | 780 W | 2,661 BTU

- Inner glow logs
- Adjustable flame speed and interior light controls
- Heater Disable
- Direct-wire option



DF3215

32" Firebox with Logs
36¹/₂" x 31³/₄" x 13¹/₈" (WxHxD)
92.7 cm x 80.1 cm x 33.3 cm
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Bi-fold doors and mesh screens
- Heater Disable

*Rear-loading design – see Owner's Manual for framing details.

Plug-in Firebox Features



The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism.



Supplemental Heating

Includes a fan-forced heater that provides supplemental warmth for small spaces up to 400 square feet.



Thermostat Control

Provides temperature control to ensure consistent comfort.



All-season Flames

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



Cool-touch Glass

Glass remains cool making it safe for children and pets in any location.



Multi-function Remote

Control 100% of the fireplace features from the comfort of your chair.



Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

Plug-in Electric Fireboxes - Multi-Fire XD®



PF2325HL
25" Multi-Fire XD Firebox
- Realogs®
25⁷/₈" x 18⁷/₈" x 9¹/₄" (WxHxD)
65.7 cm x 47.9 cm x 23.3 cm
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**



PF2325HG
Also available
with Acrylic Ice



PF2325CG
25" Multi-Fire XD Curved Glass
Firebox - Acrylic Ice
25⁷/₈" x 18⁷/₈" x 10¹/₈" (WxHxD)
65.7 cm x 47.9 cm x 25.5 cm
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**



PF3033HL
33" Multi-Fire XD Firebox
- Realogs®
32⁷/₈" x 23³/₈" x 9³/₈" (WxHxD)
83.7 cm x 59.3 cm x 23.8 cm
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**





PF3033HG
33" Multi-Fire XD Firebox
- Acrylic Ice
32⁷/₈" x 23³/₈" x 9³/₈" (WxHxD)
83.7 cm x 59.3 cm x 23.8 cm
120 V | 1,500 W | 5,118 BTU


 **Heater Disable**


Multi-Fire XD Features


 **Multi-Fire XD® Flame Effect**
Vivid flames that are brighter and more lifelike day or night.


 **Realogs®**
Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood.

 **Media Accent Colors**
Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

 **Flame Accent Colors**
Accent the flames with custom base colors from warm red to gas blue.

 **ComfortSaver™ Heating System**
The patented ComfortSaver™ ceramic heating system warms up to 1,000 sq. ft. and uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

 **Precision Thermostat**
Electronic thermostat maintains room temperature within 1/2°C (1°F) for perfect comfort and increased energy efficiency.

 **Mood-maker Remote**
Customize the light color and intensity for a fireplace that reflects your personality.

 **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Built-in applications require ventilation for proper heater operation. See owner's manual for complete details.

Built-in Electric Fireboxes

33" Slimline Built-in Firebox

BFSL33 | 33" Slimline Built-in Firebox
Includes 3-piece removable trim kit (not shown)

32³/₄" x 28¹/₄" x 9¹/₂" (WxHxD)
83.2 cm x 71.8 cm x 24.1 cm

120 Volts | 1,223 Watts | 4,178 BTU
208 Volts | 1,823 Watts | 6,227 BTU
240 Volts | 2,423 Watts | 8,278 BTU

- Inner glow logs
- 3 Stage Remote
- Operates with or without heat

Doors & Trim Kits

BFSL33DOOR

Single pane, tamperproof glass.



39" Built-in Firebox

BF39DXP | 39" Built-in Firebox
Shown with tamperproof glass door

38³/₄" x 32³/₄" x 15¹/₄" (WxHxD)
98.4 cm x 83.2 cm x 38.9 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

Doors & Trim Kits

BFGLOSS39BLK

39" Tamperproof Glass Door

BFSDOOR39BLK

39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM

39" Bi-fold Look Glass Door

BF4TRIM39

4-piece Trim Kit, Black



33" Built-in Firebox

BF33DXP | 33" Built-in Firebox

32³/₄" x 28¹/₂" x 14¹/₄" (WxHxD)
83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

Doors & Trim Kits

BFGLOSS33BLK

33" Tamperproof Glass Door

BFSDOOR33BLK

33" Glass Swing Doors, Black Accents

BFDOOR33BLKSM

33" Bi-fold Look Glass Door

BF4TRIM33

4-piece Trim Kit, Black



39" Built-in Firebox

BF39STP | 39" Built-in Firebox
Shown with bi-fold glass door and
4-piece trim kit

38³/₄" x 32³/₄" x 15¹/₄" (WxHxD)
98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Direct wire
- Operates with or without heat

Doors & Trim Kits

BFGLOSS39BLK

39" Tamperproof Glass Door

BFSDOOR39BLK

39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM

39" Bi-fold Look Glass Door

BF4TRIM39

4-piece Trim Kit, Black







45" Built-in Firebox

BF45DXP | 45" Direct-wire Firebox shown with Bi-fold Look Glass Door Kit and Black Trim Kit

44³/₄" x 32³/₄" x 15⁵/₈" (WxHxD)
113.5 cm x 83.1 cm x 38.9 cm

120 Volts | 1,440 Watts | 4,919 BTU
208 Volts | 2,100 Watts | 7,173 BTU
240 Volts | 2,700 Watts | 9,223 BTU

-  **Authentic brick-look interior**
-  **Direct wire**
-  **Operates with or without heat**
-  **Inner glow logs**


Doors & Trim Kits


BFGLASS45BLK
45" Tamperproof Glass Door

BF4TRIM45
4-piece Trim Kit, Black




Built-in Electric Firebox Features

 **The Original Dimplex Flame Effect™**
A blend of technology, artistry and craftsmanship that sets the standard for realism.


 **Primary Heating**
Option to use 208/240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

 **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.


 **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).


* Based on national average residential electricity rate. Rates vary.

 **Cool-touch Glass**
Glass remains cool making it safe for children and pets in any location.

 **Frame, Wire and Finish**
Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

 **Economical**
Economical to operate costing only pennies per hour.*

 **Heater Disable**
Easily disable the heater for tamperproof operation in commercial and residential installations.

 **Options**
Door kits, trim kits and control options available.

Door Kits



Tamperproof Glass Door

BFSL33DOOR | For BFSL33
BFGLASS33BLK | For BF33DXP
BFGLASS39BLK | For BF39STP,
BF39DXP
BFGLASS45BLK | For BF45DXP



Swing Door

BFSDOOR33BLK | For BF33DXP
BFSDOOR39BLK | For BF39STP,
BF39DXP



Glass Bi-fold Look Door

BFDOOR33BLKSM | For BF33DXP
BFDOOR39BLKSM | For BF39STP,
BF39DXP
BFDOOR45BLKSM | For BF45DXP

Trim Kit



Trim Kit

3" Black Surround Trim,
for use as 3-piece or 4-piece

BF4TRIM33 | For BF33DXP
BF4TRIM39 | For BF39STP, BF39DXP
BF4TRIM45 | For BF45DXP

Control Options



WRCPF-KIT
Wall Switch
Remote
Control Kit



TS521W
Wall-mount
Thermostat



BFRC-KIT
3-stage Remote
Control Kit (included
with BFSL33)



BFPLUGE
Plug Kit, includes
7 ft. cord

Plug-in Electric Fireplace Insert

Specifications







DFI2310 | 23" Deluxe Fireplace Insert

23 1/4" x 19 1/2" x 10 3/4" (WxHxD)
59 cm x 49.5 cm x 27.0 cm

120 Volts | 1,375 Watts | 4,692 BTU

Expandable trim kit available
DFI23TRIMX

-  **Inner glow logs**
-  **Operates with or without heat**
-  **Built-in fan-forced heater**
-  **On/off remote**

Product	Dimensions (WxHxD)	Volts	Watts	BTU	Wty
RBF24DLX RBF24DLXWC	25-1/4" x 22-7/8" x 12" 64.0 cm x 58.1 cm x 30.5 cm	120 V	1,500 W	5,118	2 yrs
RBF30	31-3/4" x 26-5/8" x 12-1/8" 79.2 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36	37-1/4" x 26-5/8" x 12-1/8" 94.4 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36P	37-1/4" x 31-1/8" x 12-1/8" 94.4 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF42	43-3/4" x 31-1/8" x 12-1/8" 109.8 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RLG20	23-3/4" x 19" x 12-1/2" 60.3 cm x 48.2 cm x 31.7 cm	120 V	1,500 W	5,118	1 yr
RLG25	25-5/8" x 19" x 13" 65.0 cm x 48.2 cm x 32.9 cm	120 V	1,500 W	5,118	2 yrs
PF2325HL PF2325HG	25-7/8" x 18-7/8" x 9-1/4" 65.7 cm x 47.9 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
PF2325CG	25-7/8" x 18-7/8" x 10-1/8" 65.7 cm x 47.9 cm x 25.5 cm	120 V	1,500 W	5,118	1 yr
PF3033HL PF3033HG	32-7/8" x 23-3/8" x 9-3/8" 83.7 cm x 59.3 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
DF3015	31-1/2" x 26-1/2" x 11-1/4" 80.0 cm x 67.0 cm x 28.4 cm	120 V	1,500 W	5,118	5 yrs
DF3033ST	33-1/8" x 23-3/8" x 9-5/8" 84.1 cm x 59.4 cm x 24.2 cm	120 V	780 W	2,661	5 yrs
DF3215	36-1/2" x 31-3/4" x 13-1/8" 92.7 cm x 80.1 cm x 33.3 cm	120 V	1,500 W	5,118	10 yrs
BFSL33	32-3/4" x 28-1/4" x 9-1/2" 83.2 cm x 71.8 cm x 24.1 cm	120 V 208 V 240 V	1,223 W 1,823 W 2,423 W	4,178 6,227 8,278	2 yrs
BF33DXP	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.2 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF39DXP BF39STP	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.2 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF45DXP	44-3/4" x 32-3/4" x 15-3/8" 113.5 cm x 83.1 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,919 7,173 9,223	2 yrs
DFI2310	23-1/4" x 19-1/2" x 10-3/4" 59.0 cm x 49.5 cm x 27.0 cm	120 V	1,375 W	4,692	1 yr

Your authorized Dimplex dealer:

For more information and product specifications, please visit dimplex.com

Visit us online at: www.dimplex.com



Enhancing the moments that matter in life

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. This product may be covered by one or more U.S. patents or pending patent applications. See www.dimplex.com/en/about/patents for details. © 2018 Glen Dimplex Americas.



Printed in Canada LI-998-R08-101118