

WOOD STOVES

TRADITIONAL

CATALYTIC-FREE | EPA 2020 CERTIFIED

**PACIFIC
ENERGY**



TRADITIONAL SERIES

FREESTANDING WOOD STOVES



Keep small to large spaces warm and comfortable with the highly efficient and durable Vista, Super, and Summit woodstoves. Designed for exceptional heat output and long burn times, the Vista is an excellent choice for heating spaces from 500 to 1500 square feet, the Super - our most popular stove - for heating spaces up to 2000 square feet, and the Summit for larger spaces and long, cold winter nights.

SUPER LE - METALLIC BLACK DOOR WITH OPTIONAL ASH PAN

up to
1500
sq ft



VISTA LE

up to
2000
sq ft



SUPER LE

up to
3000
sq ft



SUMMIT LE



BUILD YOUR STOVE
pacificenergy.net/build-your-stove



VISTA LE – BRUSHED NICKEL DOOR



SUPER LE – METALLIC BLACK DOOR

CLASSIC SERIES

FREESTANDING WOOD STOVES
WITH PORCELAIN ENAMEL



Enjoy the impressive performance and outstanding features of the Vista, Super, Summit fireboxes beautifully clad in rich, lustrous porcelain enamel. The Classic Collection delivers Pacific Energy's breakthrough catalytic-free heating performance, easy operation, and choices of elegant porcelain enamel cladding, door, leg and trivet finishes.

SUMMIT CLASSIC LE - SUNSET RED

up to
1500
sq ft



VISTA CLASSIC LE - IVORY

up to
2000
sq ft



SUPER CLASSIC LE - EBONY

up to
3000
sq ft



SUMMIT CLASSIC LE - SUNSET RED




BUILD YOUR STOVE
pacificenergy.net/build-your-stove




SUMMIT CLASSIC LE - IVORY

PORCELAIN ENAMEL OPTIONS


Classic stoves are available in three porcelain enamel colors.



Ivory



Ebony



Sunset Red

DECORATIVE TRIVET OPTIONS



Nickel



Metallic Black

**EPA 2020
CERTIFIED**



All Pacific Energy Wood Stoves come standard with these industry leading features:

- EPA 2020 Certified
- Reliable, durable, catalytic-free technology
- High capacity baffle system
- Multi-port combustion air injection system
- Air wash system for super clean ceramic glass
- Inside and outside combustion air capable
- Floating firebox for extended stove life
- Single-Lever Air Control
- Mobile Home Approved



VISTA LE VISTA CLASSIC LE

For spaces up to 1500 sq. ft.

Heat Output Cord Wood
56,000 BTU

23,200 BTU EPA Test Fuel

| | |
|------------------------|------------|
| Efficiency (HHV) | 72% |
| Emissions | 1.9 gm/hr. |
| Log Size (recommended) | 16" |
| Log Size (max) | 17" |
| Firebox Size | 1.6 cu.ft. |
| Viewing Area | 152 sq.in. |



SUPER LE SUPER CLASSIC LE

For spaces up to 2000 sq. ft.

Heat Output Cord Wood
72,000 BTU

38,200 BTU EPA Test Fuel

| | |
|------------------------|------------|
| Efficiency (HHV) | 71.3% |
| Emissions | 1.8 gm/hr. |
| Log Size (recommended) | 16" |
| Log Size (max) | 18" |
| Firebox Size | 2.1 cu.ft. |
| Viewing Area | 122 sq.in. |



SUMMIT LE SUMMIT CLASSIC LE

For spaces up to 3000 sq. ft.

Heat Output Cord Wood
99,000 BTU

41,275 BTU EPA Test Fuel

| | |
|------------------------|------------|
| Efficiency (HHV) | 74% |
| Emissions | 1.8 gm/hr. |
| Log Size (recommended) | 18" |
| Log Size (max) | 20" |
| Firebox Size | 3.0 cu.ft. |
| Viewing Area | 153 sq.in. |

VISTA LE

STANDARD FEATURES

304 Stainless Steel Baffle, Rails, Tubes and Flame Shield
East-West loading

DESIGN OPTIONS

Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

VISTA CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on Vista; included with Vista Classic)

SUPER LE

STANDARD FEATURES

Extended Burn Technology (EBT)
304 Stainless Steel Baffle, Rails and Flame Shield
North-South loading

DESIGN OPTIONS

Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

SUPER CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on Super; included with Super Classic)

SUMMIT LE

STANDARD FEATURES

Extended Burn Technology (EBT)
304 Stainless Steel Baffle, Rails and Flame Shield
North-South loading

DESIGN OPTIONS


Rich metallic black finish
Pedestal base
Legs: choice of three finishes
Arched door: choice of three finishes

SUMMIT CLASSIC LE

Porcelain enamel: choice of three colors
Legs: choice of three finishes
Arched door: choice of three finishes
Decorative trivet: choice of two finishes

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower
Easy-to-use ash disposal system (optional on Summit; included with Summit Classic)



BAFFLE SYSTEM

Pacific Energy leads the industry in premium catalytic-free clean burn technology. Our unique high capacity baffle system preheats secondary combustion air for an extremely effective reburn. By burning the combustible elements in the air, we improve our stove's environmental performance while significantly reducing the amount of wood consumed.

EBT2 EXTENDED BURN

EBT2 (the second generation of Extended Burn Technology) is field proven to be highly effective at controlling the secondary burn system, extending burn times and reducing overall emissions.







Pacific Energy Wood Stoves are customizable in your choice of door and leg finishes. Available in Nickel, Metallic Black and Brushed Nickel.

FLOATING FIREBOX

All fireboxes are subjected to wild extremes of temperatures. Solidly designed with steel brick support rails, our legendary floating system allows key parts to freely expand and contract to drastically reduce metal fatigue and add years of life to the entire appliance. The high capacity stainless steel baffle (part of the clean-burning secondary combustion system) and the flame shield (which protects the stove top from intense heat) are integral components of our legendary floating firebox system.

SELF SEALING ASH DUMP SYSTEM

Our self-sealing ash dump system, with its spring-loaded trap door provides a time saving, hassle-free ash removal solution that, frankly, has yet to be equaled. Pacific Energy's machined steel, spring loaded ash removal system is opened from outside the stove and closes automatically for safety and convenience when you're done.

AIR WASH

Pacific Energy developed the first effective air wash manifold systems, a design that flows pre-heated air to the glass surface to keep it clean. A refined design now creates a high-pressure zone in the center and forces air to flow from above and across the glass. Even at low air settings, we are confident that our air wash system is the most effective available. And that our glass doors are among the cleanest in the industry.





@pacificenergyfireplaceproducts


Follow us on Facebook and Instagram for news, promotions, and inspiring installations.

FLOOR PROTECTOR DIMENSIONS



VISTA LE




VISTA CLASSIC LE





SUPER LE






SUPER CLASSIC LE



SUMMIT LE



SUMMIT CLASSIC LE



CANADA

| | VISTA & VISTA CLASSIC | | | | | SUPER & SUPER CLASSIC | | | | | SUMMIT & SUMMIT CLASSIC | | | | |
|---|-----------------------|-----|---------|---------|---------|-----------------------|---------|---------|---------|---------|-------------------------|---------|---------|---------|---------|
| | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Minimum (Not necessarily extended to back wall) | 40 3/4" | 45" | - | - | - | 39" | 50 3/4" | - | - | - | 42" | 51" | - | - | - |
| Residential, single wall, vertical connector | 40 3/4" | 47" | 57 3/4" | 55 1/4" | 26 3/8" | 39" | 50 3/4" | 61 3/4" | 57 1/2" | 29 7/8" | 42" | 52" | 62 7/8" | 59 1/4" | 29 5/8" |
| Residential, double wall, vertical connector | 40 3/4" | 45" | 55" | 53 1/4" | 24 3/8" | 39" | 47 3/4" | 57 5/8" | 54 1/2" | 26 7/8" | 42" | 50 1/2" | 61 1/2" | 58 1/4" | 28 5/8" |
| Alcove, double wall, connector | 40 3/4" | 45" | - | - | - | 39" | 47 3/4" | - | - | - | 42" | 53" | - | - | - |
| Mobile home | 40 3/4" | 45" | 55" | 53 1/4" | 24 3/8" | 39" | 47 3/4" | 57 5/8" | 54 1/2" | 26 7/8" | 42" | 53" | 65 5/8" | 61 1/4" | 31 5/8" |

USA




| | VISTA & VISTA CLASSIC | | | | | SUPER & SUPER CLASSIC | | | | | SUMMIT & SUMMIT CLASSIC | | | | |
|---|-----------------------|-----|---------|---------|---------|-----------------------|---------|---------|---------|---------|-------------------------|---------|---------|---------|---------|
| | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Minimum (Not necessarily extended to back wall) | 33 1/2" | 35" | - | - | - | 34" | 40 3/4" | - | - | - | 35" | 41" | - | - | - |
| Residential, single wall, vertical connector | 33 1/2" | 45" | 55 3/4" | 51 1/4" | 27 5/8" | 34" | 48 3/4" | 59 3/4" | 54 1/8" | 30 1/8" | 35" | 50" | 60 7/8" | 55 3/8" | 30 5/8" |
| Residential, double wall, vertical connector | 33 1/2" | 43" | 53" | 49 1/4" | 25 5/8" | 34" | 45 3/4" | 55 5/8" | 51 1/8" | 27 1/8" | 35" | 48 1/2" | 59 1/2" | 54 3/8" | 29 5/8" |
| Alcove, double wall, connector | 33 1/2" | 43" | - | - | - | 34" | 45 3/4" | - | - | - | 35" | 51" | - | - | - |
| Mobile home | 33 1/2" | 43" | 53" | 49 1/4" | 25 5/8" | 34" | 45 3/4" | 55 5/8" | 51 1/8" | 27 1/8" | 35" | 51" | 63 5/8" | 57 3/8" | 32 5/8" |

CLEARANCES TO COMBUSTIBLES

| | | From top of stove to ceiling | STRAIGHT (VERTICAL CONNECTOR) | | | | CORNER | | ALCOVE | | | |
|-----------------------------------|-------------------------|------------------------------|-------------------------------|-----|---------|---------|--------|---------|--------|-----|---------|---------|
| | | | A | B | C | D | E | F | G | H | I | J |
| RESIDENTIAL SINGLE WALL CONNECTOR | VISTA & VISTA CLASSIC | 56" | 10" | 10" | 17 3/8" | 22 7/8" | 7" | 19 7/8" | 10" | 10" | 17 3/8" | 22 7/8" |
| | SUPER & SUPER CLASSIC | 56" | 8" | 14" | 18" | 26" | 7" | 21" | N/A | N/A | N/A | N/A |
| | SUMMIT & SUMMIT CLASSIC | 54" | 9" | 14" | 17 1/2" | 27 1/2" | 6" | 20 3/4" | N/A | N/A | N/A | N/A |
| RESIDENTIAL DOUBLE WALL CONNECTOR | VISTA & VISTA CLASSIC | 56" | 8" | 8" | 15 3/8" | 20 7/8" | 5" | 17 7/8" | 8" | 8" | 15 3/8" | 20 7/8" |
| | SUPER & SUPER CLASSIC | 56" | 5" | 14" | 15" | 26" | 4" | 18" | 5" | 14" | 15" | 26" |
| | SUMMIT & SUMMIT CLASSIC | 54" | 7 1/2" | 13" | 16" | 26 1/2" | 5" | 19 3/4" | 10" | 16" | 18 1/2" | 29 1/2" |
| MOBILE HOME DOUBLE WALL CONNECTOR | VISTA & VISTA CLASSIC | 56" | 8" | 8" | 15 3/8" | 20 7/8" | 5" | 17 7/8" | 8" | 8" | 15 3/8" | 20 7/8" |
| | SUPER & SUPER CLASSIC | 56" | 5" | 14" | 15" | 26" | 4" | 18" | 5" | 14" | 15" | 26" |
| | SUMMIT & SUMMIT CLASSIC | 54" | 10" | 18" | 18 1/2" | 31 1/2" | 8" | 22 3/4" | N/A | N/A | N/A | N/A |



Pacific Energy is committed to continuous product improvement and innovation. As a result, appearance and specifications of the products featured in this brochure are subject to change without notice. For more information, please visit pacificenergy.net



For reference only. Installations should be based on manuals and rating labels.