



Unit Illustrated: MCVP42NHE Peninsula Fireplace (Natural Gas),
MP42GT Glass Tray, MQG5C Ember Glass (Bronze), MQ42LOG1 Log Set
(Oak Driftwood), MP42PL Liner (Porcelain Reflective).

ATRIUM

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

 **marquis**
FIREPLACE COLLECTION

LIGHT UP THE ROOM WITH ATRIUM

When the view is this good, you want to be able to see it from every angle. That's why **Atrium** by Marquis is an ideal 3-sided designer option to divide entertaining areas and create maximum impact and warmth. Our Peninsula can be customized with your choice of brick liner, driftwood, logs, ember glass or rocks.

Visit www.marquisfireplaces.net to see the latest evolution in fireplaces.

Find all detailed Atrium manuals:



Unit Illustrated:
MCVP42NHE Peninsula Fireplace (Natural Gas), M42LG Log Grate, MORBRW Log Set (Birch x2), MP42RLT Liner (Traditional Brick).



Unit Illustrated: MCVP42NHE Peninsula Fireplace (Natural Gas), MP42GT Glass Tray, MQG5ZG Glass Media (Zircon Ice), MP42PL Porcelain Reflective Liner.




Unit Illustrated: MCVP42NHE Peninsula Fireplace (Natural Gas), MP42GT Glass Tray, MQG5C Glass Media (Bronze), MQSTONE Decorative Stones, MP42PL Liner (Porcelain Reflective).



Unit Illustrated: MCVP42NHE Peninsula Fireplace (Natural Gas), MP42GT Glass Tray, MQG5C Glass Media (Bronze), MQROCK2 Rock Set, MP42PL Liner (Porcelain Reflective).

PRODUCT DIMENSIONS



Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing
MCVP42	42 1/4"	42 3/8"	43 1/16"	42 1/2"	24 1/2"	23 5/16"

A 43 1/16"	J 42 1/4"
B 33 11/16"	K 12 1/4"
C 20 5/8"	L 20 5/8"
D 23 15/16"	M 16"
E 5 3/16"	N 19"
F 8"	O 24 1/2"
G 1"	P 23 1/2"
H 7 3/8"	Q 24 1/2"
I 3"	

SPECIFICATIONS

Model	MCVP42N / NE	MCVP42LP / LPE	MCVP42NH / NHE	MCVP42LPH / LPHE
Fuel	Natural	Propane	Natural	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
Input Max.	30,250 BTU	28,500 BTU	31,250 BTU	29,000 BTU
Input Min.	21,000 BTU	23,000 BTU	21,250 BTU	23,000 BTU
FE (P.4.1-15)	53% / 54.63%	53.82% / 55.32%	64.55% / 66.49%	65.66% / 67.42%
Glass Type	Tempered	Tempered	Ceramic	Ceramic

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Safety Screen Barrier

OPTIONAL FEATURES

Log Sets (Log Grate or Glass Tray Required):

Oak, Driftwood, or Birch

Media Options (Glass Tray Required):

Rocks, Decorative Stones, Ember Glass, Ember Chunks, or Multi-Colored Cannonballs

Accent lighting:

For use with glass tray

Liners:

Porcelain Reflective or Traditional Brick

Thermostat:

Wall Mount Millivolt or Programmable

Remote Controls:

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and light control

Wall Mount Battery Holder (WMBH):

The battery holder provides power to the IPI system in case of power failures. Locating the battery holder outside of the fireplace (wall mount), provides a convenient and accessible location for battery installation and removal.

ACCESSORIES

CHOOSE LOG GRATE & LOG SET OR GLASS TRAY & MQ LOGS & MEDIA (REQUIRED FOR EACH UNIT)

LOG SETS*



M42LOG4 (8 piece)
Oak Set*



MQ42LOG2 (7 piece)
Oak Set*



M42LOG3 (6 piece)
Driftwood Set



MQ42LOG1 (8 piece)
Driftwood Set



MQRBW (x2 sets)
Birch Set

*Not for use with Propane models.

MEDIA OPTIONS




MQG5ZG Zircon
Glacier Ice Glass




MQG5A Cobalt
Ember Glass




MQG5B Black
Ember Glass




MQG5C Bronze
Ember Glass



MQG5W White
Ember Glass



MQEMBER
Ember Chunks



MQSTONE
Decorative Stones




MQROCK2
Natural Rock Set




RBCB1 Multi-Colored
Cannonballs

LINERS



RLT Traditional Brick




PL Porcelain Reflective

REMOTE



PF1/MV

THERMOSTAT



Z80PT Wall Mount



FOR CALIFORNIA RESIDENTS ONLY:

WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: Certified to ANSI Z21.88-2017, CSA 2.33-2017 Vented Gas Fireplace Heaters.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Canada



Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15

Unit Illustrated:

MCVP42NHE Peninsula Fireplace (Natural Gas),
M42LG Log Grate, MQ42LOG2 Log Set (Oak),
MP42RLT Liner (Traditional Brick).

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B082 - 12/2024