



**Unit Illustrated:** Model ZCV39NHE2 Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set, ZCV39RLH Herringbone Brick Liner, MQ39DD2BL Designer Door (Series 2) Black c/w Safety Screen.

BENTLEY

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

 marquis  
COLLECTION

# Bring the BIG VIEW INDOORS

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the **Bentley** by Marquis is generating some serious attention.

Available in a range of sizes and styles, you can choose from our mid efficient rated fireplace for ambiance and taking the chill out of the room, or higher efficient version for additional warmth.

With so much style and attention to detail, it's no wonder people are focused on the view indoors!

Visit [marquisfireplaces.net](http://marquisfireplaces.net) to see the latest evolution in fireplaces.

## BENTLEY

### STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Safety Screen Barrier
- Proflame II (PF2) Models include Remote Control: features flame, fan, thermostat, smart thermostat (WIFI Compatibility\*); Bentley 34/48 (P2) models include accent lighting



\* Amazon Alexa, Google Home, Smartphone

### OPTIONAL FEATURES

#### Fan Kit:

Heat activated with variable speed control

#### Designer Doors:

Arch, Straight Black (2 options)  
– Bentley 39/42/48 only

#### Surrounds:

Hearth Mount, Picture Frame,  
or Slim Line Picture Frame

#### Liners:

Porcelain Reflective, Fluted or Brick

#### Media Options:

Contemporary Rocks (2 options),  
Driftwood Set (2 options), Decorative Stones,  
Decorative Ember Glass (Glacier Ice, Cobalt  
Blue, Black, Bronze, White), Ember Chunks  
or Multi-Colored Cannonballs

#### Log Sets:

Choose from a selection of Oak,  
Birch, or Driftwood Log Sets

#### Accent Lighting:

For use with the Glass Tray – Bentley 39/42  
models only (*Dealer Installed Item*)

#### Remote Controls (Millivolt or IPI PF1):

Thermostat on/off, Thermostat on/off  
modulating, Thermostat on/off modulating  
and fan control

#### Thermostats:

Wall Mount or Programmable






Unit Illustrated: Model ZCV39NHE Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQ39D Driftwood Log Set, MQSTONE Decorative Stones, VLBIT6 Log Bits (Small), 6 Piece Kit, ZCV39PL Porcelain Reflective Panel Liner, ZCV39S1PFBL Surround (Picture Frame 4" Wide).

# BENTLEY 34



Unit Illustrated: ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, ZCV34RLH Herringbone Brick Liner, MQLOGF34OAK Oak Log Set.

## BENTLEY 34 PRODUCT DIMENSIONS



### FRAMING DIMENSIONS

#### ZCV34

<b>HEIGHT</b>	
Actual	36"
Framing	36 1/8"
<b>FRONT WIDTH</b>	
Actual	33"
Framing	33 1/8"
<b>DEPTH</b>	
Actual	18 1/16"
Framing	18 1/8"***

\*\*\* Dependent of finishing material used

#### ZCV34

A	20 3/4"
B	25 1/4"
C	33"
D	27 1/8"
E	30 1/8"
F	25 5/16"
G	36"
H	5 7/8"
I	3 1/16"
J	1 15/16"
K	1 3/4"
L	7/16"
M	25 3/16"
N	5 1/4"
O	12 13/16"
P	3 1/16"
Q	8 5/16"
R	10 13/16"
S	17 1/16"
T	18 1/16"
U	19 11/16"
V	33"

### SURROUNDS

	HEARTH MOUNT (3" WIDE)	PICTURE FRAME (4" WIDE)	PICTURE FRAME (1 1/16" WIDE)
<b>ZCV34</b>	<b>ZCV34S1BL</b> 33 7/8" W x 30 3/4" H	<b>ZCV34S1PF</b> 36 5/8" W x 33 3/8" H	<b>ZCV34S2PF</b> 31 1/16" W x 28 3/4" H



**Unit Illustrated:** ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF34BW Birch Log Set, ZCV34RLT Traditional Brick Liner.



ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQRBD3 Driftwood Log Set, ZCV34PL Porcelain Reflective Liner.



ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOG453 Driftwood Log Set, ZCV34PL Porcelain Reflective Liner.



ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQG5B Glass Media (Black, 5 lbs. x 2 Bags), ZCV34PL Porcelain Reflective Liner.



ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQROCK3 Multi-Colored Rock Set, ZCV34PL Porcelain Reflective Liner.

**BENTLEY 34 PRODUCT SPECIFICATIONS**

<b>MODEL</b>	ZCV34N ZCV34NE ZCV34NE2	ZCV34LP ZCV34LPE ZCV34LPE2	ZCV34NH ZCV34NHE ZCV34NHE2	ZCV34LPH ZCV34LPHE ZCV34LPHE2
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt	Millivolt	IPI	IPI
<b>Input Max.</b>	19,000 BTU	18,000 BTU	19,000 BTU	18,000 BTU
<b>Input Min.</b>	13,500 BTU	14,000 BTU	13,500 BTU	14,000 BTU
<b>FE (P.4.1-15)</b>	53.49% / 56.14%	58.67% / 61.17%	63.25% / 66.45%	66.38% / 69.25%
<b>Viewing Area</b>	28 5/8"W x 25 3/8"H	28 5/8"W x 25 3/8"H	28 5/8"W x 25 3/8"H	28 5/8"W x 25 3/8"H
<b>Venting</b>	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent
<b>Cool Touch Walls</b>	Vented Chase Option**	Vented Chase Option**	Vented Chase Option**	Vented Chase Option**

\* Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.  
 \*\* See Installation Manual for Vented Chase Option.



**Unit Illustrated:** ZCV34NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQSTONE Decorative Stones, ZCV34PL Porcelain Reflective Liner.

# BENTLEY 39/42

## BENTLEY 39 PRODUCT SPECIFICATIONS

MODEL	ZCV39N ZCV39NE ZCV39NE2	ZCV39LP ZCV39LPE ZCV39LPE2	ZCV39NH ZCV39NHE ZCV39NHE2	ZCV39LPH ZCV39LPHE ZCV39LPHE2
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
<b>Input Max.</b>	25,000 BTU	25,000 BTU	28,000 BTU	29,000 BTU
<b>Input Min.</b>	16,750 BTU	20,000 BTU	19,000 BTU	23,000 BTU
<b>FE (P.4.1-15)</b>	52.35% / 52.24%	52.35% / 54.24%	63.81% / 66.17%	66.82% / 68.65%
<b>Viewing Area</b>	33"W x 28 5/8"H	33"W x 28 5/8"H	33"W x 28 5/8"H	33"W x 28 5/8"H
<b>Venting</b>	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent

*\*Approved with Kingsman Flex Vent, MG Duravent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.*



ZCV39NE, MQL0GF9 Log Set, ZCV39RLS Stacked Brick Liner, MQ39DD2BL Designer Door (Series 2, Black).



ZCV39NE, MQL0GF9 Log Set, ZCV39RLT Traditional Brick Liner, MQ39DD3BL Designer Door (Series 3, Black)



ZCV39NE, LOGF3 Log Set, ZCV39RLH Herringbone Brick Liner, MQ39DD1BL Designer Door (Series 1, Black).



ZCV39NE, ZCV39GT Glass Tray, M0STONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.




ZCV42NE, M0LOGF39BW Birch Wood Log Set, ZCV42PL Porcelain Reflective Liner.



ZCV39NE, ZCV39GT Glass Tray, M0ROCK3 Contemporary Rock Collection (Multi-Colored), ZCV39PL Porcelain Reflective Panel Liner.


**Unit Illustrated:** Model ZCV39NE Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQG5ZG ZIRCON Glacier Ice Glass Media (5 lbs. x 3 Bags), ULK2 Universal Light Kit (2 Lamps), ZCV39PL Porcelain Reflective Liner, ZCV39S2PFBL Surround (Picture Frame 1-5/8" Wide).

## BENTLEY 39/42 PRODUCT DIMENSIONS



### ZCV39 ZCV42

A	32"	35 1/8"
B	4"	4"
C	7"	7"
D	29 3/8"	32 1/2"
E	7 1/2"	7 9/16"
F	18 3/8"	18 7/16"
G	1 15/16"	1 15/16"
H	28 9/16"	31 11/16"
I	39 3/8"	42 7/16"
J	37 11/16"	40 13/16"
K	34 1/2"	37 5/8"
L	24 1/16"	27 3/16"
M	29 5/8"	33 11/16"
N	2"	2"
O	33"	37 1/16"
P	3"	2 1/2"
Q	24 1/4"	27 7/8"
R	18 7/16"	18 7/16"
S	6 7/8"	6 7/8"
T	39 3/8"	42 7/16"



TOP VIEW

## FRAMING DIMENSIONS

	ZCV39	ZCV42
<b>HEIGHT</b>		
Actual	37 3/4"	40 7/8"
Framing	37 7/8"	41"
<b>FRONT WIDTH</b>		
Actual	39 3/8"	42 3/8"
Framing	39 1/2"	42 1/2"
<b>DEPTH</b>		
Actual	18 3/8"	18 3/8"
Framing	18 1/2"***	18 1/2"***

\*\*\*Dependent of finishing material used

## SURROUNDS

	HEARTH MOUNT (4" WIDE)	PICTURE FRAME (4" WIDE)	PICTURE FRAME (1 5/8" WIDE)
<b>ZCV39</b>	ZCV39S1BL 40 5/8"W x 35"H	ZCV39S1PFBL 40 5/8"W x 37"H	ZCV39S2PFBL 36 1/8"W x 32 1/2"H
<b>ZCV42</b>	ZCV42S1BL 44 5/8"W x 38 1/8"H	ZCV42S1PFBL 44 5/8"W x 40 1/8"H	ZCV42S2PFBL 40 1/8"W x 35 5/8"H

## BENTLEY 42 PRODUCT SPECIFICATIONS

MODEL	ZCV42N ZCV42NE ZCV42NE2	ZCV42LP ZCV42LPE ZCV42LPE2	ZCV42NH ZCV42NHE ZCV42NHE2	ZCV42LPH ZCV42LPHE ZCV42LPHE2
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
<b>Input Max.</b>	25,000 BTU	25,000 BTU	29,500 BTU	29,000 BTU
<b>Input Min.</b>	16,500 BTU	19,500 BTU	20,000 BTU	23,000 BTU
<b>FE (P.4.1-15)</b>	52.86% / 54.95%	52.86% / 54.95%	64.53% / 66.48%	66.65% / 68.77%
<b>Viewing Area</b>	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H
<b>Venting</b>	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent

\*Approved with Kingsman Flex Vent, MG Duravent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.

Unit Illustrated: ZCV42NE2, MQ42D Driftwood Log Set, ZCV42GT Glass Tray, ZCV42PL Porcelain Reflective Liner, ZCV42S1BL Surround (Hearth Mount 4" Wide).



BENTLEY 48

# Go **BIG**

When the view is this big, it must be the **Bentley 48**. This big brother of the popular Bentley by Marquis is getting some serious attention and lots of second looks from home owners wanting to enjoy a statement fireplace. An expansive glass viewing area and beautiful designer options allow you to customize the look to your own style. Take the chill out of the room with this heater-rated fireplace, and bask in some serious warmth.

Wow – we made you look, didn't we?


Visit [www.marquisfireplaces.net](http://www.marquisfireplaces.net) to see the latest evolution in fireplaces.

**Unit Illustrated:** MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48B Burnt Oak Log Set, ZCV48RLH Herringbone Brick Liner.





## BENTLEY 48 PRODUCT DIMENSIONS



### ZCV48

A	44 1/8"
B	5"
C	8"
D	37 9/16"
E	7 5/8"
F	22 15/16"
G	1 15/16"
H	36 3/4"
I	48 3/8"
J	49 11/16"
K	42 11/16"
L	32"
M	39 7/16"
N	2"
O	43"
P	2 1/2"
Q	31 5/16"
R	23"
S	48 3/8"

### TOP VIEW

## FRAMING DIMENSIONS

### ZCV48

<b>HEIGHT</b>	
Actual	49 11/16"
Framing	49 3/4"
<b>FRONT WIDTH</b>	
Actual	48 3/8"
Framing	48 1/2"
<b>DEPTH</b>	
Actual	22 15/16"
Framing	24 9/16"***

\*\*\*Dependent of finishing material used

## SURROUNDS

### HEARTH MOUNT (4" WIDE)

<b>ZCV48</b>	<b>ZCV48S1BL</b>
50 9/16"W x 43 3/16"H	

## BENTLEY 48 PRODUCT SPECIFICATIONS

MODEL	MQZCV48N	MQZCV48LP	MQZCV48NE MQZCV48NE2	MQZCV48LPE MQZCV48LPE2
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt	Millivolt	IPI	IPI
<b>Input Max.</b>	42,500 BTU	42,250 BTU	42,500 BTU	42,250 BTU
<b>Input Min.</b>	28,500 BTU	34,000 BTU	28,500 BTU	34,000 BTU
<b>FE (P.4.1-15)</b>	52.24%	54.52%	53.37%	55.71%
<b>Viewing Area</b>	43" W x 36 3/4" H	43" W x 36 3/4" H	43" W x 36 3/4" H	43" W x 36 3/4" H
<b>Venting</b>	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent

\*Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting. ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.



MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF39BW Birch Log Set, MQG5C Bronze Glass Media (x5), ZCV48PL Porcelain Liner.



MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48 Oak Log Set, ZCV48RLS Stacked Brick Liner, and MQ48DD3BL Designer Arch Door (Series 3).

**Unit Illustrated:** MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF39BW Birch Log Set, with MQBBITS Birch Log Bit Kit, ZCV48RLS Stacked Brick Liner.



# BENTLEY ACCESSORIES

## LOG SETS



**MQRBD3**  
Driftwood Set  
BENTLEY 34



**MQRBRW**  
Birch Log Set  
BENTLEY 34



**MQLOGF34OAK**  
Oak Log Set  
BENTLEY 34



**MQLOGF34BW**  
Birch Log Set  
BENTLEY 34



**MQLOGF453**  
Driftwood Log Set  
BENTLEY 34



**LOGC44**  
Burnt Oak Log Set  
BENTLEY 34



**MQLOGF9**  
Split Oak Log Set  
BENTLEY 39 / 42



**LOGF3**  
Split Oak Log Set  
BENTLEY 39 / 42



**MQ39D Driftwood Log Set**  
(Glass Tray Required)  
BENTLEY 39 / 42



**MQLOGF39BW**  
Birch Log Set  
BENTLEY 39 / 42 / 48



**MQ42D Driftwood Log Set**  
(Glass Tray Required)  
BENTLEY 39 / 42 / 48



**MQLOGF48D Driftwood Log Set**  
(Glass Tray Required)  
BENTLEY 48



**MQLOGF48**  
Split Oak Log Set  
BENTLEY 48



**MQLOGF48B**  
Burnt Oak Log Set  
BENTLEY 48

## LINERS



**Red Herringbone  
Brick Liner (RRH)**  
BENTLEY 39 / 42



**Herringbone  
Brick Liner (RLH)**  
BENTLEY 34 / 39 / 42 / 48



**Stacked Brick  
Liner (RLS)**  
BENTLEY 39 / 42 / 48



**Fluted  
Liner (RLF)**  
BENTLEY 39 / 42 / 48




**Traditional Brick  
Liner (RLT)**  
BENTLEY 34 / 39 / 42 / 48




**Porcelain Reflective  
Liner (PL)**  
BENTLEY 34 / 39 / 42 / 48

WALL SURROUND



Black

DESIGNER DOORS FOR BENTLEY 39 / 42 / 48



DD1



DD2



DD3

STONE MEDIA OPTIONS

(Glass Tray Required)



MQEMBER  
Ember Chunks



MQSTONE  
Decorative Stones



MQROCK2  
Natural Rock Set




MQROCK3  
Multi-Colored Rock Set




RBCB1  
Multi-Colored Cannonballs

GLASS MEDIA OPTIONS


(Glass Tray Required)




MQG5ZG  
Zircon Glacier Ice Glass



MQG5A  
Cobalt Ember Glass



MQG5B  
Black Ember Glass



MQG5C  
Bronze Ember Glass



MQG5W  
White Ember Glass



Unit Illustrated: MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48D Driftwood Log Set, MQZCV48GT Glass Tray, MQSTONE10 Decorative Stone, MQZCV48RLF Fluted Brick Liner.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: These Models are certified to ANSI Z21.88-2017 CSA 2.33-2017 Vented Gas Fireplace Heaters.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Canada

**ENERGUIDE**

Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15



**FOR CALIFORNIA RESIDENTS ONLY:**  
**WARNING!** This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

**LIMITED LIFETIME WARRANTY**



2340 Logan Avenue  
 Winnipeg, Manitoba, CAN  
 R2R 2V3  
 Phone: 204.632.1962  
 Fax: 204.632.1960  
[marquisfireplaces.net](http://marquisfireplaces.net)

Printed in Canada  
 B106 - 03/2022