



# BENTLEY

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

**Unit Illustrated:** Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set (10 Piece), ZCV39RLH Refractory Brick Liner (3 Piece, Herringbone Brick), MQ39DD2BL Designer Door (Series 2) Black c/w Safety Screen.

 marquis  
COLLECTION

# Bring the **BIG VIEW** **INDOORS**

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the **Bentley** by Marquis is generating some serious attention.

Available in a range of sizes and styles, you can choose from our mid efficient rated fireplace for ambiance and taking the chill out of the room, or higher efficient version for additional warmth.

With so much style and attention to detail, it's no wonder people are focused on the view indoors!

Visit [marquisfireplaces.net](http://marquisfireplaces.net) to see the latest evolution in fireplaces.

## BENTLEY

### STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Pan burner with Realistic Flame Pattern
- Safety Screen Barrier
- Proflame II (PF2) Models\* include Remote Control: features flame, fan, thermostat, smart thermostat



### OPTIONAL FEATURES

#### Fan Kit:

Heat activated with variable speed control

#### Designer Doors:

Arch, Straight Black (2 options)

#### Surrounds:

Hearth Mount, Picture Frame, Slim Line Picture Frame

#### Liners:

Porcelain Reflective or Brick

#### Media Options:

Contemporary Rocks (2 options), Driftwood Set (2 options), Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs.

#### Log Sets:

10 Piece Split Oak, 5 Piece Split Oak, or Two Driftwood Log Set options

#### Accent Lighting:

for use with the Glass Tray  
(Dealer Installed Item)

#### Remotes Controls (Millivolt or IPI PF1):

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control

#### Thermostats:

Wall Mount or Programmable







Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQ39D Driftwood Log Set (4 Piece), MQSTONE Decorative Stones, VLBIT6 Log Bits (Small, 6 Piece Kit), ZCV39PL Porcelain Reflective Panel Liner, ZCV39S1PFBL Surround (Picture Frame 4" Wide).



# BENTLEY 39-42

## BENTLEY 39 PRODUCT SPECIFICATIONS

<b>MODEL</b>	ZCV39N ZCV39NE ZCV39NE2 <sup>†</sup>	ZCV39LP ZCV39LPE ZCV39LPE2 <sup>†</sup>	ZCV39NH ZCV39NHE ZCV39NHE2 <sup>†</sup>	ZCV39LPH ZCV39LPHE ZCV39LPHE2 <sup>†</sup>
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
<b>Input Max.</b>	25,000 BTU	25,000 BTU	28,000 BTU	29,000 BTU
<b>Input Min.</b>	16,750 BTU	20,000 BTU	19,000 BTU	23,000 BTU
<b>FE (P.4.1-15)</b>	52.35% / 52.24%	52.35% / 54.24%	63.81% / 66.17%	66.82% / 68.65%
<b>Glass Size</b>	33"W x 28 5/8"H	33"W x 28 5/8"H	33"W x 28 5/8"H	33"W x 28 5/8"H
<b>Venting</b>	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent

*\*Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.*



ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39RLS Refractory Fiber Brick Liner (Stacked Brick), MQ39DD2BL Designer Door (Series 2, Black).



ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39RLT Refractory Fiber Brick Liner (Traditional Brick), MQ39DD3BL Designer Door (Series 3, Black)



ZCV39N, LOGF3 Log Set (5 Piece), ZCV39RLH Refractory Fiber Brick Liner (Herringbone Brick), MQ39DD1BL Designer Door (Series 1, Black).



ZCV39N, ZCV39GT Glass Tray, MQSTONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.




ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39PL Porcelain Reflective Liner.




ZCV39N, ZCV39GT Glass Tray, MQROCK3 Contemporary Rock Collection (Multi-Colored), ZCV39PL Porcelain Reflective Panel Liner.

**Unit Illustrated:** Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQG5ZG Glass Media (ZIRCON Glacier Ice, 5 lbs. x3 Bags), ULK2 Universal Light Kit (2 Lamps), ZCV39PL Porcelain Reflective Panel Liner, ZCV39S2PFBL Surround (Picture Frame 1-5/8" Wide).

BENTLEY 39-42 PRODUCT DIMENSIONS



	ZCV39	ZCV42
A	32"	35 1/8"
B	4"	4"
C	7"	7"
D	29 3/8"	32 1/2"
E	7 1/2"	7 9/16"
F	18 3/8"	18 7/16"
G	1 15/16"	1 15/16"
H	28 9/16"	31 11/16"
I	39 3/8"	42 7/16"
J	37 11/16"	40 13/16"
K	34 1/2"	37 5/8"
L	24 1/16"	27 3/16"
M	29 5/8"	33 11/16"
N	2"	2"
O	33"	37 1/16"
P	3"	2 1/2"
Q	24 1/4"	27 7/8"
R	18 7/16"	18 7/16"
S	6 7/8"	6 7/8"
T	39 3/8"	42 7/16"



FRAMING DIMENSIONS

	ZCV39	ZCV42
HEIGHT		
Actual	37 3/4"	40 7/8"
Framing	37 7/8"	41"
FRONT WIDTH		
Actual	39 3/8"	42 3/8"
Framing	39 1/2"	42 1/2"
DEPTH		
Actual	18 3/8"	18 3/8"
Framing	18 1/2"***	18 1/2"***

\*\*\*Dependent of finishing material used

SURROUNDS

	HEARTH MOUNT (4" WIDE)	PICTURE FRAME (4" WIDE)	PICTURE FRAME (1 5/8" WIDE)
ZCV39	40 5/8"W x 35"H	40 5/8"W x 37"H	36 1/8"W x 32 1/2"H
ZCV42	44 5/8"W x 38 1/8"H	44 5/8"W x 40 1/8"H	40 1/8"W x 35 5/8"H

BENTLEY 42 PRODUCT SPECIFICATIONS

MODEL	ZCV42N ZCV42NE ZCV42NE2 <sup>†</sup>	ZCV42LP ZCV42LPE ZCV42LPE2 <sup>†</sup>	ZCV42NH ZCV42NHE ZCV42NHE2 <sup>†</sup>	ZCV42LPH ZCV42LPHE ZCV42LPHE2 <sup>†</sup>
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
Input Max.	25,000 BTU	25,000 BTU	29,500 BTU	29,000 BTU
Input Min.	16,500 BTU	19,500 BTU	20,000 BTU	23,000 BTU
FE (P.4.1-15)	52.86% / 54.95%	52.86% / 54.95%	64.53% / 66.48%	66.65% / 68.77%
Glass Size	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H	37 1/8"W x 31 3/4"H
Venting	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent	4"/7" Flex or 4" x 6 5/8" Hard Pipe* or Power Vent

\*Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.

ZCV42N, MQ42D Driftwood Log Set, ZCV42GT Glass Tray, ZCV42PL Porcelain Reflective Panel Liner, ZCV42S1BL Surround (Hearth Mount 4" Wide).





BENTLEY 48

# Go BIG

When the view is this big, it must be the **Bentley 48**. This big brother of the popular Bentley by Marquis is getting some serious attention and lots of second looks from home owners wanting to enjoy a statement fireplace. An expansive glass viewing area and beautiful designer options allow you to customize the look to your own style. Take the chill out of the room with this heater-rated fireplace, and bask in some serious warmth.

Wow – we made you look, didn't we?

Visit [www.marquisfireplaces.net](http://www.marquisfireplaces.net) to see the latest evolution in fireplaces.

Unit Illustrated: MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48B Burnt Oak Log Set, ZCV48RLH Herringbone Brick Liner.







## BENTLEY 48 PRODUCT SPECIFICATIONS

MODEL	MQZCV48N	MQZCV48LP	MQZCV48NE MQZCV48NE2	MQZCV48LPE MQZCV48LPE2
<b>Fuel</b>	Natural Gas	Propane	Natural Gas	Propane
<b>Gas Control</b>	Millivolt	Millivolt	IPI	IPI
<b>Input Max.</b>	42,500 BTU	42,250 BTU	42,500 BTU	42,250 BTU
<b>Input Min.</b>	28,500 BTU	34,000 BTU	28,500 BTU	34,000 BTU
<b>FE (P.4.1-15)</b>	52.24%	54.52%	53.37%	55.71%
<b>Glass Size</b>	41 1/2"W x 34 7/16"H	41 1/2"W x 34 7/16"H	41 1/2"W x 34 7/16"H	41 1/2"W x 34 7/16"H
<b>Venting</b>	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent	5/8" Hard Pipe* or Power Vent

*\*Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.*



**Unit Illustrated:** MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48D Driftwood Log Set, MQZCV48GT Glass Tray, MQSTONE10 Decorative Stone (10 Piece Set), MQZCV48RLF Fluted Brick Liner.

MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48B Burnt Oak Log Set, ZCV48RLH Herringbone Brick Liner, and MQ48DD1BL Designer Door (Series 1).

MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQZCV48GT Glass Tray, MQG5C Bronze Glass Media (x5), ZCV48PL Porcelain Liner.


MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48D Oak Log Set, ZCV48RLS Stacked Brick Liner, and MQ48DD3BL Designer Arch Door (Series 3).

# BENTLEY 48



**Unit Illustrated:**  
MQZCV48NE2 Zero Clearance  
Direct Vent Natural Gas  
Fireplace, MQLOGF48 Oak  
Log Set, ZCV48RLT Traditional  
Brick Liner, and MQ48DD2BL  
Designer Door (Series 2).

## BENTLEY 48 PRODUCT DIMENSIONS

SIDE VIEW



FRONT VIEW



TOP VIEW

### ZCV48

A	44 1/8"
B	5"
C	8"
D	37 3/16"
E	7 5/8"
F	22 15/16"
G	1 15/16"
H	36 3/4"
I	48 3/8"
J	49 1 1/16"
K	42 1 1/16"
L	32"
M	39 7/16"
N	2"
O	43"
P	2 1/2"
Q	31 5/16"
R	23"
S	48 3/8"

## FRAMING DIMENSIONS

### ZCV48

#### HEIGHT

Actual	49 1 1/16"
Framing	49 3/4"

#### FRONT WIDTH

Actual	48 3/8"
Framing	48 1/2"

#### DEPTH

Actual	22 15/16"
Framing	24 3/16"***

## SURROUNDS

### HEARTH MOUNT (4" WIDE)

**ZCV48** 50 9/16"W x 43 3/16"H

\*\*\*Dependent of finishing material used





Unit Illustrated: MQZCV48NE2 Zero Clearance Direct Vent  
Natural Gas Fireplace, MQLOGF48D Driftwood Log Set,  
MQZCV48GT Glass Tray, MQSTONE10 Decorative Stone  
(10 Piece Set), MQZCV48RLF Fluted Brick Liner.

BENTLEY ACCESSORIES

BENTLEY 39-42 LOG SETS



MQ39D (4-Piece)  
Driftwood Log Set  
(Glass Tray Required)



MQ42D (6-Piece)  
Driftwood Log Set  
(Glass Tray Required)




MQLOGF9 (10-Piece)  
Split Oak Log Set



LOGF3 (5-Piece)  
Split Oak Log Set


BENTLEY 48 LOG SETS



MQLOGF48  
Split Oak Log Set




MQLOGF48B  
Burnt Oak Log Set




MQLOGF48D  
Driftwood Log Set  
(Glass Tray Required)

LINERS



Red  
Herringbone  
Brick Liner

39 / 42



Herringbone  
Brick Liner

39 / 42 / 48




Stacked  
Brick Liner

39 / 42 / 48




Fluted  
Liner

39 / 42 / 48



Traditional  
Brick Liner

39 / 42 / 48




Porcelain  
Reflective  
Liner


39 / 42 / 48



## WALL SURROUND



Black



DD1

## DESIGNER DOORS



DD2



DD3

## STONE MEDIA OPTIONS

(Glass Tray Required)



MQEMBER  
Ember Chunks



MQSTONE  
Decorative Stones



MQROCK2  
Natural Rock Set




MQROCK3  
Multi-Colored Rock Set



RBCB1  
Multi-Colored Cannonballs

## GLASS MEDIA OPTIONS


(Glass Tray Required)




MQG5ZG  
Zircon Glacier Ice Glass



MQG5A  
Cobalt Ember Glass



MQG5B  
Black Ember Glass



MQG5C  
Bronze Ember Glass



MQG5W  
White Ember Glass



**Unit Illustrated:** ZCV39NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQZCV39GT Glass Tray, MQROCK3 Multi-Coloured Rocks, ZCV39PL Porcelain Liner



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification to ANSI Z21.88-2017 • CSA 2.33-2017, CSA 2.17-2017 Vented Gas Fireplace Heater

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.



**FOR CALIFORNIA RESIDENTS ONLY:**  
**WARNING!** This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

**LIMITED LIFETIME WARRANTY**



2340 Logan Avenue  
Winnipeg, Manitoba, CAN  
R2R 2V3  
Phone: 204.632.1962  
Fax: 204.632.1960  
[marquisfireplaces.net](http://marquisfireplaces.net)

Printed in Canada  
B106 – 10/19

