

ZERO CLEARANCE DIRECT VENT BAY PENINSULA GAS FIREPLACE



CREATING A NEW DIMENSION

Its wraparound view captivates from every angle. Luring you in with its three-dimensional sightlines, the **ENCLAVE** from Marquis creates a sleek and cleverly designed gathering point for the heart of your home.

Amazingly versatile, this beguiling fireplace adapts to suit any room with options for a Single Side, Corner or a Bay Peninsula. It transforms completely with your choice of fireplace liner and accessories that range from driftwood logs and contemporary rocks to cannonballs and glass.

With the ENCLAVE'S innovative vented chase technology you may now cover the fireplace with combustible materials up to the glass door opening.

Follow the instructions in the manual for venting the chase (opening above and below the appliance is required).

Visit marquisfireplaces.net to see the latest

evolution in fireplaces.

ENCLAVE FEATURES

STANDARD

- · LED Accent Lighting (non-dimmable)
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat and accent lighting control
- Zero Clearances to TVs and Artwork
- Invisible Glass Safety Barrier

BENEFITS OF OUR VENTED CHASE TECHNOLOGY

- No fans required to vent the chase, will work during power failures (batteries required)
- · Allows for all wood framing
- Combustible materials may be used right up to the glass door opening
- · Seamless glass, removes the need for steel safety screen barrier
- · Allows for reduced mantel clearances
- Ultra-low TV clearances





OPTIONAL

Surround:

Black or Stainless; Single-Sided Models only

Liner:

Porcelain Reflective, Reflective Glass, Fluted Brick, or Stacked Brick

Media Options (Required):

Glass Media (Glacier Ice, Cobalt Blue, Black, Bronze, White)

Additional Media (Optional):

Cannonballs, Decorative Stones, Contemporary Rocks (natural and multi-colored), Ember Chunks.

Log Sets:

4 Piece Driftwood Set with 4 Rocks. 3 or 5 Piece Driftwood Set, 3 Piece Large Driftwood Set. 6 Piece Driftwood Set. or Birch Set.

Enclosure Grills:

Front or Sides - Unfinished

Corner Kit:

Available for Bay Peninsula Unit

Side Extension Panels:

Black; Single-Sided Models only

Heat Distribution System:

Plenum (Enclave 48 only)








ENCLAVE 48 ADJUSTABLE VENTED PLATFORMS

Save on framing and adjust platform to your required height. Height is variable from 15" to 27". Ventilation Slots are provided at the bottom and between the fireplace and the platform.




NOTE: the fireplace chase must be vented both above and below appliance, no fans are required.






ENCLAVE 60 ADJUSTABLE VENTED PLATFORMS

Save on framing and adjust platform to your required height. Height is variable from 15" to 27". Ventilation Slots are provided at the bottom and between the fireplace and the platform.




NOTE: the fireplace chase must be vented both above and below appliance, no fans are required.






ENCLAVE 72 ADJUSTABLE VENTED PLATFORMS

Save on framing and adjust platform to your required height. Height is variable from 15" to 27". Ventilation Slots are provided at the bottom and between the fireplace and the platform.



NOTE: the fireplace chase must be vented both above and below appliance, no fans are required.







ENCLAVE PRODUCT SPECIFICATIONS

MODEL Type	MQVLBG48NE2 BAY PENINSULA	MQVLBG48LPE2 BAY PENINSULA	MQVL48NE2 SINGLE-SIDED	MQVL48LPE2 SINGE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	35,000 BTU	35,000 BTU	35,000 BTU	35,000 BTU
Input Min.	25,000 BTU	27,000 BTU	25,000 BTU	27,000 BTU
Venting*	5"/8"	5"/8"	5"/8"	5"/8"
Glass Size	49 1/16" W x 17 ⁷ /8" H	49 1/16" W x 17 ⁷ /8" H	49 1/16" W x 17 1/8" H	49 1/16" W x 17 1/8" H
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	53.20%	53.20%	53.20%	53.20%

Ventilation Required:

THE FIREPLACE
CHASE MUST
BE VENTED BOTH
ABOVE AND BELOW
APPLIANCE**

ABOVE the appliance: 151 sq./in.

BELOW the appliance: 84 sq./in.

MODEL	MQVLBG60NE2	MQVLBG60LPE2	MQVL60NE2	MQVL60LPE2
Туре	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	45,000 BTU	44,000 BTU	45,000 BTU	44,000 BTU
Input Min.	32,000 BTU	35,000 BTU	32,000 BTU	35,000 BTU
Venting*	5"/8"	5"/8"	5"/8"	5"/8"
Glass Size	61 1/32" W x 17 1/8" H			
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	56.18%	56.52%	56.18%	56.52%

Ventilation Required:

THE FIREPLACE
CHASE MUST
BE VENTED BOTH
ABOVE AND BELOW
APPLIANCE**

ABOVE the appliance: 200 sq./in.

BELOW the appliance: 102 sq./in.

MODEL	MQVLBG72NE2	MQVLBG72LPE2	MQVL72NE2	MQVL72LPE2
Туре	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	50,000 BTU	50,000 BTU	50,000 BTU	50,000 BTU
Input Min.	34,000 BTU	39,000 BTU	34,000 BTU	39,000 BTU
Venting*	5"/8"	5"/8"	5"/8"	5"/8"
Glass Size	73 1/16" W x 17 1/8" H	73 1/16" W x 17 1/8" H	73 1/16" W x 17 1/8" H	73 1/16" W x 17 1/8" I
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	60.32%	60.32%	60.32%	60.32%

Ventilation Required:

THE FIREPLACE
CHASE MUST
BE VENTED BOTH
ABOVE AND BELOW
APPLIANCE**

ABOVE the appliance: 285 sq./in.

BELOW the appliance: 158 sq./in.

^{*}This appliance is approved for use with 5"/8" Kingsman Flex, M&G-Duravent Direct Vent system (Model DV-GS Series) and Snorkel, BDM Pro Form Direct Vent, Ameri-Vent Direct Vent Pipe System, ICC Excel Direct, Metal Fab Sure-Seal DV and Selkirk Direct Temp. When using ICC Excel Direct a one-foot section of 5"/8" MG Duravent must be used as a starter collar at the flue of the appliance.

^{**}Consult Installation Manual for further clarification.

ENCLAVE PRODUCT SPECIFICATIONS


DIMENSIONS


MQVL48 Single Side		MQVLBG48 Bay Peninsula	
Α	18 ¹³ / ₁₆ "	18 ¹³ / ₁₆ "	
В	56 1/2"	56 ½"	:
С	36 5/16"	36 5/16"	
D	46 %"	46 %"	
Ε	54 ¹⁵ / ₁₆ "	54 ¹⁵ / ₁₆ "	
F	49 1/16"	49 1/16"	:
G	9 3/4"	9 3/4"	:
Н	15 1/4"	15 1/4"	:
1	9/16"	_	:
J	4"	4"	:
K	7 5/16"	7 1/4"	:
L	4 %16"	4 %16"	:
М	18"	18"	:
N	36 1/4"	36 1/4"	:
0	8 1/4"	8 1/4"	
			-


MQVL60 **MQVLBG60** Single Side **Bay Peninsula** A 20 1/16" 20 1/16" **B** 68 ½" 68 1/2" C 36 5/16" 36 5/16" **D** 58 ½" 58 1/2" E 66 11/16" 66 5/8" **F** 61 1/32" 61 1/32" **G** 9 3/4" 9 3/4" H 15 1/4" 15 1/4" 3/4" 11/16" J 4" 4" K 7 5/16" 7 5/16" L 4 %16" 4 %16" **M** 18" 18" N 36 5/16" 36 5/16" 0 8 1/4" 8 1/4"

MQVL72 **MQVLBG72 Bay Peninsula** Single Side **A** 18 ¹³/₁₆" 18 %" **B** 80 ½" 80 1/2" C 36 5/16" 36 5/16" **D** 70 ½" 70 ½" **E** 78 5/8" 78 %" **F** 73 ³/₁₆" 73 3/16" **G** 9 3/4" 9 3/4" **H** 15 1/4" 15 1/4" 3/4" 11/16" J 4" K 75/8" 7 5/16" L 4 %16" 4 %16" **M** 18 7/8" 18 %" N 36 5/16" 36 5/16" 0 8 1/4" 8 1/4"


TOP VIEW B 5" / 8" Venting









WALL SURROUND



SIDE EXTENSION PANELS




VLBGCK CORNER KIT




FRONT ENCLOSURE GRILL


FRONT/TOP VIEW - VL48EG



FRONT/TOP VIEW - VL60EG/VL72EG



SIDE VIEW





VL48EG		VLOUEG	VL/2EG	
Α	49 ¾"	61 3/4"	79 ¾"	
В	4 13/16"	4 1/8"	4 1/8"	
С	48 1/2"	60 1/2"	78 5/8"	
D	3 1/2"	3 %"	3 5/8"	

SIDE ENCLOSURE GRILL (PAIR)

FRONT VIEW

TOP VIEW





VL60EGS		VL72EGS
Α	16 3/16"	16 ³/16"
В	7 %"	10 3/8"
С	2 1/8"	2 1/8"
D	6 1/16"	8 15/16"
E	15 1/16"	15 1/16"
F	2 9/16"	2 7/s"



ENCLAVE ACCESSORIES

LOG SETS







MQ46D (3-Piece)
Driftwood Set

MQRBD1 (4-Piece)

Driftwood Set with 4 Rocks

MQRBD3 (5-Piece) / MQRBD4 (3-Piece)
Driftwood Set







MQLOGF48D (6-Piece)

Driftwood Set

MQRBD2 (3-Piece)
Driftwood Set

MQRBRW (5-Piece)
Birch Log Set

MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE
Decorative Stones



MQROCK2 Natural Rock Set




MQROCK3
Multi-Colored Rock Set




RBCB1
Multi-Colored Cannonballs

LINERS



Fluted



Stacked Brick



Porcelain Reflective



Glass Reflective





Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: Certified to ANSI Z21.88-2017,CSA 2.33-2017 Vented Gas Fireplace Heaters.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Canadä

ENERGUIDE

Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15



FOR CALIFORNIA RESIDENTS ONLY:

WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue Winnipeg, Manitoba, CAN R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 marguisfireplaces.net

Printed in Canada B100 - 05/2020