



Unit Illustrated: Model MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas),
VLBGCK Corner Kit, MQG5C Glass Media (Bronze x3), MQVL60RGB Reflective Glass Liner (Back).
(Chase must be vented below and above appliance – consult manual for instructions).

ENCLAVE

ZERO CLEARANCE DIRECT VENT
BAY PENINSULA GAS FIREPLACE

 **marquis**
FIREPLACE COLLECTION

CREATING A NEW DIMENSION

Its wraparound view captivates from every angle. Luring you in with its three-dimensional sightlines, the **ENCLAVE** from Marquis creates a sleek and cleverly designed gathering point for the heart of your home.

Amazingly versatile, this beguiling fireplace adapts to suit any room with options for a Single Side, Corner or a Bay Peninsula. It transforms completely with your choice of fireplace liner and accessories that range from driftwood logs and contemporary rocks to cannonballs and glass.

With the **ENCLAVE'S** innovative vented chase technology you may now cover the fireplace with combustible materials up to the glass door opening.

Follow the instructions in the manual for venting the chase (opening above and below the appliance is required).

Visit marquisfireplaces.net to see the latest evolution in fireplaces.



ENCLAVE FEATURES

STANDARD

- Accent Lighting:
Enclave 48/60/72 – LED Lighting (non-dimmable)
Enclave 34 – Halogen Lighting
- Invisible Glass Safety Barrier
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat (WIFI Compatibility*) and accent lighting control



*Smartphone (local WIFI only)

BENEFITS OF OUR VENTED CHASE TECHNOLOGY**

- Zero Clearances to TVs and Artwork
- No fans required to vent the chase, will work during power failures (batteries required)
- Allows for all wood framing
- Combustible materials may be used right up to the glass door opening
- Seamless glass, removes the need for steel safety screen barrier
- Allows for reduced mantel clearances

Unit Illustrated (left):

Model MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x2), MQLOGF48D Log Set (Driftwood), MQSTONE10 Decorative Stones (10 pce), MQVL60RLSB Liner (Stacked Brick).

(Chase must be vented below and above appliance. Consult manual for instructions).

OPTIONAL

Surrounds:

Black or Stainless; Single-Sided Models only

Liners:

Enclave 48/60/72 – Reflective Glass, Fluted Brick, and Stacked Brick

Enclave 34 – Reflective Glass, Fluted and Traditional Brick

Media Options (Required):

Glass Media (Glacier Ice, Cobalt Blue, Black, Bronze, White)

Additional Media (Optional):

Cannonballs, Decorative Stones, Contemporary Rocks, Ember Chunks

Log Sets:

Oak, Birch, and Driftwood Sets

Enclosure Grills:

Front or Sides – Unfinished

Corner Kit:

Available for Bay Peninsula Unit

Side Extension Panels:

Black; Single-Sided Models only

Wall Mount Battery Holder (WMBH):

The battery holder provides power to the IPI system in case of power failures. Locating the battery holder outside of the fireplace (wall mount), provides a convenient and accessible location for battery installation and removal.

Find all
detailed
Enclave
manuals:



***This appliance is approved for use with 5 7/8" Kingsman Flex, M&G-Duravent Direct Vent system (Model DV-GS Series) and Snorkel, BDM Pro Form Direct Vent, Ameri-Vent Direct Vent Pipe System, ICC Excel Direct, Metal Fab Sure-Seal DV and Selkirk Direct Temp. When using ICC Excel Direct a one-foot section of 5 7/8" MG Duravent must be used as a starter collar at the flue of the appliance.*



Unit Illustrated: Model MQVLBG48NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), VL48EG Grill Kit for Enclosure, MQBRW Birch Log Set, MQG5C Glass Media (Bronze x2), MQSTONE10 Decorative Stones, MQVL48RGB Reflective Glass Liner (Back).
(Chase must be vented below and above appliance – consult manual for instructions).

ENCLAVE 34

MODEL	MQZCVBG34NE2	MQZCVBG34LPE2
Type	BAY PENINSULA	BAY PENINSULA
Fuel	Natural	Propane
Gas Control	IPI PF2	IPI PF2
Input Max.	25,000 BTU	24,000 BTU
Input Min.	17,500 BTU	19,000 BTU
Venting	5"/8"	5/8"
Glass Size	33 11/16" W X 22" H	33 11/16" W X 22" H
Glass Type	Ceramic	Ceramic
FE (P.4.1-15)	52.94%	51.96%

THIS UNIT CAN
BE CONVERTED
TO A CORNER
INSTALLATION

Unit Illustrated: Model MQZCVBG34NE2 Direct Vent Fireplace (Natural Gas), VL34EG Grill Kit for Enclosure, MQLOGF453 Driftwood Log Set, MQZCVBG34RGB Reflective Glass Liner (Back).

(Chase must be vented above appliance – consult manual for instructions).

**Consult Installation Manual for requirements and further clarification.*



Unit Illustrated: Model MQZCVBG34NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQLOGF34BW Birch Log Set, and MQZCVBG34RGB Reflective Glass Liner (Back).

(Chase must be vented above appliance – consult manual for instructions).

ENCLAVE 48

MODEL	MQVLBG48NE2	MQVLBG48LPE2	MQVL48NE2	MQVL48LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	35,000 BTU	35,000 BTU	35,000 BTU	35,000 BTU
Input Min.	25,000 BTU	27,000 BTU	25,000 BTU	27,000 BTU
Venting	5" / 8"	5" / 8"	5" / 8"	5" / 8"
Glass Size	49 1/16" W x 17 7/8" H	49 1/16" W x 17 7/8" H	49 1/16" W x 17 7/8" H	49 1/16" W x 17 7/8" H
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	53.20%	53.20%	53.20%	53.20%

Unit Illustrated:

Model MQVLBG48NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), VLBGCK Corner Kit, MQG5C Glass Media (Bronze x1), MOSTONE Decorative Stones, MQVL48RGB Reflective Liner (Back) and MQVL72RGE Reflective Glass Liner (Ends).

(Chase must be vented below and above appliance – consult manual for instructions).



**THE FIREPLACE CHASE MUST BE VENTED
BOTH ABOVE AND BELOW APPLIANCE***

ABOVE appliance: 151 sq./in.

BELOW appliance: 84 sq./in.

BELOW appliance: 84 sq./in.

VARIATIONS



MQVLBG48NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), VLBGCK Corner Kit, MQG5C Glass Media (Bronze x2), MQRBD3 Driftwood Log Set, MQSTONE10 Decorative Stones.



MQVLBG48NE2 Direct Vent Fireplace (Natural Gas), VLBGCK Corner Kit, MQG5C Glass Media (Bronze x2), MQ46D Driftwood Log Set, MQSTONE10 Decorative Stones, MQVL48RGB Reflective Glass Liner (Back).



MQVLBG48NE2 Direct Vent Fireplace (Natural Gas), MQG5C Glass Media (Bronze x2), MQVL48RLFB2 Fluted Brick Liner (Back)



MQVLBG48NE2 Direct Vent Fireplace (Natural Gas), MQG5C Glass Media (Bronze x2), MQLOAK1 Log Set (Oak), MQSTONE10 Decorative Stones, MQVL48RLFB2 Fluted Brick Liner (Back)

**Consult Installation Manual for requirements and further clarification.*

Unit Illustrated: Model MQVL48NE2 Direct Vent Fireplace (Natural Gas), VL48EG Grill Kit for Enclosure, MQG5C Glass Media (Bronze x2), MQRBD3 Driftwood Log Set, MQSTONE Decorative Stones, MQVL48RGB Reflective Glass Liner (Back), MQVL72RGE Reflective Glass Liner (Ends), MQVL48S1BL Surround (Black).
(Chase must be vented below and above appliance – consult manual for instructions).

 Room air coming **IN**
 Hot air coming **OUT**

Your choice of enclosure grill (front or sides) or top opening is required

Use any finish (including combustibles) right to the edge of the fireplace door opening

Design your own
chase vent solution
to suit your style* •

**NOTE: the fireplace chase must be vented both above and below appliance.*

ENCLAVE 60

MODEL	MQVLBG60NE2	MQVLBG60LPE2	MQVL60NE2	MQVL60LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGLE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	45,000 BTU	44,000 BTU	45,000 BTU	44,000 BTU
Input Min.	32,000 BTU	35,000 BTU	32,000 BTU	35,000 BTU
Venting	5" / 8"	5" / 8"	5" / 8"	5" / 8"
Glass Size	61 1/2" W x 17 7/8" H	61 1/2" W x 17 7/8" H	61 1/2" W x 17 7/8" H	61 1/2" W x 17 7/8" H
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	56.18%	56.52%	56.18%	56.52%



Unit Illustrated: MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), VL60EG Grill Kit for Enclosure, MQG5C Ember Glass (Bronze x2), MQLOAK1 Log Set (Oak), MQLOAK2 Log Set (Oak), MQSTONE10 Decorative Stones (10 pce), MQVL60RLSB Liner (Stacked Brick).

(Chase must be vented below and above appliance – consult manual for instructions).

**THE FIREPLACE CHASE MUST BE VENTED
BOTH ABOVE AND BELOW APPLIANCE***

ABOVE appliance: 200 sq./in.

BELOW appliance: 102 sq./in.

VARIATIONS



MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x2), MQLOGF48D Log Set (Driftwood), MQSTONE10 Decorative Stones (10 pce), MQVL60RLSB Liner (Stacked Brick).



MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x3), MQVL60RBG Back Liner (Reflective Glass).



MQVLBG60NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x2), MQRBD3 Log Set (Driftwood), MQSTONE10 Decorative Stones (10 pce), MQVL60RLSB Liner (Stacked Brick).



MQVL60NE2 Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x2), RBCB1 Cannonballs, MQVL60RGB Back Liner (Reflective Glass), MQVL72RGE End Liner (Reflective Glass).

**Consult Installation Manual for requirements and further clarification.*



Unit Illustrated: Model MQVL60NE2 Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x3), MQVL60RBG Back Liner (Reflective Glass).

(Chase must be vented below and above appliance. Consult manual for instructions.)

ENCLAVE 72

MODEL	MQVLBG72NE2	MQVLBG72LPE2	MQVL72NE2	MQVL72LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	50,000 BTU	50,000 BTU	50,000 BTU	50,000 BTU
Input Min.	34,000 BTU	39,000 BTU	34,000 BTU	39,000 BTU
Venting	5"/8"	5"/8"	5"/8"	5"/8"
Glass Size	73 1/6" W x 17 7/8" H	73 1/6" W x 17 7/8" H	73 1/6" W x 17 7/8" H	73 1/6" W x 17 7/8" H
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	60.32%	60.32%	60.32%	60.32%



Unit Illustrated: Model MQVLBG72NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5W Ember Glass (White x2), MQLOGF48D Log Set (Driftwood), MQSTONE10 Decorative Stones (10 pce), MQVL72RGB Back Liner (Reflective Glass).
(Chase must be vented below and above appliance – consult manual for instructions).

**THE FIREPLACE CHASE MUST BE VENTED
BOTH ABOVE AND BELOW APPLIANCE***

ABOVE appliance: 285 sq./in.

BELOW appliance: 158 sq./in.

VARIATIONS



MQVLBG72NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5W Ember Glass (White x3), MQVL72RGB Back Liner (Reflective Glass).



MQVL72NE2 Single Side Direct Vent Fireplace (Natural Gas), MQG5A Ember Glass (Cobalt x3), MQVL72RGB Back Liner (Reflective Glass).



MQVLBG72NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQG5C Ember Glass (Bronze x2), MQLOGF48D Log Set (Driftwood), MQSTONE10 Decorative Stones (10 pce), MQVL72RGB Back Liner (Reflective Glass).

Unit Illustrated: Model MQVL72NE2 Direct Vent Fireplace (Natural Gas), MQG5A Ember Glass (Cobalt x3), VL72S1SS Surround (Stainless Steel), MQVL72RGB Back Liner (Reflective Glass). Shown with Optional VL72EG Grill (Front Enclosure).
(Chase must be vented below and above appliance – consult manual for instructions).




**Consult Installation Manual for requirements and further clarification.*

PRODUCT SPECIFICATIONS


DIMENSIONS

MQVLBG34 Bay Peninsula	MQVL48 Single Side	MQVLBG48 Bay Peninsula	MQVL60 Single Side	MQVLBG60 Bay Peninsula	MQVL72 Single Side	MQVLBG72 Bay Peninsula
A 16 7/16"	A 18 13/16"	18 13/16"	A 20 1/16"	20 1/16"	A 18 13/16"	18 7/8"
B 34 5/16"	B 56 1/2"	56 1/2"	B 68 1/2"	68 1/2"	B 80 1/2"	80 1/2"
C 37 5/8"	C 36 5/16"	36 5/16"	C 36 5/16"	36 5/16"	C 36 5/16"	36 5/16"
D 34 5/8"	D 46 3/8"	46 3/8"	D 58 1/2"	58 1/2"	D 70 1/2"	70 1/2"
E 34 1/8"	E 54 15/16"	54 15/16"	E 66 11/16"	66 5/8"	E 78 5/8"	78 5/8"
F 21 1/2"	F 49 1/16"	49 1/16"	F 61 1/32"	61 1/32"	F 73 3/16"	73 3/16"
G 7 9/16"	G 9 3/4"	9 3/4"	G 9 3/4"	9 3/4"	G 9 3/4"	9 3/4"
H 20 15/16"	H 15 1/4"	15 1/4"	H 15 1/4"	15 1/4"	H 15 1/4"	15 1/4"
I 9/16"	I 9/16"	—	I 1 1/16"	3/4"	I 1 1/16"	3/4"
J 3 1/2"	J 4"	4"	J 4"	4"	J 4"	4"
K 5 1/16"	K 7 5/16"	7 1/4"	K 7 5/16"	7 5/16"	K 7 5/8"	7 5/16"
L 4 7/16"	L 4 9/16"	4 9/16"	L 4 9/16"	4 9/16"	L 4 9/16"	4 9/16"
M 16 3/4"	M 18"	18"	M 18"	18"	M 18 7/8"	18 7/8"
N 37 5/8"	N 36 1/4"	36 1/4"	N 36 5/16"	36 5/16"	N 36 5/16"	36 5/16"
O —	O 8 1/4"	8 1/4"	O 8 1/4"	8 1/4"	O 8 1/4"	8 1/4"
P 14 13/32"	P —	14 13/32"	P —	14 13/32"	P —	14 13/32"


TOP VIEW




SIDE VIEW – SINGLE SIDED




SIDE VIEW – BAY PENINSULA



FRONT VIEW




MQZCVBG34



MQVLB48/60/72

WALL SURROUND

for 48/60/72 Single Side




VL48S1 VL60S1 VL72S1

A 58 1/16"	70 1/16"	82 1/16"
B 18 1/2"	18 1/2"	18 1/2"
C 1 1/2"	1 1/2"	1 1/2"
D 1 1/2"	1 1/2"	1 1/2"

SIDE EXTENSION PANELS

for 48/60/72 Single Side




VL48SEP

A 17 7/8"
B 17 1/8"
C 18 3/8"
D 18 3/16"
E 1/2"


CORNER KIT

34 Bay: ZCV34BGCK
48/60/72 Bay: VLBGCK




ENCLOSURE GRILL


FRONT/TOP VIEW – VL34EG




FRONT/TOP VIEW – VL48EG



FRONT/TOP VIEW – VL60EG/VL72EG





SIDE VIEW




	VL34EG	VL48EG	VL60EG	VL72EG
A	32 5/16"	49 3/4"	61 3/4"	79 3/4"
B	4 3/8"	4 13/16"	4 7/8"	4 7/8"
C	31 3/16"	48 1/2"	60 1/2"	78 5/8"
D	3 1/4"	3 1/2"	3 5/8"	3 5/8"

SIDE ENCLOSURE GRILL (PAIR)

FRONT VIEW



TOP VIEW





	VL34EGS	VL60EGS	VL72EGS
A	11 1/4"	16 3/16"	16 3/16"
B	6"	7 7/8"	10 3/8"
C	2 5/8"	2 7/8"	2 7/8"
D	4 9/16"	6 7/16"	8 15/16"
E	10 1/2"	15 7/16"	15 7/16"
F	2 7/8"	2 9/16"	2 7/8"

ADJUSTABLE VENTED PLATFORMS

Save on framing and adjust platform to your required height. Height is variable from 15" to 27". Ventilation Slots are provided at the bottom and between the fireplace and the platform.

Note: the fireplace chase must be vented both above and below appliance, no fans are required.



ENCLAVE 48



VL48AVP

- A 15" to 27"
- B 15"
- C 56"
- D 17 1/8"
- E 27"



ENCLAVE 60



VL60AVP

- A 15" to 27"
- B 15"
- C 68"
- D 17 1/8"
- E 27"

ENCLAVE 72



VL72AVP

- A 15" to 27"
- B 15"
- C 80"
- D 17 1/8"
- E 27"

ACCESSORIES

LOG SETS



MQLOGF34OAK (7-Piece) Oak Set
ENCLAVE 34



MQLOGF34BW (7-Piece) Birch Set
ENCLAVE 34



MQ42D (6-Piece) Driftwood Set
ENCLAVE 34



MQLOGF453 (5-Piece) Driftwood Set
ENCLAVE 34




MQLOAK1 Oak Set (Main Set) ENCLAVE 48 / 60



MQLOAK1 and MQLOAK2 Oak Set (Add-On Set) ENCLAVE 60 / 72



MQ46D (3-Piece) Driftwood Set ENCLAVE 48 / 60 / 72



MQRBD3 (5-Piece) / MQRBD4 (3-Piece) Driftwood Set ENCLAVE 34 / 48 / 60 / 72



MQLOGF48D (6-Piece) Driftwood Set ENCLAVE 48 / 60 / 72




MQRBRW (5-Piece) Birch Set ENCLAVE 34 / 48 / 60 / 72

ROCK AND GLASS SETS




MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass




MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



RBCB1 Multi-Colored Cannonballs

LINERS



Traditional Brick

ENCLAVE 34



Fluted

ENCLAVE 34 / 48 / 60 / 72



Stacked Brick

ENCLAVE 48 / 60 / 72



Glass Reflective

ENCLAVE 34 / 48 / 60 / 72

**FOR CALIFORNIA RESIDENTS ONLY:**

WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: Certified to ANSI Z21.88-2017, CSA 2.33-2017 Vented Gas Fireplace Heaters.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Canada

ENERGUIDE

Look for the **EnerGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15

**Unit Illustrated:**

Model MQVLBG48NE2 Bay Peninsula
Direct Vent Fireplace (Natural Gas),
VL48EG Grill Kit for Enclosure,
MQG5C Ember Glass (Bronze x2),
MQBRW Log Set (Birch),
MQSTONE10 Decorative Stones (10 pce),
MQVL48RGB Back Liner (Reflective Glass).

(Chase must be vented below and above
appliance – consult manual for instructions).

Crafted entirely in Canada, each
Marquis fireplace is built to the
highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B100 – 12/2025