



CAPRI 34/44

DIRECT VENT GAS FIREPLACE INSERT – FLUSH MOUNT SERIES

Unit Illustrated: IDV44N Direct Vent Insert (Natural Gas), MQLOGF453 Log Set (Driftwood), MQRSP11 Support Platform (Driftwood), MQ44CV3BL Clean View (Black), MQ44SF1BL Door Frame (Black), I44S4432BL Surround (Black), IDV36RLT Brick Liner.

 marquis
COLLECTION

CAPRI

INSERT YOUR STYLE HERE

The **CAPRI** Insert is a wonder, able to transform an existing wood burning fireplace into an updated focal point in any room. This Flush Mount Series is available in two sizes and your choice of liner, driftwood, oak or birch log set, decorative stone, or five different colors of crushed glass media.

With so many options, you'll find the **CAPRI** is perfectly attuned to your décor vision.

Visit marquisfireplaces.net to see the latest evolution in fireplaces.

STANDARD FEATURES

- Dual Burner with glowing embers and decorative ash bed
- Millivolt or IPI (Intermittent Pilot Ignition) valve system allows operation during power failure with adjustable flame control
- Heat activated blower with variable speed control
- Heat radiating Ceramic Glass
- On/Off Rocker switch
- Proflame II Models include Remote Control; features flame, fan, thermostat, and smart thermostat (IDV34NE2, IDV34LPE2, IDV44NE2, IDV44LPE2 Models only)
- Safety Screen Barrier



OPTIONAL FEATURES

Gas Control:

Millivolt or IPI electronic ignition system with battery backup

Designer Doors and Frames:

Black; Picture Frame or Series 1 Designer Door

Surrounds:

Black; Picture Frame or Universal

Liners:

Traditional Brick, Herringbone Brick, Porcelain Reflective or Fluted

Media Options:

Decorative Stones, Ember Chunks, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Natural Rocks, or Multi-Colored Rocks

Log Sets:

Choice of Two Split Oak Sets, Two Driftwood Sets, or a Birch Log Set

Thermostats:

Standard On/Off or Programmable (wall mount)

Unit Illustrated: IDV34N Direct Vent Fireplace Insert
(Natural Gas), MQ34CV3BL Clean View (Black),
MQ34DD1BL Designer Door (Black), MQLOGF34 Split Oak
Log Set, IDV33RL Refractory Brick Liner (Traditional).



CAPRI VARIATIONS

CLEAN VIEW CV3 WITH DESIGNER DOOR & SURROUND

CLEAN VIEW CV3 WITH DOOR FRAME



Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQRBD4 Driftwood Log Set (3 Piece), MQRSP11 Support Platform for Driftwood, MQG5C Glass Media Bronze x3, MQ34CV3BL Clean View (Black), MQ34SF1BL Door Frame (Black), IDV33PRL Porcelain Reflective Liner.

CLEAN VIEW CV6 WITH BACKER SURROUND



Unit Illustrated: Model IDV34LP Direct Vent Fireplace Insert (Propane), LOGF35 Log Set (Split Oak), I34CV6BL Clean View with Backer Surround (Black), IDV33RL Brick Liner.



CAPRI PRODUCT SPECIFICATIONS

MODEL	IDV34N IDV34NE2	IDV34LP IDV34LPE2	IDV44N IDV44NE2	IDV44LP IDV44LPE2
Fuel	Natural Gas	Propane	Natural Gas	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
Input Max.	31,000 BTU	28,500 BTU	34,250 BTU	30,000 BTU
Input Min.	20,900 BTU	23,100 BTU	24,000 BTU	22,840 BTU
Glass Size	25 5/8" W x 14 1/8" H	25 5/8" W x 14 1/8" H	29 7/8" W x 18 3/8" H	29 7/8" W x 18 3/8" H
FE (P.4.1-15)	62.86% / 64.73%	63.63% / 68.30%	60.18% / 61.70%	60.20% / 61.85%
Venting	3" / 3"	3" / 3"	4" / 3"	4" / 3"

CLEAN VIEW CV1 WITH DOOR FRAME & SURROUND

CLEAN VIEW CV2 WITH SURROUND

CLEAN VIEW CV4 WITH PICTURE FRAME



Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQ34CV3BL Clean View (Black), MQ34DD1BL Designer Door (Black), I34S3927BL Surround (Black), MQRBRW Birch Log Set, MQRSP11 Log Support Platform, MQG5C Glass Media Bronze x3, IDV33PRL Porcelain Liner.

Unit Illustrated: IDV34N Direct Vent Fireplace Insert (Natural Gas), I34CV1BL Clean View (Black), MQRSP8 Glass Support Platform, MQSTONE Decorative Stones.

Unit Illustrated: IDV44N Direct Vent Fireplace Insert (Natural Gas), MQ44CV2BL Clean View (Black), LOGF36 Log Set (Fibre Split Oak), I44S4432BL Surround (Black), IDV36RLT Refractory Brick Liner (Traditional).

Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQ34CV4PFBL Clean View – Picture Frame (Black), MQ34SF1BL Door Frame (Black), MQRSP8 Glass Support Platform, MQG5A Decorative Ember Glass (Cobalt Blue), IDV33PRL Porcelain Reflective Liner.

IDV34

IDV44

CLEAN VIEW KITS (REQUIRED) AND SURROUNDS (IF NEEDED)

Minimum Fireplace Opening	Width	Height	Depth
IDV34 with: I34CV1 / MQ34CV2 / MQ34CV3 / MQ34CV4PF			
	28 5/8"	21 1/2"	17 3/4"
IDV34 with: I34CV6BL	26 1/4"	21 3/8"	14 3/8"

Clean View Kits	Width	Height	Depth
I34CV1BL (Clean View)	35 1/4"	24 3/16"	13/16"
I34CV6BL (Clean View)	37 5/8"	26 15/16"	2 3/4"
MQ34CV2BL (Clean View)	35 5/8"	24 11/16"	1 3/4"

Clean View Kit – with Screen Door or Designer Frame	Width	Height	Depth
MQ34CV3BL (Clean View)*	37 1/8"	25 3/16"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)			
MQ34SF1BL (Door Frame)			

*NOTE: When using an **MQ34CV3BL** a Designer Door or Door Frame is required.

Clean View Picture Frame	Width	Height	Depth
MQ34CV4PFBL (Clean View)*	37 1/8"	27 3/8"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)			
MQ34SF1BL (Door Frame)			

*NOTE: When using an **MQ34CV4PFBL** a Designer Door or Door Frame is required.

Surrounds	Width	Height
I34S3927BL (Surround)	39"	27 5/16"
I34SPF4131BL (Surround Picture Frame)	41 1/8"	31 3/8"
I34SU4541BL (Surround Universal)*	45"	41"

*Trim to Size

Minimum Fireplace Opening	Width	Height	Depth
IDV44	32 7/8"	25 3/4"	18"

Clean View Kits	Width	Height	Depth
I44CV1BL (Clean View)	39 9/16"	28 1/2"	13/16"
MQ44CV2BL (Clean View)	39 5/8"	29 1/16"	1 3/4"

Clean View Kit – with Screen Door or Designer Frame	Width	Height	Depth
MQ44CV3BL (Clean View)*	41 7/16"	29 1/8"	1 7/16"
MQ44DD1BL (Designer Door – Series 1)			
MQ44SF1BL (Door Frame)			

*NOTE: When using an **MQ44CV3BL** a Designer Door or Door Frame is required.

Surrounds	Width	Height
I44S4432BL (Surround)	44"	32 1/16"
I44SPF4436BL (Surround Picture Frame)	44"	36"
I44SU4742BL (Surround Universal)*	47"	42"

*Trim to Size

VENTING

IDVVT36	Vertical Vent Termination
IDVFK25	Flex Pipe Kit
IDVLCF	Block Off Plate – for Lower Chase
ZDV3FC	Flex Connector 3" Diameter


*MG Duravent (Order Kit #46DVA-CL33)

IDVVT43	Vertical Vent Termination
I43FK25	Flex Pipe Kit
I43LCP	Block Off Plate – for Lower Chase
ZDV3FC	Flex Connector 3" Diameter
ZDV4FC	Flex Connector 4" Diameter



*MG Duravent (Order Kit #46DVA-CL34)

DIMENSIONS

FRONT VIEW



SIDE VIEW



TOP VIEW

	IDV34	IDV44
A	28 5/8"	32 7/8"
B	14 1/8"	18 3/8"
C	25 5/8"	29 7/8"
D	3"	4"
E	3"	3"
F	21 3/8"	25 3/4"
G	18 1/4"	18 9/16"
H	28 9/16"	32 7/8"
I	21 1/4"	25 3/4"
J	18 1/4"	18 9/16"



Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQ34CV4PFBL Clean View (Picture Frame – Black), MQ34SF1BL Door Frame (Black), MQLOGF33 Driftwood Log Set, MQRSP11 Support Platform for Driftwood, IDV33PRL Porcelain Reflective Liner.

CAPRI ACCESSORIES

DESIGNER DOORS & FRAMES

REQUIRED FOR MQ34CV3,
MQ34CV4PF AND MQ44CV3

LOG SETS



MQLOGF34
Fiber Split Oak
(for IDV34/44)



LOGF35
Fiber Split Oak
(for IDV34)



LOGF36
Fiber Split Oak
(for IDV44)



MQLOGF33
MQLOGF453
Driftwood
(MQRSP11 required)



MQRBD4
Driftwood
(MQRSP11 and 15 lbs
Glass Media required)



MQRBRW
Birch
(MQRSP11 and 15 lbs
Glass Media required)




Designer Frame



Designer Door

MEDIA OPTIONS

REQUIRES GLASS SUPPORT PLATFORM (MQRSP8) OR ROCK SUPPORT PLATFORM (MQRSP4)




MQG5ZG
Zircon Glacier
Ice Glass




MQG5A
Cobalt
Ember Glass



MQG5B
Black
Ember Glass



MQG5C
Bronze
Ember Glass



MQG5W
White
Ember Glass



MQEMBER
Ember
Chunks



MQSTONE
Decorative
Stones



MQSTONE10
Decorative
Stones




MQROCK2
Natural
Rock Set



MQROCK3
Multi-Colored
Rock Set

LINERS



IDV33RL
IDV36RLT
Traditional Brick



IDV36RLH
Herringbone Brick
(IDV44 only)



MQ33RLF
MQ43RLF
Fluted



IDV33PRL
IDV36PRL
Porcelain Reflective

Unit Illustrated: IDV44N Direct Vent
Insert (Natural Gas), LOGF36 Oak Log Set,
MQ44CV2BL Clean View (Black), I44S4432BL
Surround (Black), IDV36RLT Brick Liner.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

The Units are Certified to: ANSI Z21.88-2017,
CSA 2.33-2017 Vented Gas Fireplace Heater.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.



FOR CALIFORNIA RESIDENTS ONLY:
WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.



LIMITED LIFETIME WARRANTY

2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B105 - 01/20

Canada

ENERGUIDE

Look for the **EnerGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15