



# LINEAR / LANDSCAPE

Electric Fireplaces

**Dimplex**<sup>®</sup>

# Built-in Linear Electric Fireplaces

## IGNITE XL™

Designed to ignite  
your passion.



### Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point.



### Multi-Fire XD® Flame Effect

Vivid flames that are brighter and more lifelike day or night.



### Edgeless Design

Installs without trim to stone, brick and other solid finish materials; includes trim for drywall and tile surfaces.



### ComfortSaver™ Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



### Acrylic Ice Media Bed

Light plays through different size pieces and sparkle in a spectrum of colors.



### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.



### Built-in Touch Controls

Backlit controls are hidden when not in use.



### Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.



### Seamless Installation

Low-profile design fully recesses in 2" x 6" wall construction and 2" x 4" with optional trim. Hardwire using 120V or 240V for powerful heating.



### XLF50

120 Volts | 1,500 Watts | 5,118 BTU  
240 Volts | 2,500 Watts | 8,530 BTU

50<sup>1</sup>/<sub>4</sub>" x 15<sup>5</sup>/<sub>8</sub>" x 5<sup>7</sup>/<sub>8</sub>" (WxHxD)  
127.5 cm x 39.6 cm x 14.7 cm

Viewing Dimensions: 48<sup>3</sup>/<sub>4</sub>" x 12<sup>1</sup>/<sub>8</sub>"  
123.8 cm x 30.7 cm



Heater Disable



2-year limited warranty



### XLF60

120 Volts | 1,500 Watts | 5,118 BTU  
240 Volts | 2,500 Watts | 8,530 BTU

60<sup>1</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>2</sub>" x 5<sup>7</sup>/<sub>8</sub>" (WxHxD)  
153.1 cm x 39.4 cm x 14.7 cm

Viewing Dimensions: 58<sup>3</sup>/<sub>4</sub>" x 12<sup>1</sup>/<sub>8</sub>"  
149.2 cm x 30.7 cm



Heater Disable



2-year limited warranty





### **XLF74**

120 Volts | 1,500 Watts | 5,118 BTU  
240 Volts | 2,500 Watts | 8,530 BTU

74<sup>1</sup>/<sub>4</sub>" x 15<sup>5</sup>/<sub>8</sub>" x 5<sup>7</sup>/<sub>8</sub>" (WxHxD)  
188.5 cm x 39.6 cm x 14.7 cm

Viewing Dimensions: 72<sup>3</sup>/<sub>4</sub>" x 12<sup>1</sup>/<sub>8</sub>"  
184.8 cm x 30.7 cm

-  **Heater Disable**
-  **2-year limited warranty**

**Driftwood and River  
Rock Accessory  
Package** shown  
with LF74DWS-KIT



### **XLF100**

120 Volts | 1,500 Watts | 5,118 BTU  
240 Volts | 2,500 Watts | 8,530 BTU

100<sup>1</sup>/<sub>4</sub>" x 15<sup>5</sup>/<sub>8</sub>" x 5<sup>7</sup>/<sub>8</sub>" (WxHxD)  
255.5 cm x 39.6 cm x 14.7 cm

Viewing Dimensions: 98<sup>3</sup>/<sub>4</sub>" x 12<sup>1</sup>/<sub>8</sub>"  
250.8 cm x 30.7 cm

-  **Heater Disable**
-  **2-year limited warranty**



## PRISM series



### Acrylic Ice Media Bed

Light plays through different size pieces and sparkle in a spectrum of colors.



### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.



### Remote Thermostat Control

Temperature control at your fingertips for convenient comfort.



### Floating Display™

On-screen display shows temperature and feature settings at a glance.



### Multi-function Remote

Control the flame, heat and thermostat from the comfort of your chair.



### Flexible Installation

Choose fully recessed, surface mounted (plug-in) or partially recessed (BLF3451 and BLF5051) installation.



### Wired, Seamless Design

Designed for built-in installations wired directly to a dedicated circuit for a clean, custom appearance.



#### BLF3451

120 Volts | 1,220 Watts | 4,163 BTU

34<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)

86.7 cm x 49.5 cm x 18.1 cm

Viewing Dimensions: 31<sup>1</sup>/<sub>8</sub>" x 10<sup>5</sup>/<sub>8</sub>"

78.8 cm x 26.8 cm



Heater Disable



2-year limited warranty



#### BLF5051

120 Volts | 1,230 Watts | 4,197 BTU

50<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)

127.7 cm x 49.5 cm x 18.1 cm

Viewing Dimensions: 47<sup>1</sup>/<sub>4</sub>" x 10<sup>7</sup>/<sub>8</sub>"

119.8 cm x 27.6 cm



Heater Disable



2-year limited warranty

Driftwood and River  
Rock Accessory  
Package shown  
with LF50DWS-KIT





**BLF7451**

120 Volts | 1,230 Watts | 4,197 BTU  
240 Volts | 2,430 Watts | 8,290 BTU

74<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)  
188.4 cm x 49.5 cm x 18.7 cm

Viewing Dimensions: 71" x 10<sup>5</sup>/<sub>8</sub>"  
180.4 cm x 27.0 cm



**Heater Disable**



**2-year limited warranty**

## BLF Series

### Features



#### **The Original Dimplex Flame Effect™**

A blend of technology, artistry and craftsmanship that sets the standard for realism.



#### **Viewing Area**

Enjoy the panoramic flame through the industry's largest viewing area.



#### **Media Bed**

Tumbled glass ember bed pieces that are colored and silvered on one side for an alluring effect.



#### **Supplemental Heat**

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



#### **Remote**

Includes a convenient remote control.



#### **Seamless Installation**

Can be recessed with direct-wire for a seamless look, or simply hung on the wall.



#### **Warranty**

2-year limited warranty.

### **BLF34**

120 Volts | 1,220 Watts | 4,163 BTU


34<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)

86.7 cm x 49.5 cm x 18.1 cm

Viewing Dimensions: 31<sup>1</sup>/<sub>8</sub>" x 10<sup>5</sup>/<sub>8</sub>"

78.8 cm x 26.8 cm

**Driftwood and River Rock Accessory Package** shown with LF34DWS-KIT





**BLF50**

120 Volts | 1,230 Watts | 4,197 BTU

50<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)

127.7 cm x 49.5 cm x 18.1 cm

Viewing Dimensions: 47<sup>1</sup>/<sub>4</sub>" x 10<sup>7</sup>/<sub>8</sub>"

119.8 cm x 27.6 cm



**BLF74**

120 Volts | 1,230 Watts | 4,197 BTU

240 Volts | 2,430 Watts | 8,291 BTU

74<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)

188.3 cm x 49.5 cm x 18.7 cm

Viewing Dimensions: 71" x 10<sup>5</sup>/<sub>8</sub>"

180.4 cm x 27.0 cm

## IgniteXL Trim Accessories

Allows installation of IgniteXL in 2" x 4" wall construction.

### XLFTRIM50

Compatible with the XLF50  
(WxHxD): 52-3/4" x 18-1/4" x 1-7/8" (134.0 cm x 46.2 cm x 4.5 cm)

### XLFTRIM60


Compatible with the XLF60  
(WxHxD): 62-3/4" x 18-1/4" x 1-7/8" (159.4 cm x 46.2 cm x 4.5 cm)

### XLFTRIM74

Compatible with the XLF74  
(WxHxD): 76-3/4" x 18-1/4" x 1-7/8" (195.0 cm x 46.2 cm x 4.5 cm)

### XLFTRIM100

Compatible with the XLF100  
(WxHxD): 102-3/4" x 18-1/4" x 1-7/8" (261.0 cm x 46.2 cm x 4.5 cm)



## IgniteXL, Prism and BLF Driftwood and River Rock Accessory Packages



Compatible with all XLF, Prism and BLF models.

### LF34DWS-KIT

Includes loose river rock and one large piece of driftwood.

### LF50DWS-KIT

Includes loose river rock, one large and one small piece of driftwood.

### LF74DWS-KIT

(Also available for use with XLF60)  
Includes loose river rock, one small and two large pieces of driftwood.

### LF100DWS-KIT

Includes loose river rock, two large and two small pieces of driftwood.



### XLF50

Shown with  
XLFTRIM50  
Trim Kit

## Cohesion Trim\*

\*Only available for the BLF50/5051.



**Black**  
DT1267BLK



**BLF5051** | Shown with  
Black Cohesion Accessory Kit  
DT1267BLK

Your authorized Dimplex dealer:

For more information and product specifications, please visit [dimplex.com](http://dimplex.com)

**Glen Dimplex**  
AMERICAS

Enhancing the moments that matter in life

Visit us online at: [www.dimplex.com](http://www.dimplex.com)



**Glen Dimplex Americas**  
Telephone: 1-888-346-7539  
Fax: 1-800-668-6665

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. This product may be covered by one or more U.S. patents or pending patent applications. See [www.dimplex.com/patents](http://www.dimplex.com/patents) for details.  
© 2018 Glen Dimplex Americas.



Printed in Canada LI-1021-R02-081318