



**Revillusion®**

36" Portrait

Built-in Electric Firebox

RBF36P

Herringbone Brick



The Future of  
Fireplaces is Clear.™

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

**Revillusion®**  
by Dimplex

## Revillusion® 36" Portrait Built-in Electric Firebox

## RBF36P Herringbone Brick



**RBF36P**  
Herringbone-look  
firebox interior



**Mood-maker Remote**  
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU  
208 V | 1,975 W | 6,745 BTU  
240 V | 2,575 W | 8,794 BTU

### Also available in Weathered Concrete - RBF36PWC



### Features

**Revillusion® Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.

**Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.

**ThruView™ Full-depth Design**  
See clear through the flames to the back of the firebox for a more authentic experience.

**Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.

**Color Enhancement**  
Adjust the flame base color to red or blue.

**Realogs® Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.

**Full Surround Firebox**  
More authentic day or night; 270-degree surround with natural soot markings.

**Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

**Ambient Light Sensor**  
Automatically adjusts firebox light to suit the room day to night.

**Quick and Easy Installation**  
Simply frame, wire and finish – no venting, gas lines or safety screens.

**Primary Heat**  
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.

**All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

**Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

**Low Carbon Footprint**  
The most sustainable fireplace option; no emissions and 100% efficient.

| Model #      | Description  | Lbs / Kg    | UPC           | Wty†   | Carton Dimensions (WxHxD) |                     | Cube |      |
|--------------|--|-------------|---------------|--------|---------------------------|---------------------|------|------|
|              |  |             |               |        | Inches                    | cm                  | ft³  | m³   |
| RBF36P       | 36" Portrait Built-in Electric Firebox - Herringbone brick interior  | 81.1 / 36.8 | 781052 108165 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4  | 104.7 x 91.2 x 38.6 | 13.0 | 0.4  |
| RBF36PWC     | 36" Portrait Built-in Electric Firebox - Weathered concrete interior | 81.1 / 36.8 | 781052 129863 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4  | 104.7 x 91.2 x 38.6 | 13.0 | 0.4  |
| RBFL42BR     | Birch Log Set  | 15 / 6.8    | 781052 129993 | 2 yr.  | 29-7/8 x 17-1/2 x 15      | 75.9 x 44.1 x 38.1  | 4.52 | 0.13 |
| RBFL42FC     | Fresh Cut Log Set  | 15 / 6.8    | 781052 129986 | 2 yr.  | 29-7/8 x 17-1/2 x 15      | 75.9 x 44.1 x 38.1  | 4.52 | 0.13 |
| RBFLUG       | Plug Kit   | 0.6 / 0.3   | 781052 107656 | 1 yr.  | 7 x 3 x 4                 | 17.8 x 7.6 x 10.2   | 0.05 | 0.00 |
| RBFLGLASS36P | Single Glass Pane  | 30.3 / 13.7 | 781052 108028 | 1 yr.  | 42-1/8 x 33-3/4 x 4-1/4   | 104.4 x 85.6 x 10.7 | 3.4  | 0.10 |
| RBFDOR36P    | 36" Portrait Glass Door  | 37.0 / 16.6 | 781052 108066 | 1 yr.  | 41-7/8 x 34-1/2 x 4-5/8   | 106.3 x 87.7 x 11.6 | 3.8  | 0.10 |

Specifications, finishes and dimensions are subject to change. †Limited warranty. ©2019 Glen Dimplex Americas.

SE-331-R10-072919

## Revillusion®

### 36" Portrait Built-in Electric Firebox

### RBF36P Herringbone Brick

#### Accessories



RBFGLOSS36P - 36" Tempered Front Glass  
Dimensions:  
35-1/8" W x 26-5/8" H x 3/8" D  
(89.1 cm x 67.5 cm x 1.1 cm)



RBFDOOR36P - 36" Functional Doors  
with Tempered Glass  
Dimensions:  
39-3/4" W x 31-3/4" H x 1-1/4" D  
(101.1 cm x 80.8 cm x 3.7 cm)



RBFPLUG





RBFL42BR - Birch Log Set  
Dimensions:  
26-1/2" W x 11-1/8" H x 11" D  
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set  
Dimensions:  
26-1/2" W x 11-1/8" H x 11" D  
(67.2 cm x 28.1 cm x 27.9 cm)

#### Framing Dimensions:



**NOTE:** The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

#### RBF36P

| A                    | B                    | C                    | D                 | E                     | F                     |
|----------------------|----------------------|----------------------|-------------------|-----------------------|-----------------------|
| 12-1/2"<br>(31.8 cm) | 36-5/8"<br>(93.0 cm) | 30-5/8"<br>(77.8 cm) | 60"<br>(152.4 cm) | 42-1/2"<br>(108.0 cm) | 42-1/2"<br>(108.0 cm) |