





## ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames has reinvented the electric fireplace look with its NEW Hybrid-FX™ flame technology. Modern Flames' products have

gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance, ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.



## CONTENTS

**4-7** Landscape Pro™ Multi Series  
The Most Versatile Electric Fireplace

**8-11** Landscape Pro™ Slim Series  
Built-In Clean Face with Unique Frameless Design

**12-15** Spectrum Slimline Series  
Recessed Flush Mount or Wall Mount

COVER PHOTO  
Landscape Pro™ Multi 56"  
Single sided



Landscape Pro™ Multi 56"

# LANDSCAPE PRO™ MULTI

## The Most Versatile Electric Fireplace on the Market

- **MULTI SIZES:** 44" | 56" | 68" | 80" | 96"
- **MULTI INSTALL DEPTHS:** BUILT-IN CLEAN FACE - PARTIAL 2x4 RECESS - WALL MOUNT
- **MULTI CONFIGURATIONS:** SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- **MULTI LIGHT CONTROL:** FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- **MULTI LIGHT COLORS:** FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

*Up to 12 different install configurations included standard in the box!*

*Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.*



Landscape Pro™ Multi 44"



Landscape Pro™ Multi 44"

*New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.*

*Hundreds of different stunning color combinations to select from!*

### STANDARD FEATURES

#### LIGHTING

- New Hybrid-FX™ Flame Technology
- Random, Beautiful Flame Image
- High Intensity RGB Flame Colors
- RGB Ember Bed Colors
- RGB Downlighting Colors
- Individually Controlled or Synchronized
- Full Color Spectrum in Each Light Feature
- Active Ember Bed

#### MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- Log Set - Highly Detailed Realism

#### HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

#### CONTROLS & FUNCTIONS

- Basic Features Manual Controls
- Full Feature Remote Control
  - RGB Color Wheel
  - Brightness Slide Bar
- Full Feature Modern Flames App

### OPTIONAL UPGRADES

#### UPGRADED MEDIA

- River Stones - 16 Piece Set
  - 6 Color Options
- ½" Reflective Fireglass - 10 lb. Jars
  - 7 Color Options
- Recessed & Wall Mount Cabinets

#### OPTIONAL CONTROL

- Wireless Thermostat & Full Wall Control

# LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



## MEDIA - PREMIUM LOG SET STANDARD

Canyon Driftwood Log Set with Smoked Glacier Crystals & Clear Stones



## HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater



Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.

FLAMES & LIGHTING 15 WATTS NO HEAT	1500 WATT HEATER 120V 5,000 BTU UP TO 400 SQ FT	3000 WATT HEATER 240V 10,000 BTU UP TO 800 SQ FT

## UPGRADE MEDIA

Premium Reflective Glass Media & Colorado River Stones



## STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



## UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL





## MULTI INSTALLATIONS - OVER 12 DIFFERENT CONFIGURATIONS

MULTI INSTALL DEPTHS:



- BUILT-IN CLEAN FACE
- PARTIAL 2X6 RECESS
- WALL MOUNT

MULTI CONFIGURATIONS:

- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER
- 3-SIDED (BAY)
- WALL MOUNT
- BUILT-IN RECESSED (2X4)
- FLOATING WALL CABINET
- FLOOR CABINET





BUILT-IN RECESSED (2X4)



\*Mantel & Accessories Sold Separately

MODEL & CONFIGURATION		VIEWING AREA			FIREBOX DIMENSIONS					
MODEL #	CONFIGURATION	FRONT GLASS WIDTH	SIDE GLASS WIDTH	GLASS HEIGHT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	BOTTOM TO VIEWING	TOP TO VIEWING	BACK TO VIEWING
LPM-4416	SINGLE SIDED	43.875"	-	15.5"	44"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	43.875"	5	15.5"	44"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	43.875"	5	15.5"	44"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-5616	SINGLE SIDED	55.875"	-	15.5"	56"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	55.875"	5	15.5"	56"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	55.875"	5	15.5"	56"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-6816	SINGLE SIDED	67.875"	-	15.5"	68"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	67.875"	5	15.5"	68"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	67.875"	5	15.5"	68"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-8016	SINGLE SIDED	79.875"	-	15.5"	80"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	79.875"	5	15.5"	80"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	79.875"	5	15.5"	80"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-9616	SINGLE SIDED	95.875"	-	15.5"	96"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	95.875"	5	15.5"	96"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	95.875"	5	15.5"	96"	24.875"	11.5"	4.5"	4.5"	4.125"





Landscape Pro Slim 56"

# LANDSCAPE PRO™ SLIM SERIES













## Built-in Clean Face Electric Fireplace

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 2" x 6" wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro Slim features a 5000 BTU heater, remote and wireless control and comes in 5 linear sizes, 44" | 56" | 68" | 80" | 96".



Landscape Pro Slim 56"

### STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  Log Set – Highly Detailed Realism
-  Flame, Ember Bed & Down lighting Controlled, Independently or Together
-  2 Different Ember Bed Stone Styles
-  Full Flame Viewing Area
-  Fully Finished Clean Face Installation
-  Finish Trim Kit Included
-  5,000 BTU Variable Heater
-  Variable Flames
-  Remote Control
-  Hidden Manual Controls
-  Wi-Fi Controls with Modern Flames App

# LANDSCAPE PRO™ SLIM SERIES

Driftwood Logs & Acrylic Ember Bed Included Standard



Fireplace Available in 5 Standard Linear Widths:

44"

56"

68"

80"

96"



Flames & Ember Bed Colors - Several Color Combinations Available & Controlled Independently



Comes Standard with 2 Types of Acrylic Media: Smoke & Clear




Landscape Pro Slim 56"

# LANDSCAPE PRO™ SLIM SERIES

Dimension Specs


LANDSCAPE PRO SLIM DIMENSIONAL SPECS

Model Number	A	B	C	D	E	FRAMING W x H x D
LPS-4414	14" (356mm)	43-3/4" (1111mm)	6" (152mm)	23-3/4" (603mm)	44-1/4" (1124mm)	44-1/2" (1303mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-5614	14" (356mm)	55-3/4" (1416mm)	6" (152mm)	23-3/4" (603mm)	56-1/4" (1429mm)	56-1/2" (1435mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-6814	14" (356mm)	67-3/4" (1721mm)	6" (152mm)	23-3/4" (603mm)	68-1/4" (1734mm)	68-1/2" (1740mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-8014	14" (356mm)	79-3/4" (2026mm)	6" (152mm)	23-3/4" (603mm)	80-1/4" (2038mm)	80-1/2" (2045mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-9614	14" (356mm)	95-3/4" (2432mm)	6" (152mm)	23-3/4" (603mm)	96-1/4" (2445mm)	96-1/2" (2451mm) x 24" (610mm) x 5-1/2" (140mm)



## LANDSCAPE PRO SLIM - OPTIONAL INVISIBLE NON GLARE MESH SCREEN

Optional invisible non glare mesh screen, in place of glass front.



Close up

## STANDARD FEATURES

REMOTE CONTROL & MANUAL CONTROL



MODERN FLAMES  
FULL FEATURED  
Wi-Fi APP

## UPGRADE CONTROL

WIRELESS WALL  
THERMOSTAT CONTROL





# SPECTRUM SLIMLINE SERIES













## Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 12 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.



SPS-74B

### STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  Log Set – Highly Detailed Realism
-  12 Color Flame Combinations with Ember Bed & Down Lighting
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  120 Volt Plug
-  Do it Yourself Installation Instructions

# SPECTRUM SLIMLINE SERIES

## Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.



12 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Blue Flames & Orange Ember Bed



Orange Flames & Orange Ember Bed



Gold Flames & Gold Ember Bed



Green Flames & Green Ember Bed



Magenta Flames & Magenta Ember Bed



Pink Flames & Blue Ember Bed



Red Flames & Red Ember Bed



Purple Flames & Blue Ember Bed

modernflames.com



Orange Flames & Blue Ember Bed



Gold Flames & Green Ember Bed





Purple Flames & Purple Ember Bed

# SPECTRUM SLIMLINE SERIES

## Dimension Specs

### SPECTRUM SLIMLINE DIMENSIONAL SPECS

Model Number	A	B	C	D	E	F	G	H	FINISHED OPENING DIMENSIONS W x H x D
SPS-50B	49-3/4" (1264mm)	17" (430mm)	4-3/4" (121mm)	48-5/8" (1235mm)	16-1/8" (410mm)	4" (102mm)	46" (1168mm)	12" (305mm)	48-7/8" (1242mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-60B	59-3/4" (1518mm)	17" (430mm)	4-3/4" (121mm)	58-5/8" (1489mm)	16-1/8" (410mm)	4" (102mm)	55-13/16" (1418mm)	12" (305mm)	58-7/8" (1496mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-74B	73-3/4" (1873mm)	17" (430mm)	4-3/4" (121mm)	72-5/8" (1845mm)	16-1/8" (410mm)	4" (102mm)	69-3/4" (1772mm)	12" (305mm)	72-7/8" (1851mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-100B	99-3/4" (2534mm)	17" (430mm)	4-3/4" (121mm)	98-5/8" (2505mm)	16-1/8" (410mm)	4" (102mm)	95-7/8" (2435mm)	12" (305mm)	98-7/8" (2512mm) x 16-1/4" (413mm) x 4" (102mm) minimum



### REMOTE CONTROL

Separate controls for on/off variable heat and variable flame, with independent flame & ember bed variable colors.



# MODERN FLAMES

ModernFlames.com

3515 E. Atlanta Ave. Phoenix, AZ 85040  
(602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW