







# **ABOUT**

Flare Fireplaces merges contemporary, ergonomic design with practicality and efficiency. Whether you're looking for a stunning centerpiece or a heating unit for your home or business, Flare is your one stop source for high end fireplaces that can do it all.

Our frameless, linear, direct-vent fireplaces are made to the highest quality and safety standards. Flare Fireplaces offer simple installation and maximum flexibility with over 80 different models and extensive options. Choose from 6 different types of fireplace, each ranging from 30 to 100 inches long and either 16, 24, or 30-inch glass height. Enjoy your Flare for years to come as all of our models come with a 10-year warranty.

#### **CONTENTS**

<del>••••••</del>	
3-4	Key Features
5	Optional Features
6	Home Automation
7	Power Vent
8	Commercial Line
9	Summer Kit
10	Outdoor Kit
11-12	Decorative Media
13-14	Front Facing
15-16	See Through
17-18	Right Corner
19-20	Left Corner
21-22	Double Corner
23-24	Room Definer
25-28	Passage
29	Picture Key

#### **KEY FEATURES**





<sup>1</sup>Room Definer from 45 to 100 inches. <sup>2</sup> All 30 inch fireplace models come with 24-inch high glass.

#### STYLE CHARACTERISTICS

Seven different presentations, each from 30-100 inches long.<sup>1</sup>
Standard 16-inch glass height or 24-inch High Glass option available for all models.<sup>2</sup>
Frameless design.

Residential and commercial use.

#### COOL TOUCH WALL DESIGN

All of our models are designed so surrounding walls stay relatively cool, allowing you to hang a TV or art piece closer to the fireplace with less insulation to save you time, money, and effort.

#### EASY INSTALL AND SERVICE

Telescopic Legs let you easily plan and adjust the fireplace height.

Easy access to the vent restrictor and air shutter allows quick calibration of flame height & color.

Smoke free paint with no burn period.

#### BURNERS AND GAS

3D Stainless Steel burners give more depth to the flame. The multiple burner system allows the flame to extend closer to the edges. Electronic Ignition.

Power Adapter and Battery Backup.

Power Adapter and Battery Backu Natural Gas or Propane.

#### CERTIFICATES AND COMPLIANCE

Complying with North American standards<sup>3</sup> as well as state requirements in CA, MA, and NY.

High Efficiency ratings.

Certified for use with DuraVent 3x5, 4x6, or 5x8 direct vents.<sup>4</sup>

#### QUALITY AND COMFORT

Compatible with home automation systems.

Advanced programable remote control.

Easy to use touch wall switch.

Classic Decorative Media included.

10 year warranty.








<sup>3</sup>ANSI Z21.88 - CSA 2.33 Vented Gas Fireplace Heaters.

# **OPTIONAL FEATURES**

#### DOUBLE GLASS

Cooled external glass serves
as a sleek safety barrier
while maintaining the same
heat output and efficiency.
Frameless corners allow a
clear view to the flames.
Power venting not required.
Suitable for residential and
commercial use alike.



#### LIGHTING

Available in a radiant multi-colored option.

Remote included.

#### REFLECTIVE **BACK**

Let the flames stand out
against a black-mirrored
ceramic glass background,
adding amazing depth to any
unit



Simple wall-mounted timer.

Available in digital or analog.

TRIM COVER

For a clean surface from the glass to surrounding finish.

#### CUSTOM UNITS

Custom lengths and heights for special projects.





#### HOME AUTOMATION

You can easily connect your Flare
Fireplace to a new or existing home
automation hub using our "Home
Automation Cable". This modern
feature allows you to turn your
fireplace on and off, control flame
height, & add a modern twist to the
heart of your smart home.





5

# **POWER VENT**

#### IN-LINE **SYSTEM**

The inline Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.



#### END-OF-LINE **VERTICAL**

The End of Line Vertical Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.

#### FLUSH END-OF-LINE **HORIZONTAL**

The End of Line Horizontal Power Vent sits flush against your external wall. It allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.



## **COMMERCIAL LINE**



Flare Fireplaces are perfect commercial use whether indoors or out. The taller glass option increases the viewing angle and the Double Glass feature comes standard for extra safety. Also included is a commercial grade gas valve so you can be confident Flare will integrate flawlessly into your restaurant, hotel, or local business.






7

# **SUMMER KIT**

The Summer Kit heat transfer system reduces heat output to your home so you can enjoy your Flare fireplace all year long or even in warmer climates. Can be disabled in winter.








# **OUTDOOR KIT**

The Flare Outdoor Kit provides the freedom to enjoy a Flare Fireplace in your favorite setting. Use a Front Facing unit as the perfect centerpiece for your relaxing outside patio or install the See Through Fireplace on an external wall for a unique, multi-purpose window.

Our specially designed weatherproof kit comes with the same 10 year warranty as the rest of our line.



Available only for Front Facing and See Through models.

9

# **DECORATIVE MEDIA**





**Black Ceramic Pebbles** 

11



Mixed-size Earth Pebbles









Not all available options shown

# **FRONT FACING**



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-FF-100/H/EH	60,000	32,500	80.3%
Flare-FF-80/H/EH	55,700	31,000	79.7%
Flare-FF-70/H/EH	52,200	28,000	79.8%
Flare-FF-60/H/EH	50,000	28,000	79.2%
Flare-FF-50/H/EH	47,000	22,750	79.3%
Flare-FF-45/H/EH	36,800	22,000	79.2%
*Flare-FF-30	34.000	18.500	79.5%




Model	Α	В	С	Н	E
Flare-FF-100	101 8/16	97 3/16	16	28	5x8
Flare-FF-80	84 9/16	80 1/16	16	28	5x8
Flare-FF-70	71 15/16	67 11/16	16	28	5x8
Flare-FF-60	62 2/16	57 13/16	16	28	5x8
Flare-FF-50	52 5/16	48	16	28	5x8
Flare-FF-45	45 9/16	41 5/16	16	28	4x6
*Flare-FF-30	32 10/16	28 5/16	*24	35 14/16	4x6
Flare-FF-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-FF-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-FF-70-H	71 15/16	67 11/16	24	35 14/16	5x8
Flare-FF-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-FF-50-H	52 5/16	48	24	35 14/16	5x8
Flare-FF-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-FF-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-FF-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-FF-70-EH	71 15/16	67 11/16	30	42 1/8	5x8
Flare-FF-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-FF-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-FF-45-EH	45 9/16	41 5/16	30	42 1/8	4x6

# **SEE THROUGH**



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-ST-100/H/EH	60,000	32,500	80.1
Flare-ST-80/H/EH	55,700	31,000	79.6
Flare-ST-70/H/EH	52,200	28,000	79.4
Flare-ST-60/H/EH	50,000	28,000	79.6
Flare-ST-50/H/EH	47,000	22,750	79.9
Flare-ST-45/H/EH	36,800	22,000	79.2
*Flare-ST-30	34,000	18,500	79.5




Model	Α	В	С	Н	E
Flare-ST-100	101 8/16	97 3/16	16	28	5x8
Flare-ST-80	84 9/16	80 1/16	16	28	5x8
Flare-ST-70	71 15/16	67 8/16	16	28	5x8
Flare-ST-60	62 2/16	57 13/16	16	28	5x8
Flare-ST-50	52 5/16	48	16	28	5x8
Flare-ST-45	45 9/16	41 5/16	16	28	4x6
*Flare-ST-30	32 10/16	28 5/16	<b>*</b> 24	35 14/16	4x6
Flare-ST-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-ST-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-ST-70-H	71 15/16	67 8/16	24	35 14/16	5x8
Flare-ST-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-ST-50-H	52 5/16	48	24	35 14/16	5x8
Flare-ST-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-ST-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-ST-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-ST-70-EH	71 15/16	67 8/16	30	42 1/8	5x8
Flare-ST-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-ST-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-ST-45-EH	45 9/16	41 5/16	30	42 1/8	4x6

# RIGHT CORNER



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-RC-100/H	60,000	32,500	80.5
Flare-RC-80/H	55,700	31,000	80.2
Flare-RC-70/H	52,200	28,000	79.9
Flare-RC-60/H	50,000	28,000	79.8
Flare-RC-50/H	47,000	22,750	79.8
Flare-RC-45/H	36,800	22,000	79.7
*Flare-RC-30	34,000	18,500	79.4




Model	Α	В	С	Н	E
Flare-RC-100	100	97 3/16	16	28	5x8
Flare-RC-80	83 1/16	80 4/16	16	28	5x8
Flare-RC-70	70 8/16	67 10/16	16	28	5x8
Flare-RC-60	60 10/16	57 13/16	16	28	5x8
Flare-RC-50	50 13/16	47 15/16	16	28	5x8
Flare-RC-45	44 2/16	41 4/16	16	28	4x6
*Flare-RC-30	31 2/16	28 3/16	<b>*</b> 24	35 14/16	4x6
Flare-RC-100-H	100	97 3/16	24	35 14/16	5x8
Flare-RC-80-H	83 1/16	80 4/16	24	35 14/16	5x8
Flare-RC-70-H	70 8/16	67 10/16	24	35 14/16	5x8
Flare-RC-60-H	60 10/16	57 13/16	24	35 14/16	5x8
Flare-RC-50-H	50 13/16	47 15/16	24	35 14/16	5x8
Flare-RC-45-H	44 2/16	41 4/16	24	35 14/16	4x6

# **LEFT CORNER**



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-LC-100/H	60,000	32,500	80.5
Flare-LC-80/H	55,700	31,000	80.2
Flare-LC-70/H	52,200	28,000	79.9
Flare-LC-60/H	50,000	28,000	79.8
Flare-LC-50/H	47,000	22,750	79.8
Flare-LC-45/H	36,800	22,000	79.7
*Flare-LC-30	34,000	18,500	79.4




Model	Α	В	С	Н	E
Flare-LC-100	100	97 3/16	16	28	5x8
Flare-LC-80	83 1/16	80 4/16	16	28	5x8
Flare-LC-70	70 8/16	67 10/16	16	28	5x8
Flare-LC-60	60 10/16	57 13/16	16	28	5x8
Flare-LC-50	50 13/16	47 15/16	16	28	5x8
Flare-LC-45	44 2/16	41 4/16	16	28	4x6
*Flare-LC-30	31 2/16	28 3/16	*24	35 14/16	4x6
Flare-LC-100-H	100	97 3/16	24	35 14/16	5x8
Flare-LC-80-H	83 1/16	80 4/16	24	35 14/16	5x8
Flare-LC-70-H	70 8/16	67 10/16	24	35 14/16	5x8
Flare-LC-60-H	60 10/16	57 13/16	24	35 14/16	5x8
Flare-LC-50-H	50 13/16	47 15/16	24	35 14/16	5x8
Flare-LC-45-H	44 2/16	41 4/16	24	35 14/16	4x6

# **DOUBLE CORNER**




Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-DC-100	60,000	32,500	80.5
Flare-DC-80	55,700	31,000	80.2
Flare-DC-70	52,200	28,000	79.9
Flare-DC-60	50,000	28,000	79.8
Flare-DC-50	47,000	22,750	79.8
Flare-DC-45	36,800	22,000	79.7
*Flare-DC-30	34,000	18,500	79.4




Model	Α	В	С	Н	E
Flare-DC-100	101 8/16	99 4/16	16	28	5x8
Flare-DC-80	83 9/16	82 9/16	16	28	5x8
Flare-DC-70	71	69 11/16	16	28	5x8
Flare-DC-60	61 2/16	59 14/16	16	28	5x8
Flare-DC-50	51 5/16	50	16	28	5x8
Flare-DC-45	44 10/16	43 5/16	16	28	4x6
*Flare-DC-30	31 10/16	30 5/16	<b>*</b> 24	35 14/16	4x6
Flare-DC-100-H	101 8/16	99 4/16	24	35 14/16	5x8
Flare-DC-80-H	83 9/16	82 9/16	24	35 14/16	5x8
Flare-DC-70-H	71	69 11/16	24	35 14/16	5x8
Flare-DC-60-H	61 2/16	59 14/16	24	35 14/16	5x8
Flare-DC-50-H	51 5/16	50	24	35 14/16	5x8
Flare-DC-45-H	44 10/16	43 5/16	24	35 14/16	4x6

# **ROOM DEFINER**



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-RD-100/H/EH	60,000	32,500	80.4
Flare-RD-80/H/EH	55,700	31,000	80.1
Flare-RD-70/H/EH	52,200	28,000	79.8
Flare-RD-60/H/EH	50,000	28,000	79.5
Flare-RD-50/H/EH	47,000	22,750	79.5
Flare-RD-45/H/EH	36,800	22,000	79.4



Model	Α	В	С	Н	E
Flare-RD-100	102 12/16	96 12/16	16	28 12/16	5x8
Flare-RD-80	86	80	16	28 12/16	5x8
Flare-RD-70	73 4/16	65 12/16	16	28 12/16	5x8
Flare-RD-60	63 6/16	55 14/16	16	28 12/16	5x8
Flare-RD-50	53 9/16	46 1/16	16	28 12/16	5x8
Flare-RD-45	46 15/16	40 15/16	16	28 12/16	5x8
Flare-RD-100-H	102 12/16	96 12/16	24	36 10/16	5x8
Flare-RD-80-H	86	80	24	36 10/16	5x8
Flare-RD-70-H	73 4/16	65 12/16	24	36 10/16	5x8
Flare-RD-60-H	63 6/16	55 14/16	24	36 10/16	5x8
Flare-RD-50-H	53 9/16	46 1/16	24	36 10/16	5x8
Flare-RD-45-H	46 15/16	40 15/16	24	36 10/16	5x8
Flare-RD-100-EH	102 12/16	96 12/16	30	42 7/8	5x8
Flare-RD-80-EH	86	80	30	42 7/8	5x8
Flare-RD-70-EH	73 4/16	65 12/16	30	42 7/8	5x8
Flare-RD-60-EH	63 6/16	55 14/16	30	42 7/8	5x8
Flare-RD-50-EH	53 9/16	46 1/16	30	42 7/8	5x8
Flare-RD-45-EH	46 15/16	40 15/16	30	42 7/8	5x8


# PASSAGE FRONT


# Flare's brand new Passage Front offers a vertical design with a single face, intended to offer a modern twist on the linear design Flare is known for. The single glass side creates an impressive visual experience, designed to give a new perspective on what a modern fireplace \*The Flare Passage Front Fireplaces can be ordered as an indoor/outdoor application using the Flare Outdoor Kit.



	Model	Α	В	С	н	E
ľ	PAS-FF-30-FH	30	28	60	82	5x8

## PASSAGE SEE THROUGH







#### **PICTURE KEY**

**COVER** 

Front Facing 80 PAGE 1

Front Facing 80

**Handsome Salt Project** 

PAGE 3

**Room Definer 70** 

**Double Corner 45 Screened** 

**Double Corner 60** 

PAGE 4

See Through 30 High

PAGE 5

Front Facing 60 Outdoor

**PAGE 6** 

Front Facing 80 High PAGE 8

See Through 100 High

PAGE 9

**Double Corner 80** 

**PAGE 10** 

Front Facing 50 Outdoor PAGE 13

Front Facing 100

PAGE 15

See Through 100 High

**PAGE 17** 

Right Corner 80 High PAGE 19

Left Corner 80 High

<u>PAGE 21</u>

Double Corner 50

**PAGE 23** 

Room Definer 50

**PAGE 25** 

Passage Front

**PAGE 27** 

Passage See Through

**PAGE 29** 

Front Facing 80 BACK COVER

Room Definer 70 High







Flare Fireplaces LLC 1406 Capital Avenue Suite 104 Plano, TX 75074

Phone/ Fax: 1-866-639-1590

flarefireplaces.com | Version 4.0