

MONTIGO®

# DELRAY SQUARE

DRSQ34NI

DRSQ34NI-2

DRSQ38NI

DRSQ38NI-2

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2

DELRAY / THE ART OF FIREPLACES



# DELRAY

## SQUARE

## The DelRay Square Universal Burner

A revolutionary burner system, creating endless opportunities

### Versatility

We have developed a burner system that is not only convertible from natural gas to propane, but can switch from traditional to contemporary burner media without changing the burner system.

Media kits, such as logsets and contemporary scenes, must be ordered along with the unit.

### Combustible facing

Our unique firebox design allows for installing a combustible wood facing right down to the glass opening.

### Trim kits

For uneven and ledgestone finishing, a slim finishing kit connects directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".





**TRADITIONAL LOGSETS**

Hand painted to perfection

Each logset is designed to work with the universal burner system that ensures a realistic flame pattern that fills the firebox.

All logsets come standard with a black coal firebed and glowing ember media.



**WATCH IT BURN**

DELRAY SQUARE 34 VIDEO




Watch the video to see the DelRay Square 34 burning with 9 media sets and 7 liners.

DELRAY SQUARE  
34 MEDIA SHOWN  
BELOW



**WATCH IT BURN**

DELRAY SQUARE 38 VIDEO



Watch the video to see the DelRay Square 38 burning with 9 media sets and 7 liners.

DELRAY SQUARE  
38 MEDIA SHOWN  
BELOW



SPLIT OAK  
LGSSO4



BIRCH  
LGSB14



DRIFTWOOD  
LGSDW4



WINTER  
CSW46



BEACH  
CSB46



TWILIGHT  
CST46




**WATCH IT BURN**  
DELRAY SQUARE 42 VIDEO



Watch the video to see the DelRay Square 42 burning with 9 media sets and 7 liners.

DELRAY SQUARE  
42 MEDIA SHOWN  
ABOVE

**WATCH IT BURN**  
DELRAY SQUARE 46 VIDEO



Watch the video to see the DelRay Square 46 burning with 9 media sets and 7 liners.

DELRAY SQUARE  
46 MEDIA SHOWN  
ABOVE

**CONTEMPORARY SCENES**

Modern design at its best

Our contemporary scenes have been designed to create the best possible environment for tall, robust flames and pair beautifully with any room.

All contemporary scenes come standard with glass media, rocks, ceramic chips, and glowing ember media.





DELRAY / FROM MINIMALIST TO INDULGENCE

# DELRAY

SQUARE

# CONTEMPORARY & TRADITIONAL

## DELRAY FULL LOAD SQUARE

## DELRAY BASIC SQUARE

DRSQ34  
DRSQ34-2  
DRSQ38  
DRSQ38-2

SINGLE SIDED  
DIRECT VENT

### Standard

- Concealed universal burner
- Multi-function remote
- Remote Hi-Lo flame control
- Remote controlled fans
- Micro mesh safety screen
- Battery backup
- Halogen downlighting

### Options

- Heat management
- Adjustable trim kits
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media
- WiFi phone app control


### Standard

- Concealed universal burner
- Manual Hi-Lo flame control

### Options

- Heat management
- Adjustable trim kits
- Remote control
- Fans
- Micro mesh safety screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media





DELRAY / SQUARE / DRSQ38NI-2 / WINTER / BLACK REFLECTIVE GLASS



DELRAY / SQUARE / DRSQ34NI-2 / SPLIT OAK LOGSET / RED BRICK



DELRAY / SQUARE / DRSQ34NI-2 / DRIFTWOOD




**OPTIONS & FEATURES**

- REMOTE<sup>4+</sup> RX200\*\*
- WALL REMOTE<sup>†</sup> EC1550
- WIFI PHONE APP CONTROL<sup>†</sup> SIT-WIFI
- DOWNLIGHTING<sup>A</sup>
- TRADITIONAL LOGETS LG5\*\*3\*
- CONTEMPORARY SCENES CS\*3\*
- TRIM KIT DRSQT\*\*.\*

**LINERS**

- GREY HERRINGBONE DRSQBK3\*GH
- GREY LEDGESTONE DRSQBK3\*GL
- ASH FLUTED DRSQBK3\*AF
- BLACK GLASS RBGDRSQ3\*
- VINTAGE BRICK DRSQBK3\*VB
- TAN BRICK DRSQBK3\*TB
- RED BRICK DRSQBK3\*RB



DELRAY / FROM MINIMALIST TO INDULGENCE

# DELRAY

SQUARE

# MAKE A STATEMENT

## DELRAY FULL LOAD SQUARE

## DELRAY BASIC SQUARE

DRSQ42NI  
DRSQ42NI-2  
DRSQ46NI  
DRSQ46NI-2

SINGLE SIDED  
DIRECT VENT

### Standard

- Concealed universal burner
- Multi-function remote
- Remote Hi-Lo flame
- Remote controlled fans
- Micro mesh safety screen
- Battery backup
- Halogen downlighting

### Options

- Heat management
- Adjustable trim kits
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media
- WiFi phone app control

### Standard

- Concealed universal burner
- Manual Hi-Lo flame

### Options

- Heat management
- Adjustable trim kits
- Remote control
- Fans
- Micro mesh safety screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media








DELRAY / SQUARE / DRSQ46NI-2 / SPLIT OAK



DELRAY / SQUARE / DRSQ42NI-2 / TWILIGHT



DELRAY / SQUARE / DRSQ42NI-2 / DRIFTWOOD



REMOTE<sup>A</sup>  
RX200\*\*



WALL REMOTE<sup>†</sup>  
EC1550



WIFI PHONE APP  
CONTROL  
SIT-WIFI<sup>‡</sup>



DOWNLIGHTING<sup>A</sup>



TRADITIONAL  
LOGETS  
LGS\*\*



CONTEMPORARY  
SCENES  
CS\*



TRIM KIT  
DRSQT\*\*.\*



GREY  
HERRINGBONE  
DRSQBK\*\*GH



GREY  
LEDGESTONE  
DRSQBK\*\*GL




ASH FLUTED  
DRSQBK\*\*AF




BLACK GLASS  
RBGDRSQ\*\*



VINTAGE BRICK  
DRSQBK\*\*VB



TAN BRICK  
DRSQBK\*\*TB



RED BRICK  
DRSQBK\*\*RB

OPTIONS &  
FEATURES

LINERS

# DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAGE

The finishing options for the DelRay Square are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

## Traditional Finishing

### DRSQ38 NON-VENTED CHASE SURFACE TEMPERATURES

Requires included cement board  
and stud heat deflector.



**140°F**  
16" ABOVE  
OPENING

**150°F**  
12" ABOVE  
OPENING

**180°F**  
8" ABOVE  
OPENING

**190°F**  
4" ABOVE  
OPENING

Standard  
Drywall

Included  
Cement Board

### Trim Kits

For uneven and ledgerstone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"

### CHASE VENTING VALANCE

Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

# Cool Wall Release

### DRSQ38 VENTED CHASE SURFACE TEMPERATURES

DRSQ34  
Minimum 70<sup>2</sup> inch opening  
DRSQ38  
Minimum 100<sup>2</sup> inch opening  
DRSQ42  
Minimum 120<sup>2</sup> inch opening  
DRSQ46  
Minimum 140<sup>2</sup> inch opening

Temperatures shown are based on a DRSQ38NI-2 with vented chase

Minimum 6' chase  
(When venting ports open or using Cool Wall Advantage kit)  
Minimum 7' chase for DRSQ46

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.


**90°F**  
16" ABOVE OPENING

**100°F**  
12" ABOVE OPENING

**115°F**  
8" ABOVE OPENING

**130°F**  
4" ABOVE OPENING

Combustible Finish



### VENTING PORTS

Opening the venting ports diverts heat through the chase, resulting in lower wall surface temperatures



VINTAGE BROWN BRICK  
DRSQBK\*\*VB


TAN BRICK  
DRSQBK\*\*TB

RED BRICK  
DRSQBK\*\*RB

# LINERS




GREY LEDGESTONE  
DRSQBK\*\*GL



ASH FLUTED  
DRSQBK\*\*AF



GREY HERRINGBONE  
DRSQBK\*\*GH



BLACK REFLECTIVE GLASS  
RBGDRSQ\*\*



SPECKLED STONES  
RR\*\*\*\*SS

COPPER  
HW1143

AMBER  
HW1261

ICE  
HW1157

GLACIER  
HW1219B

PLATINUM  
HW1144

ALABASTER  
HW1260

OBSIDIAN  
HW1113

ONYX  
HW1259

# MEDIA

FROST  
HW1112

QUARTZ  
HW1106

EBONY  
HW1091

COALS  
HW1265, HW1266





DELRAY / SQUARE / DRSQ46NI-2 / WINTER SCENE / REFLECTIVE BLACK GLASS

DELRAY / SQUARE / DRSQ38NI-2 / SPLIT OAK LOGSET / TAN BRICK



# Unit Specifications

## ICON LEGEND

AVAILABLE	+	NOT AVAILABLE	-
DEDICATED	◊	STANDARD	◦

	BTU NATURAL GAS	BTU LIQUID PROPANE	NG EFFICIENCY	LP EFFICIENCY	VENTING	CLEARANCE TOP - TOP VENT	CLEARANCE REAR - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	CLEARANCE MANTEL	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
DRSQ34*1-2	18,000	16,000	65.7%	65.7%	4"/7"	21	17	0	1½	0	9	29 <sup>11</sup> / <sub>16</sub> X 18%	HIGH TEMPERATURE	N/A	◦	+	◦	◦	-	◦
DRSQ34*1	15,500	14,000	67.1%	65.4%	4"/7"	21	17	0	1½	0	9	29 <sup>11</sup> / <sub>16</sub> X 18%	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ38*1-2	24,000	19,500	65%	61.5%	5"/8" <sup>Δ</sup>	21	17	0	1½	0	6	33 <sup>11</sup> / <sub>16</sub> X 22%	HIGH TEMPERATURE	N/A	◦	+	◦	◦	-	◦
DRSQ38*1	20,500	16,500	63.4%	61.8%	5"/8" <sup>Δ</sup>	21	17	0	1½	0	6	33 <sup>11</sup> / <sub>16</sub> X 22%	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ42*1-2	32,500	27,000	63.1%	63%	5"/8"	28	28	½	1½	0	10	37 <sup>11</sup> / <sub>16</sub> X 26%	HIGH TEMPERATURE	N/A	◦	+	◦	◦	-	◦
DRSQ42*1	32,500	27,000	63.1%	63%	5"/8"	28	28	½	1½	0	10	37 <sup>11</sup> / <sub>16</sub> X 26%	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ46*1-2	40,000	34,000	64.1%	64.7%	5"/8"	35	35	½	1	0	10	41 <sup>11</sup> / <sub>16</sub> X 30%	HIGH TEMPERATURE	N/A	◦	+	◦	◦	-	◦
DRSQ46*1	40,000	34,000	64.1%	64.7%	5"/8"	35	35	½	1	0	10	41 <sup>11</sup> / <sub>16</sub> X 30%	HIGH TEMPERATURE	N/A	+	+	+	+	-	-


ΔCan be reduced to 4"7"

## DELRAY SQUARE FRAMING (MINIMUM DIMENSIONS)

	A*	B	C	D	E	F	G
DRSQ34	49	40½	18	36	52 <sup>2</sup> / <sub>16</sub>	37 <sup>1</sup> / <sub>16</sub>	1
DRSQ38	62½	44 <sup>7</sup> / <sub>16</sub>	18	40 <sup>3</sup> / <sub>16</sub>	59¼	41 <sup>7</sup> / <sub>8</sub>	2
DRSQ42	72	51	21	45	62 <sup>2</sup> / <sub>16</sub>	44½	1
DRSQ46	84	55	22	49	67 <sup>3</sup> / <sub>8</sub>	47 <sup>5</sup> / <sub>8</sub>	1

\* Some venting configurations that require more vertical rise will require a larger enclosure to provide minimum vertical clearance between vent pipes and combustibles

Header must be on edge to meet clearance to venting



## 1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

## 1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

## 1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

## Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

### **WARNING**

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

for more inspiration go to  
[www.montigo.com](http://www.montigo.com)

**MONTIGO**<sup>®</sup>  
the art of **fireplaces**



## Our Guarantee

Montigo<sup>®</sup> stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in USA

XB2218 - Square  
XB2216 - Linear