



---

**GAS**  
INSERTS

ENVIRO  
30<sup>th</sup>  
ANNIVERSARY  
SINCE 1989



Q1 Fireplace Insert – Painted Black Victorian Face, Brick Liner, and Classic Log Set



Q1 Fireplace Insert – Minimal Surround, Black Enamelled Liner, and Classic Log Set



Q1 Fireplace Insert – Modern Surround Panel, Brick Liner, and Classic Log Set



Q1 Fireplace Insert – Contemporary Surround w/Trimable Panel, Ledgestone Liner, and Classic Log Set

## Design Features

- Clean Face Look — No Louvers
- Included Classic Log Set
- IPI Valve
- 150 CFM Room Fan (with variable control)
- Limited Lifetime Warranty
- ClearView Safety Screen
- Quick Access Valve Controls

## Available Options

- Remote or Thermostat Control
- Log Set - Included
- Liner Options:
  - Brick Liner
  - Black Enamelled Liner
  - Ledgestone Liner
- Surround Options:
  - Victorian Face
  - Minimal Surround
  - Modern Surround
  - Contemporary Surround w/Trimable Panel
  - Trimable Panel

## Insert Specifications

BTU Maximum Input - NG	20,000 BTU
Turn Down	33%
Heating Area	1,000 ft <sup>2</sup>
P4 Efficiency	74.5%
Viewing Area	16½" x 18¾"
Glass Size	17½" x 19¾"
Minimum Install Dims. †	HEIGHT 27½" WIDTH 20¼" DEPTH 14¼"

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Classic Log Set



Victorian Face



Brick Liner with Log Set





E20 Fireplace Insert – Modern Surround Panel, Black Enameled Liner, and Glass Burner



E20 Fireplace Insert – Contemporary Surround Panel, Black Enameled Liner, and Glass Burner with Decorative Stones



E20 Fireplace Insert – Contemporary Surround Panel, Fluted Liner, and Classic Log Set

## Design Features

- Clean Face Look — No Louvers
- Cast Iron Heat Exchanger
- Included Classic Log Set
- 110 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Nova and IPI editions

## Available Options

- Hearth Riser
- Remote or Thermostat Control
- Glass or Classic Log Set - Included
- Liner Options:
  - Steel Painted Liner (Included)
  - Brick Liner
  - Fluted Liner
  - Black Enameled Liner
- Surround Options:
  - Modern Surround
  - Contemporary Surround
  - Galiano Surround - Brushed Graphite
  - Slim Surround
  - Trimmable Panel

## Insert Specifications

BTU Maximum Input - NG	23,000 BTU						
Turn Down*	Up to 50%						
Heating Area	1,200 ft <sup>2</sup>						
P4 Efficiency	66.45%						
Viewing Area	20 <sup>3</sup> / <sub>8</sub> " x 12 <sup>1</sup> / <sub>8</sub> "						
Glass Size	21 <sup>3</sup> / <sub>4</sub> " x 13 <sup>3</sup> / <sub>4</sub> "						
Minimum Install Dims. †	<table border="1"> <tr> <th>HEIGHT</th> <th>WIDTH</th> <th>DEPTH</th> </tr> <tr> <td>18<sup>1</sup>/<sub>4</sub>"</td> <td>24<sup>1</sup>/<sub>4</sub>"</td> <td>14"</td> </tr> </table>	HEIGHT	WIDTH	DEPTH	18 <sup>1</sup> / <sub>4</sub> "	24 <sup>1</sup> / <sub>4</sub> "	14"
HEIGHT	WIDTH	DEPTH					
18 <sup>1</sup> / <sub>4</sub> "	24 <sup>1</sup> / <sub>4</sub> "	14"					

\* Turn down is based on a Nova valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Fluted Liner with Log Set



Black Glass with Decorative Stones



Brick Liner with Log Set



E25 Fireplace Insert – Painted Liner, Traditional Log Set



E25 Fireplace Insert – Brick Liner, Traditional Log Set



E25 Fireplace Insert – Brick Liner, Traditional Log Set

### Design Features

- Clean Face Look — No Louvers
- Included Traditional Log Set
- Easy Access Burner Switch (NOVA)
- Optional 110 CFM Room Fan (with variable control)
- Steel Log Grate
- Limited Lifetime Warranty
- Nova and IPI editions

### Available Options

- Optional Fan Kit
- Hearth Riser
- Burner Options:
  - Traditional Log Set - Included
- Liner Options:
  - Painted Liner - Included
  - Brick Liner
- Surround Options:
  - Formed Steel Surround - Included
  - Trimmable Panel

### Insert Specifications

BTU Maximum Input - NG	28,000 BTU
Turn Down*	Up to 50%
Heating Area	1,600 ft <sup>2</sup>
P4 Efficiency	63.9%
Viewing Area	24 <sup>3</sup> / <sub>8</sub> " x 14"
Glass Size	26 <sup>1</sup> / <sub>4</sub> " x 16"
Minimum Install Dims. †	HEIGHT 19 <sup>7</sup> / <sub>8</sub> "    WIDTH 27 <sup>7</sup> / <sub>8</sub> "    DEPTH 13 <sup>1</sup> / <sub>2</sub> "

\* Turn down is based on a Nova valve.

† Depth can vary by panel.



Traditional Log Set



Optional Brick Liner



Formed Steel Surround



E30 Fireplace Insert – Powder Coated Grey Borderview Surround Panel, LedgeStone Liner, and Traditional Log Set



E30 Fireplace Insert – Powder Coated Grey Borderview Plus 4S Surround Panel, Black Enameled Liner, and Glass



E30 Fireplace Insert – Powder Coated Grey Borderview Surround Panel, Brick Liner, and Traditional Log Set



E30 Fireplace Insert – Galiano Surround Panel, Black Enameled Liner, Driftwood Log Set, and Hearth Riser

## Design Features

- Clean Face Look — No Louvers
- Three Different Log Sets
- Easy Access Burner Switch
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Nova and IPI editions

## Available Options

- Hearth Riser
- Remote or Thermostat Control
- Traditional, Birch, Driftwood Log Sets, Glass
- Liner Options:
  - Steel Painted Liner (Included)
  - Brick Liner (2 colors) (Log Burner)
  - Black Enameled Liner (Glass or Log Burner)
  - Fluted Liner (Log Burner)
  - Ledgestone Liner (Log Burner)
  - Herringbone Liner (Log Burner)
- Surround Options:
  - Modern Surround
  - Contemporary Surround
  - Galiano Surround - Brushed Graphite
  - Slim Surround
  - Extruded Surround
  - 4-Sided Extruded Surround
  - Cast Plus Surround
  - Trimmable Panel

## Insert Specifications

BTU Maximum Input - NG	33,000 BTU						
Turn Down*	Up to 50%						
Heating Area	1,700 ft <sup>2</sup>						
P4 Efficiency	71.4%						
Viewing Area	24 <sup>3</sup> / <sub>8</sub> " x 14"						
Glass Size	26 <sup>1</sup> / <sub>4</sub> " x 16"						
Minimum Install Dims. †	<table border="1"> <thead> <tr> <th>HEIGHT</th> <th>WIDTH</th> <th>DEPTH</th> </tr> </thead> <tbody> <tr> <td>19<sup>7</sup>/<sub>8</sub>"</td> <td>27<sup>7</sup>/<sub>8</sub>"</td> <td>16"</td> </tr> </tbody> </table>	HEIGHT	WIDTH	DEPTH	19 <sup>7</sup> / <sub>8</sub> "	27 <sup>7</sup> / <sub>8</sub> "	16"
HEIGHT	WIDTH	DEPTH					
19 <sup>7</sup> / <sub>8</sub> "	27 <sup>7</sup> / <sub>8</sub> "	16"					

\* Turn down is based on a Nova valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Brick Liner with Traditional Log Set



Glass Burner with Diamond Glass



Black Enameled Liner with Driftwood Log Set







EX32 Fireplace Insert – Designer Series Surround - Powder Coated Silver, Black Enamelled Liner, and Ultra HD Log Set



EX32 Fireplace Insert – Slim Surround Panel, Ledgestone Liner, and Ultra HD Log Set



EX32 Fireplace Insert – Cast Plus Surround Panel, Herringbone Liner, and Ultra HD Log Set

## Design Features

- Adjustable Ember Bed Lighting
- Clean Face Look — No Louvers
- IPI System with Remote
- Glass Size: 26¼" x 16", 420 in<sup>2</sup>
- Ultra High Definition Log Set
- 150 CFM Room Fan (with variable control)
- Run-Quiet Fan System
- ClearView Safety Screen
- Limited Lifetime Warranty



## Available Options

- Hearth Riser
- Remote or Thermostat Control
- Liner Options:
  - Steel Liner (Included)
  - Brick Liner (2 colors)
  - Black Enamelled Liner
  - Fluted Liner
  - Ledgestone Liner
  - Herringbone Liner
- Surround Options:
  - Contemporary Surround
  - Galiano Surround - Brushed Graphite
  - Slim Surround
  - Designer Series - Powder Coated Grey
  - Cast Plus Surround
  - Complete list on pages 28-29

## Insert Specifications

BTU Maximum Input - NG	32,500 BTU
Turn Down*	33%
Heating Area	1,700 ft <sup>2</sup>
P4 Efficiency	74.97%
Viewing Area	24¾" x 14"
Glass Size	26¼" x 16"
Minimum Install Dims. †	HEIGHT 19⅞"    WIDTH 27⅞"    DEPTH 16"

\* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Ultra HD Log Set with Brick Liner



Designer Series Surround



Adjustable Ember Bed Lighting



E33 Fireplace Insert – Galiano Surround Panel, Brick Liner, and Traditional Log Set



E33 Fireplace Insert – Forgeworks Surround Panel, Black Enamel Liner, and Birch Log Set



E33 Fireplace Insert – Powder Coated Grey Designer Series Surround Panel, LedgeStone Liner, and Traditional Log Set



E33 Fireplace Insert – Contemporary Surround Panel, Brick Liner with Traditional Log Set

## Design Features

- Clean Face Look — No Louvers
- Glass Size: 28½" x 18", 513 in<sup>2</sup>
- Three Different Log Sets
- Easy Access Burner Switch
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Quick Access Valve Controls (Contemporary and Extruded Panels Only)
- Nova and IPI editions

## Available Options

- Hearth Riser
- Remote or Thermostat Control
- Traditional, Birch, Driftwood Log Sets, Glass, River Rock Set
- Liner Options:
  - Steel Liner (Included w/ Log Burner)
  - Brick Liner (2 colors) (Log Burner)
  - Black Enameled Liner (Glass or Log Burner)
  - Fluted Liner (Log Burner)
  - LedgeStone Liner (Log Burner)
  - Herringbone Liner (Log Burner)
- Surround Options:
  - Modern Surround
  - Contemporary Surround
  - Galiano Surround - Brushed Graphite
  - Slim Surround
  - Designer Series - Powder Coated Grey
  - Cast Plus Surround
  - Complete list on pages 28-29

## Insert Specifications

BTU Maximum Input - NG	34,000 BTU
Turn Down*	Up to 50%
Heating Area	1,800 ft <sup>2</sup>
P4 Efficiency	71.1%
Viewing Area	27" x 16½"
Glass Size	28½" x 18"
Minimum Install Dims. †	HEIGHT 20" WIDTH 32" DEPTH 17½"

\* Turn down is based on a Nova valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Midnight Bronze Forgeworks Surround



Traditional Log Set with Brick Liner



Galiano Surround - Brushed Graphite



EX35 Fireplace Insert – Cast Plus Surround Panel, Herringbone Liner, and Ultra HD Log Set



EX35 Fireplace Insert – Contemporary Surround Panel, Fluted Liner, and Ultra HD Log Set



EX35 Fireplace Insert – Galiano Surround Panel, Black Enameled Liner, and Ultra HD Log Set



EX35 Fireplace Insert – Powder Coated Grey Designer Series Surround Panel, Ledgestone Liner, and Ultra HD Log Set

## Design Features

- Adjustable Ember Bed Lighting
- Clean Face Look — No Louvers
- IPI System with Remote
- Glass Size: 28½" x 18", 513 in<sup>2</sup>
- Ultra High Definition Log Set
- 150 CFM Room Fan (with variable control)
- Run-Quiet Fan System
- ClearView Safety Screen
- Limited Lifetime Warranty



## Available Options

- Hearth Riser
- Remote or Thermostat Control
- Liner Options:
  - Steel Liner (Included)
  - Brick Liner (2 colors)
  - Black Enameled Liner
  - Fluted Liner
  - Ledgestone Liner
  - Herringbone Liner
- Surround Options:
  - Contemporary Surround
  - Galiano Surround - Brushed Graphite
  - Slim Surround
  - Designer Series - Powder Coated Grey
  - Cast Plus Surround
- Complete list on pages 28-29

## Insert Specifications

BTU Maximum Input - NG	35,000 BTU		
Turn Down*	33%		
Heating Area	1,800 ft <sup>2</sup>		
P4 Efficiency	74.11%		
Viewing Area	26¾" x 16½"		
Glass Size	28½" x 18"		
Minimum Install Dims. †	HEIGHT 20"	WIDTH 32"	DEPTH 17½"

\* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Ultra HD Log Set with Fluted Liner



Cast Plus Surround



Adjustable Ember Bed Lighting



E44 Fireplace Insert – Modern Surround Panel, Brick Liner, and Traditional Log Set



E44 Fireplace Insert – Galiano Surround, Herringbone Liner, and Birch Log Set



E44 Fireplace Insert – Contemporary Surround Panel, LedgeStone Liner, and Traditional Log Set

## Design Features

- Clean Face Look — No Louvers
- IPI System with Remote
- Two Different Log Sets
- Remote Control Included
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Steel Liner Included

## Available Options


- Hearth Riser
- Thermostat Control
- Traditional and Birch Log Sets
- Liner Options:  
Brick | Black Enameled | Fluted | LedgeStone  
Herringbone | Steel Liner (Included)
- Surround Options:  
– Modern Surround  
– Contemporary Surround  
– Galiano Surround - Brushed Graphite

## Insert Specifications

BTU Maximum Input - NG	42,000 BTU
Turn Down*	33%
Heating Area	2,300 ft <sup>2</sup>
P4 Efficiency	58.49%
Viewing Area	29 <sup>3</sup> / <sub>8</sub> " x 21 <sup>1</sup> / <sub>8</sub> "
Glass Size	30 <sup>3</sup> / <sub>8</sub> " x 22 <sup>1</sup> / <sub>4</sub> "
Minimum Install Dims.†	HEIGHT 24" WIDTH 34 <sup>1</sup> / <sub>2</sub> " DEPTH 20 <sup>3</sup> / <sub>8</sub> "

\* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Herringbone Liner



Hearth Riser



Traditional Log Set with LedgeStone Liner

# Surround Panels



**CONTEMPORARY**

Available for the E20, E30, E33, EX32, EX35, & E44



**MODERN**

Available for the E20, E30, E33, & E44



**BORDERVIEW**

Available for the E30 & EX32  
Powder Coated Grey



**DESIGNER SERIES SURROUND**

Available for the E30, E33, EX32 & EX35  
Powder Coated Grey



**SLIM**

Available for the E20, E30, E33, EX32 & EX35



**GALIANO**

Available for the E20, E30, E33, EX32, EX35, & E44  
Brushed Graphite Face



**FORGEWORKS**

Available for the E30, E33, EX32 & EX35  
Midnight Bronze



**CAST PLUS SURROUND**

Available for the E30, E33, EX32 & EX35



**EXTRUDED**

Available for the E30 & EX32



**BORDERVIEW PLUS 4S**

Available for the E30 & EX32  
Powder Coated Grey



**MINIMAL SURROUND**

Available for the Q1



**Q1 MODERN**

Available for the Q1



**VICTORIAN FACE**

Available for the Q1  
Painted Black or Antique Bronze



**CONTEMPORARY  
W/TRIMMABLE PANEL**

Available for the Q1



# Design Elements




**BRICK LINER** (Original or Graphite Grey)

Available for Q1, E20, E25, E30, EX32, E33, EX35, & E44 (Graphite Grey not available for the Q1, E20, E25, or E44)



**HERRINGBONE LINER**

Available for E30, EX32, E33, EX35, & E44



**BLACK ENAMELED STEEL LINER**

Available for Q1, E20, E30, EX32, E33, EX35, & E44



**LEDGESTONE LINER**

Available for Q1, E30, EX32, E33, EX35, & E44



**FLUTED LINER**

Available for E20, E30, EX32, E33, EX35, & E44



**GLASS BURNER WITH DIAMOND GLASS**

Available for E20, E30, E33



**CLASSIC LOG SET**

Included with Q1 & E20



**TRADITIONAL LOG SET**

Available for E25, E30, E33, & E44



**DRIFTWOOD LOG SET**

Available for E30 & E33



**ULTRA HIGH DEFINITION LOG SET**

Available for EX32, & EX35



**BIRCH LOG SET**

Available for E30, E33, E44



**RIVER ROCK SET**

Available for E33 Glass

# Firebox Options


Firebox Liners	Q1	E20	E25	E30 / EX32	E33 / EX35	E44
Brick Liner	✓	✓	✓	✓	✓	✓
Black Enameled Liner	✓	✓		✓	✓	✓
Fluted Liner		✓		✓	✓	✓
Ledgestone Liner	✓			✓	✓	✓
Herringbone Liner				✓	✓	✓

Steel Painted Liner	Included	Included	Included	Included	Included	Included
---------------------	----------	----------	----------	----------	----------	----------

Burner Variations	Q1	E20	E25	E30 / EX32	E33 / EX35	E44
Log Set (Ultra HD for EX32/EX35)	Classic	Classic	Traditional	Traditional / Ultra HD	Traditional / Ultra HD	Traditional
Driftwood Log Set				E30 Only	E33 Only	
Birch Log Set				E30 Only	E33 Only	✓
Glass Burner (Black Glass)		Diamond Glass		E30 Only	E33 Only	
River Rock Set					E33 Glass	

Additional Options	Q1	E20	E25	E30 / EX32	E33 / EX35	E44
Decorative Stones (Glass Tray Burners Only)		✓				
Ember Bed Lights				EX32 Standard	EX35 Standard	
Hearth Riser (N/A with 4-Sided Surround Panels)		2"H 40 3/4"W	2"H 43 1/2"W	2"H 43 1/2"W	2"H 45 1/2"W	1 1/2"H 46 3/8"W
Programmable Thermostat	✓	✓		✓	✓	✓
Proflame Remote Control	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Included

Clearance to Combustibles	Q1	E20	E25	E30 / EX32	E33 / EX35	E44
A - center of unit to side wall	16 1/2"	19 1/2"	21"	21"	24"	23 1/2"
B - bottom of unit to bottom of 12" mantle	41"	39 3/4"	33"	E30 36" EX32 42"	36"	40"
C - unit bottom to max. 3/4" combustible facing	35 1/4"	37 1/2"	12"	E30 30" EX32 33"	30"	40"
D - center of unit to side facing	10"	16 1/2"	21"	21"	23"	23"
E - front of door to edge of floor protection	12"	13"	16"	E30 16" EX32 9"	E33 16" EX35 9"	16"±



# Specifications & Measurements

## Specifications

	Q1 PORTRAIT GAS INSERT			E20 SMALL GAS INSERT			E25 SHALLOW GAS INSERT		
BTU Maximum input - NG / LP	20,000			23,000			28,000 / 28,000		
Turn Down - Nova/IPI	N/A / 33%			50% / 33%			50% / 33%		
Heat Exchanger	Steel			Cast Iron			Steel		
Nova	Available			Available			Available		
IPI	Available			Available			Available		
Efficiency - Steady State*	76.19%			72.39%			66.7%		
Efficiency - FE rating**	74.45%			66.45%			63.9%		
Viewing Area	16½" x 18¾", 309¾ in²			20¾" x 12½", 299 in²			24¾" x 14", 341¼ in²		
Glass Size	17½" x 19¾", 345½ in²			21¾" x 13¾", 300 in²			26¼" x 16", 420 in²		
Convection Fan	150 CFM			110 CFM			110 CFM		
Min. Install Dims. †	HEIGHT 27 ½"	WIDTH 20 ¼"	DEPTH 14 ¼"	HEIGHT 18 ¼"	WIDTH 24 ¼"	DEPTH 14"	HEIGHT 19 7/8"	WIDTH 27 7/8"	DEPTH 13 ½"
LP Conversion Kit (Nova/IPI)	Standard / Optional			Standard / Optional			Standard / Optional		
Venting (Direct Vent)	3" x 3"			3" x 2"			3" x 3"		
Weight	110 lbs			90 lbs			100 lbs		
Wood ZC Fireplace Approved	Standard			Standard			Standard		
ZC Floor Removal Approved	Standard						Standard		

## Surround Panels

	Q1		E20		E25	
	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH
Contemporary Surround			23 7/8" H	35 3/8" W		
Oversize Contemporary Surround			26 7/8" H	37 3/8" W		
Galiano Surround <i>Add a Hearth Riser for an additional 2" of height.</i>			23 7/8" H	35 3/8" W		
Extruded Surround						
Oversize Extruded Surround						
Minimal Surround (3-Sided)	26 2/5" H	22 4/5" W				
Minimal Surround (4-Sided)	24 ¼" H	27 ¼" W				
Modern Surround (N/A on the EX32 & EX35)	26 3/8" H	22¾" W	23 7/8" H	35 3/8" W		
Slim Surround (Formed Surround on E25)	30" H	30" W	21" H	29 ¾" W	25 ¾" H	39" W
Contemporary w/Trimmable Panel	32" H	36" W				
Victorian Face	30½" H	30" W				
w/Optional Depth Reducing Panel	34" H	36" W				
Borderview Surround – EE						
Borderview Plus 4S Surround – EE						
Forgeworks Surround – EE						
Designer Series Surround – EE						
Cast Plus Surround – EE						
Oversize Cast Plus Surround – EE						
Trimmable Panel	32" H	36" W	28 4/5" H	41 4/5" W	30 1/8" H	46" W

\* Steady State based on measured rating of IPI model. \*\* FE Rating based on measured P.4 rating of IPI model. † Based on a minimum ½" raised hearth (18" flush). **EE** Elite Edition Surround Panel

	E30 MEDIUM GAS INSERT			EX32 MEDIUM GAS INSERT			E33 LARGE GAS INSERT			EX35 LARGE GAS INSERT			E44 EXTRA LARGE GAS INSERT		
BTU Maximum input - NG / LP	33,000 / 28,000			32,500			34,000 / 31,000			34,000			42,000		
Turn Down - Nova/IPI	50% / 33%			33%			50% / 33%			33%			33%		
Heat Exchanger	Steel			Steel			Steel			Steel			Steel		
Nova	Available			N/A			Available			N/A			N/A		
IPI	Available			Standard			Available			Standard			Standard		
Efficiency - Steady State*	78.72%			73.48%			77.64%			76.1%			66.91%		
Efficiency - FE rating**	71.4%			74.97%			71.13%			74.11%			58.49%		
Viewing Area	24¾" x 14", 14", 341¼ in²			24¾" x 14", 14", 341¼ in²			27" x 16¾", 448¾ in²			26¾" x 16¾", 425¼ in²			29¾" x 21½", 831¾ in²		
Glass Size	26¼" x 16", 420 in²			26¼" x 16", 420 in²			28½" x 18", 513 in²			28½" x 18", 513 in²			30 ¾" x 22¼", 681 in²		
Convection Fan	150 CFM			150 CFM			150 CFM			150 CFM			150 CFM		
Min. Install Dims. †	HEIGHT 19 7/8"	WIDTH 27 7/8"	DEPTH 16"	HEIGHT 19 7/8"	WIDTH 27 7/8"	DEPTH 16"	HEIGHT 20"	WIDTH 32"	DEPTH 17 ½"	HEIGHT 20"	WIDTH 32"	DEPTH 17 ½"	HEIGHT 24"	WIDTH 34 ½"	DEPTH 20 3/8"
LP Conversion Kit (Nova/IPI)	Standard / Optional			Optional			Standard / Optional			Optional			Optional		
Venting (Direct Vent)	3" x 3"			3" x 3"			3" x 3"			3" x 3"			3" x 3"		
Weight	116 lbs			116 lbs			135 lbs			135 lbs			210 lbs		
Wood ZC Fireplace Approved	Standard			Standard			Standard			Standard			Standard		
ZC Floor Removal Approved	2¼" Raise			½" Raise			4" Raise			3½" Raise					

	E30		EX32		E33		EX35		E44	
	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH
Contemporary Surround	25" H	39 ¾" W	25" H	39 ¾" W	26 ½" H	44 1/8" W	26 ½" H	44 1/8" W	30 1/8" H	45" W
Oversize Contemporary Surround	29" H	39 7/8" W	25" H	39 ¾" W	29" H	44 1/8" W	26 ½" H	44 1/8" W		
Galiano Surround <i>Add a Hearth Riser for an additional 2" of height.</i>	25" H	39 ¾" W	25" H	39 ¾" W	26 ½" H	44 1/8" W	26 ½" H	44 1/8" W	30 1/8" H	45" W
Extruded Surround										
Oversize Extruded Surround										
Minimal Surround (3-Sided)	25" H	39 ¾" W			26 ½" H	43 ½" W			30 1/8" H	45" W
Minimal Surround (4-Sided)	22" H	33 ¼" W	22" H	33 ¼" W	22 ¼" H	36" W	22 ¼" H	36" W		
Modern Surround (N/A on the EX32 & EX35)										
Slim Surround (Formed Surround on E25)										
Contemporary w/Trimmable Panel										
Victorian Face										
w/Optional Depth Reducing Panel										
Borderview Surround – EE	26 1/8" H	40" W	26 1/8" H	40" W						
Borderview Plus 4S Surround – EE	31" H	40" W	31" H	40" W						
Forgeworks Surround – EE	26 1/8" H	40" W	26 1/8" H	40" W	25 1/8" H	42" W	25 1/8" H	42" W		
Designer Series Surround – EE	24 ½" H	38 5/8" W	24 ½" H	38 5/8" W	25" H	41 ¾" W	25" H	41 ¾" W		
Cast Plus Surround – EE	24 ¾" H	39 3/8" W	24 ¾" H	39 3/8" W	25 ¼" H	42 ¼" W	25 ¼" H	42 ¼" W		
Oversize Cast Plus Surround – EE	30" H	50" W	30" H	50" W	30" H	51 ¾" W	30" H	51 ¾" W		
Trimmable Panel	38" H	46" W	38" H	46" W	38" H	46" W	38" H	46" W	36" H	55" W

† Based on installation with the Contemporary Surround. Depth can vary by panel. A more detailed breakdown can be found in the owner's manual.

The best way to visualize  
your dream fireplace at home  
is with the Enviro App!



Manufactured by Sherwood Industries Ltd • Victoria, BC, Canada  
enviro.com • info@enviro.com • Printed in Canada, May 2024



Please share and recycle this brochure