





#### DISCOVER OUR INNOVATIVE, WORLD-CLASS DESIGN FIREPLACES!

Are you looking for a gas fireplace to compliment your interior? Or even better: a gas fireplace that is an eye-catcher in your home or office building? Then choose a gas fireplace from Element4, a design fireplace made in the Netherlands, created by design enthusiasts and people with a passion for technology, just like you...

A fireplace that fits you perfectly.

Are you someone who always wants the best? Who gets enthusiastic about products that distinguish themselves from the majority? Then a gas fireplace from Element4 is the right choice for you. Our design team consists of discerning people with passion for design, knowledge of the latest trends and love for special products. You can see that in the end result: a very stylish fireplace that demonstrates the difference between "a beautiful fireplace" and also "contemporary design piece."

#### DUTCH COMMON SENSE WITH GLOBAL ALLURE

Element4 is a top Dutch brand. We work practically and pragmatically, but with a strong focus on design. This ensures that our fireplaces are loved around the world by designers, architects and trend-conscious consumers. As real 'Dutchies', technology is an important issue for us. Our fireplaces have the most advanced technical features: they are efficient, can be controlled remotely and have an adjustable flame picture. This makes us a real trend-setter on the international market.



#### **CONTENTS**

- CONTROL YOUR FIREPLACE
- **OB** BURNERS
- 12 LOW SETTING
- 13 INSTALLATION DEPTH
- 14 DIRECT VENT SYSTEM
- 15 POWER VENT
- 16 FIRE MEDIA
- 18 INTERIORS & SURROUNDS
- 20 ACCESSORIES
- 22 SAFETY BARRIERS
- 24 PRODUCTS
- 78 TECHNICAL INFORMATION







# 45







#### SINGLE-SIDED 27

Modore 75H 28 29 Modore 95 Summum 70 F 30 Summum 100 F 31 Modore 100H Modore 140 33 Modore 185 34 Modore 240 35 Modore 240H 36 Optica 37 Sky 38 Club 140 F 39

#### SEE-THROUGH FIREPLACES

Club 240 F 40

#### CORNER STYLE FIREPLACES

Bidore 95 54
Summum 70 C 56
Summum 100 C 57
Bidore 140 58
Bidore 240H 59
Club 140 C 60
Club 240 C 61

#### THREE-SIDED FIREPLACES

Summum 70 3/S 69
Summum 100 3/S 65
Trisore 95 66
Trisore 100H 67
Trisore 140 68
Club 140 3/S 69

#### PENINSULA-STYLE FIREPLACES

EPLACES

Lucius 100 72

Lucius 140 73


Lucius 240H 74

Club 140 RD 75

Club 240 RD 76

#### HOW TO CONTROL YOUR FIREPLACE

#### **Standard Option**



<sup>\*</sup>All Element4 fireplaces include E-Save efficiency settings, though these are only controllable via the remote and ProControl App. E-Save settings automatically modulate flame heights, to mimic the appearance of a wood-burning fire and save you up to 45% on fuel consumption.

#### E-Save Remote Control:

#### Standard

For maximum comfort, all Element4 Fires are delivered with an intuitive and powerful remote control. This remote allows you to control every aspect of your flame including: flame height, E-Save (Eco settings), multi-burner function, thermostatic mode and so much more.



E-Save Remote



#### Puck: Optional

Simple in form and function, the new Puck controls basic functions including turning the fire on and off and adjusting the flame height. The Puck features blue back-lit buttons and is equipped with temperature sensing capabilities when you connect to the ProControl App.



#### Home Automation Cable: Optional

The Home Automation Cable is for those who already have a home automation system installed. Once you connect your Element4 fireplace to your system, you'll be able to turn your fireplace on or off from your home's centralized control center. The installation is simple and you'll rest assured that your entire smart home, even your fireplace, is connected.

\*Home Automation System sold separately.

#### ProControl App: Optional

Want to easily control your gas fireplace from your smart phone or tablet? This is possible with the intuitively designed ProControl app from Element4. ProControl is the perfect choice if you want to completely control up to 8 fireplaces with the smart device already in your pocket.






#### PRODUCT-SPECIFIC **BURNERS**


As you peruse the pages of this catalog you'll notice that every fireplace has a specific burner system. These burners have been specifically designed for their respective models for both performance and aesthetics.

All Element4 burner systems are P.4 Rated (CAN) for optimal efficiency standards.

#### SINGLE BURNER

The single burner allows for a minimum installation depth of the fireplace and contributes to low fuel consumption. Despite its modest appearance, it has a surprisingly big effect: full, lively flames and a natural fireplace experience.






#### DOUBLE BURNER

The double burner guarantees a beautiful fire experience because the fire is spread over the full depth of the fireplace. In addition, you can easily switch off one of the burners for even more control of the heat and the flame picture.

#### Enjoy the most beautiful fire at a low setting!




#### QUAD BURNER


The Quad Burner has five burners and four distinct flame settings so you can drastically adjust the flames and the heat intensity based on your preferences.

Paired with the natural log set fire media, this system creates a truly realistic fire with unmatched depth, controllability and an alluring warmth.

#### MULTI BURNER

With three burners, you benefit from even more beautiful and intense flames. You can switch off the burners left and right. This way you can fully control the look of your flames, fuel consumption and heat output.






#### REAL FLAME BURNER



The Real Flame Burner provides the worlds most natural looking gas fire. In addition, the special LED lighting effect on the fire surface provides a glowing ember effect. The flames, in combination with the expertly crafted logs, will have you thinking you just lit up a modern camp fire in your living room.

#### LED BURNER FOR CLUB SERIES

Fire up a multi-colored light show in your living room. The Club Series of gas fireplaces come standard with the innovative Ledburner© which combines vibrant LED lighting with a contemporary fire. In addition, the fireplace delivers exactly the right amount of heat and ambiance, as the flames, temperature and LED lighting are completely controllable through the ProControl App.



A whole palette of color at your fingertips.

Enjoy the most beautiful fire at a low setting!



#### WE PROUDLY PRESENT TO YOU:

## THE MOST BEAUTIFUL FIRE AT A LOW SETTING

At Element4 we see it as a challenge to get the most out of our fireplaces. Our aim? Creating a lovely ambiance with a flame picture, regardless of the flame setting. Now you can enjoy a beautiful fire, even with the lowest possible gas consumption. It is no coincidence that we dare to say that a gas fireplace from Element4 "has the most beautiful fire at a low setting".






ELEMENTY | Installation depth

## SAVE ROOM THANKS TO THE MINIMAL INSTALLATION DEPTH

Do you have limited amount of space available or do you want a gas fireplace that is as flat as possible to meet your design needs? Then an Element4 fireplace is the right choice for you. Our gas fireplaces are a perfect fit with an installation depth of as little as 12 inches. This is ideal if you have a narrow room or if you also want to install a mantel. Moreover, many designers and architects opt for our shallow fireplaces because of the spatial effect they have on the interior.

#### DISCOVER THE ADVANTAGES OF OUR DIRECT VENT SYSTEM

The gas fireplaces from Element4 work with a direct vent system. This means that the fireplace is not open to the room, but is completely enclosed. The fresh air and the flue gases run through the same, double-walled pipe that is connected to the outside air. What is the big advantage of a closed system? The flames are always behind the glass. This is safer and ensures heat retention in the balanced flue system, with a higher convection heat and pleasantly warm room as a result. In addition, the supplied cold outside air is already preheated by the double-walled pipe. This ensures a greater efficiency for your gas fireplace.



Element4, direct vent, fireplaces can be terminated through the roof or an exterior wall.





## WITH THE POWER VENT YOU CAN ENJOY A GAS FIREPLACE ANYWHERE

Want to install your gas fireplace in a place where there is no room for an exhaust pipe? You can do it with the power vent. This smart solution allows you to install your gas fireplace in places where it was previously impossible. And the best part is: the power vent regulates the correct settings for the supply and removal of air.



#### FIRE MEDIA

Choose from a multitude of natural colors and textures with Element4's fire media options. These materials, designed specifically for gas fireplaces, completely cover the burner and provide a beautiful landscape for your flames.

Fire media choices vary depending on the type of fireplace, please see the technical information section, starting on page 78, for model-specific fire media options.







FOREST PATH FALLEN BIRCH













### DESIGNER INTERIORS & SURROUNDS


#### DESIGNER SURROUNDS

Our new interactive digital surround builder allows you to become the fireplace designer. Choose a fireplace size, configuration as well as high quality surround materials to create your ideal composition.



Tenore 140
Featuring a gold and marble surround

#### 1. CHOOSE CONFIGURATION



Over 200 material combinations to choose from. Design your custom surround today: www.europeanhome.com/element4-designer-surrounds/

#### DESIGNER INTERIORS

Element4 offers a multitude of Designer Interiors to suite any design style - the choice is completely up to you.

Designer Interior options vary depending on the type of fireplace. Please see the technical information section, starting on page 78, to see model-specific options.

We offer the following styles and designs:



ANTHRACITE - STANDARD







CONCRETE STYLE

**BLACK REFLECTIVE** 

RUSTIC BRICK

Chaose your own style!

#### **ACCESSORIES**

#### **CONVECTION AIR** OPENING TRIMS

Convection air opening trims are fitted into the chase to release heated air back into the room. Air openings are required; however, these aesthetic trims are optional. Air opening dimensions vary by model.





**Access Door** 

#### **Convection Air Opening**



#### **ACCESS DOOR**

This clean and stylish access door allows you to hide away, yet maintain access to, all your important controls and valves. Built-in dimension (H x W) 9-13/16" x 6-15/16" (250 mm x 175 mm).



Tenore 240 Featuring the access door

#### SAFETY BARRIERS

#### INVISIMESH VS. GLASS SAFETY BARRIER

By regulation, all fireplaces with a glass front must come with a safety barrier installed to prevent direct contact with hot surfaces. Element4 provides two unique barrier options, both featuring a list of unique benefits and safety features.

#### INVISIMESH SAFETY SCREEN - STANDARD

Safety screens are installed in front of the fireplace glass to prevent direct contact with hot surfaces. With our extremely fine InvisiMesh screen material you get the benefits of a safety barrier as well as an uninterrupted view of your flames.

The screen does not affect a unit's use or heat output and has been designed specifically for the Element4 units.

#### **ADVANTAGES**

- Installs securely in minutes via rare-earth magnets
- · Easy to remove
- Near-invisible protection
- No added bulk or extra electricity required





#### GLASS SAFETY BARRIER - OPTIONAL

An alternative to the InvisiMesh screen is our Glass Safety Barrier (GSB) system. With this option, air is vented between two glass layers, reducing the heat of the outermost pane. Hot air travels up the chase and is then efficiently distributed into the room, so no heat is lost. This clean and stylish look maximizes the trimless modern lines of your fireplace.

#### **ADVANTAGES**

- Clean, trimless lines especially on multi-sided units
- Glass barrier stays warm to the touch, but wont burn
- Serviceability (easy to access fans)
- Great option for commercial projects

#### **PRODUCTS**

Looking for a contemporary and stylish gas fireplace that highlights your interior?

Discover our versatile gas fireplace collection. From single-sided and see-through fireplaces to peninsula style and 3-sided fireplaces. With a gas fireplace from Element4 you are guaranteed to get intuitive technology and fabulous design. Our gas fireplaces are easy to maintain and have a minimal installation depth starting at just 12 inches. This saves you valuable space. In addition, you benefit from the most beautiful fire at a low setting.










#### Introduction

#### SINGLE-SIDED **FIREPLACES**

The single-sided fireplace is a true classic among gas fireplaces. This type of fireplace allows for completely flush to the wall installations and offers a beautiful view of the fire. You can easily install a single-sided fireplace with a mantel or any number of other design options. Did you know that some Element4 fireplaces require as little as 12" of installation depth? Because of this design feature, you can make optimum use of your space.

Be inspired by our collection and discover which type of fireplace is right for you.





#### MODORE 75H

Less is more. The Modore 75H takes the proportions of a traditional fireplace and ups the ante with clean lines and a bold, sophisticated style.



Double Burner



Heat Output (Natural Gas): Heat Output (LPG):

InvisiMesh Safety Barrier:

14,300 - 46,400 BTU/hr 16,000 - 37,000 BTU/hr 89%

Efficiency:

Standard

Standard

Standard Interior: Optional Interiors:


Anti-Reflect Glass:

Anthracite Black Reflective Concrete Style Rustic Brick

E-Save Remote: Standard App Control (ProControl): Optional Puck:

Optional Power Vent: Optional Home Automation Cable: Optional





Ideal for smaller spaces, the Modore 95 is a frameless, direct vent fireplace featuring exceptionally clean lines.



Single Burner



Heat Output (Natural Gas): Heat Output (LPG): Efficiency:

17,050 - 36,200 BTU/hr 13,650 - 32,400 BTU/hr 83%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard Optional

Standard Interior:

Anthracite

Optional Interiors: 


Black Reflective Concrete Style

Designer Surrounds:

Optional


E-Save Remote: Standard App Control (ProControl): Optional Puck: Optional Power Vent: Optional

Home Automation Cable: Optional










#### SUMMUM 70 F

The stylish and sleek Summum 70 F is a perfect complement to any room, pairing elegance with modern style.





#### SUMMUM 100 F

Featuring the most realistic gas flames available today. It's like having a modern campfire in your living room.



Real Flame Burner



Efficiency:

Heat Output (Natural Gas): Heat Output (LPG):

13,000 - 50,000 BTU/hr 9,000-45,000 BTU/hr

89%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Anthracite Optional Interiors: Black Reflective

Concrete Style (by request)

E-Save Remote: App Control (ProControl): Puck:

Standard Optional Optional

Power Vent: Home Automation Cable:

Optional Optional





#### MODORE 100H

As with a traditional fireplace, the Modore 100H's height gives you a great view of the impressive flames on the warm, glowing log set.



Double Burner



()

Heat Output (Natural Gas): Heat Output (LPG):

15,025 - 34,145 BTU/hr 17,075 - 34,145 BTU/hr 83%

Efficiency:

.cy.


InvisiMesh Safety Barrier:

Standard

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style Rustic Brick

ф

E-Save Remote: Standard
App Control (ProControl): Optional
Puck: Optional
Power Vent: Optional
Home Automation Cable: Optional



Perfectly proportioned. The Modore 140 is a direct vent fireplace with a 55" wide viewing area and a stunning flame.



Double or Quad Burner



#### **Double Burner**

Heat Output (Natural Gas): 13,650 - 38,200 BTU/hr Heat Output (LPG):

11,950 - 34,100 BTU/hr

**Quad Burner** 

Heat Output (Natural Gas):

Heat Output (LPG):

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

90% Efficiency:

InvisiMesh Safety Barrier: Glass Safety Barrier:


Standard Optional

Standard Interior: Optional Interiors: Anthracite Black Reflective

Concrete Style Designer Surrounds:

Optional

E-Save Remote: Standard App Control (ProControl): Optional Puck: Optional Power Vent: Optional Home Automation Cable: Optional







For ideal flames: Pair the Quad Burner with all log-based fire media options and the Double Burner with all others.





Dramatically cozy. Whether you're looking to turn heads or simply turn in with a good book, the Modore 185, at an impressive 6 feet wide, is the perfect focal point for your space.



Multi Burner



Heat Output (Natural Gas): Heat Output (LPG): Efficiency:

10,919 - 44,699 BTU/hr 9,213 - 46,746 BTU/hr 90%

InvisiMesh Safety Barrier: Glass Safety Barrier:


Standard Optional

Standard Interior: Optional Interiors:

Designer Surrounds:

Anthracite Black Reflective Concrete Style Optional

E-Save Remote: Standard App Control (ProControl): Optional Puck: Optional Power Vent: Optional Home Automation Cable: Optional







At nearly 8 feet wide, The Modore 240 is a show-stopping linear fireplace designed with substantial homes and commercial projects in mind.



Multi Burner



Heat Output (Natural Gas): 26,000 - 88,000 BTU/hr Heat Output (LPG): 19,500 - 64,800 BTU/hr Efficiency:


89%

InvisiMesh Safety Barrier: Glass Safety Barrier:


Standard Optional

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style

Standard E-Save Remote: App Control (ProControl): Optional Puck: Optional Power Vent: Optional Home Automation Cable: Optional








#### MODORE 240H

Just as wide as the original Modore 240 (nearly 8'), the 240H features a much taller opening (21") for one of the largest and most impressive fireplaces we've ever designed.










### **OPTICA**

A frameless, built-in direct vent gas fireplace ideal for smaller spaces. The Optica features a traditionalsized opening with bold, trimless lines.


$\Diamond$	Single Burner	
(h)	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	17,070 - 30,730 BTU/hr 8,535 - 26,300 BTU/hr 80%
	InvisiMesh Safety Barrier:	Standard
	Standard Interiors	Anthracite
<del></del>	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Optional Optional Optional Optional



#### SKY

This vertical gas fireplace reinvents the idea of modern fireplace design and instantly provides a stunning focal point in any sized space.


















#### **CLUB 140 F**

Dial in the perfect flame, the perfect color, and the perfect mood with the Club 140 F.



LED Burner



Heat Output (LPG): Efficiency:

Heat Output (Natural Gas): 15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style (by

request)



E-Save Remote: App Control (ProControl): Puck:

Standard Standard Optional

Power Vent: Home Automation Cable: Optional


















## **CLUB 240 F**

Nearly 8' of flickering flames and shimmering lights. Who says luxury can't let its hair down from time to time?

$\Diamond$	LED Burner	
(h)	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	20,000 - 81,000 BTU/hr 19,000 - 65,000 BTU/hr 89%
	InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard By Request
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style (by
<del></del>	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Standard Optional Optional





#### Introduction

# SEE-THROUGH **FIREPLACES**

Would you prefer a see-through fireplace? Then you are choosing a truly dramatic fireplace design. A seethrough fireplace creates an open connection between two rooms, allowing you to enjoy an atmospheric fire in two places at the same time. This is the perfect choice if you are looking for a gas fireplace with a dramatic spatial experience.







#### TENORE 100

All the stunning drama with exactly the right fit. This two-sided fireplace allows for your installation to have a thoroughly modern and completely trimless finish.

$\Diamond$	Double Burner	
Ċ	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	22,000 - 59,000 BTU/hr 20,500 - 46,000 BTU/hr 89%
	InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard Optional
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style
<del>C</del>	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Optional Optional Optional Optional Optional

#### TENORE 140

The Tenore 140 is the quintessential see-through linear fireplace. Check out its many features including E-Save which can save up to 40% on fuel consumption.



Double or Quad Burner



#### **Double Burner**

Heat Output (Natural Gas): 13,650 - 38,200 BTU/hr 11,950 - 34,100 BTU/hr Heat Output (LPG):

**Quad Burner** 

Heat Output (Natural Gas): Heat Output (LPG):

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

Efficiency:

90%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard Optional

Standard Interior: Optional Interiors: Anthracite Black Reflective

Concrete Style

**Designer Surrounds:** 


Optional

E-Save Remote: Standard App Control (ProControl): Puck:

Optional Optional Optional

Power Vent: Home Automation Cable:

Optional







For ideal flames: Pair the Quad Burner with all log-based fire media options and the Double Burner with all others.





#### TENORE 240

The Tenore 240 offers all the beauty of the Modore 240, with a see-through design. Same clean lines, same head-turning size.



Multi Burner



Heat Output (Natural Gas): Heat Output (LPG): Efficiency:


26,000 - 88,000 BTU/hr 19,500 - 64,800 BTU/hr 89%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard Standard

Anthracite Standard Interior: Optional Interiors: Black Reflective Concrete Style

E-Save Remote: Standard App Control (ProControl): Optional Puck: Optional Optional Power Vent: Home Automation Cable: Optional



# 1071/8 - 77/8 -215% 93%

#### TENORE 240H

Sometimes you just need to make a statement. Featuring a taller viewable opening than the original 240 line and robust flames, this is one of the largest see-through fireplaces around.




Heat Output (Natural Gas): 26,000 - 88,000 BTU/hr Heat Output (LPG): 19,500 - 64,800 BTU/hr Efficiency: 90%


InvisiMesh Safety Barrier: Standard

Standard Interior: Anthracite Optional Interiors: Black Reflective Concrete Style (by request)

E-Save Remote: Standard App Control (ProControl): Optional Optional Optional

Puck: Power Vent: Home Automation Cable: Optional






#### **BIOPTICA**

Dramatic and see-through, the Bioptica offers a tall (26.5") viewable opening. It is a true reflection of Element4's passion for contemporary styling.

passion for contemporary styling.			
$\Diamond$	Single Burner		
()	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	17,070 - 30,730 BTU/hr 8,535 - 26,300 BTU/hr 80%	
	InvisiMesh Safety Barrier:	Standard	
	Standard Interior:	Anthracite	
÷	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Optional Optional Optional Optional Optional	







#### SKY T


The Sky T is a vertical gas fireplace that comes in at an impressive 5 feet tall. Clean lines and a see-through design will bring head-turning drama to your home or commercial space.

	$\langle \rangle$	Double Burner	4
_	<b>('</b> )	Heat Output (Natural Gas): Heat Output (LPG):	17,000 - 44,000 BTU/hi 11,000 - 36,000 BTU/hi
		Efficiency:	86%
Į		InvisiMesh Safety Barrier:	Standard
_		Standard Interior:	Anthracite
	ركا	Optional Interiors:	Black Reflective
			Concrete Style
		E-Save Remote:	Standard
	2	App Control (ProControl):	Optional
		Puck:	Optional
		Power Vent:	Optional
		Home Automation Cable:	Optional


#### **CLUB 140 T**

See-through style meets LED technology. Ignite your flames, a fully customizable rainbow of colored lights, or both at the same time.



















#### **CLUB 240 T**

Nearly 8' of efficient flames paired with mesmerizing colored lights. Who would have thought the fireplace could be the life of the party?



LED Burner



()

Heat Output (Natural Gas): Heat Output (LPG): Efficiency: 20,000 - 81,000 BTU/hr 19,000 - 65,000 BTU/hr

89%

InvisiMesh Safety Barrier:
Glass Safety Barrier:

Standard By Request

Standard Interior:
Optional Interiors:

Anthracite Black Reflective Concrete Style (by

request)

E-Save Remote:

╬

App Control (ProControl): Standard
Puck: Standard
Power Vent: Optional

Home Automation Cable:

Optional Optional





#### Introduction

## CORNER FIREPLACES

With a corner fireplace you create maximum ambiance in your room. This type of gas fireplace offers a wide view of the robust flames and provides even more atmospheric experience thanks to the extra pane of glass. Element4 offers a choice of various sizes, installation possibilities and capabilities. This way you will always find a corner fireplace that matches your installation situation and interior.









### BIDORE 95

A stunning, frameless, linear right or left corner fireplace. The Bidore 95 features a clean  $\ensuremath{\mathfrak{S}}$  contemporary design.

$\Diamond$	Single Burner	1
C	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	17,050 - 36,200 BTU/hr 13,650 - 32,400 BTU/hr 83%
	InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard Optional
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style
<del></del>	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Optional Optional Optional Optional





#### SUMMUM 70 C

You have to see the Real Flame Burner to believe it. Even in this modestly-sized corner fireplace, the drama can truly fill a room.



Real Flame Burner



Heat Output (Natural Gas): 13,376 - 33,439 BTU/hr Heat Output (LPG):

10,509 - 26,273 BTU/hr

Efficiency:

88%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors:

Anthracite Black Reflective Concrete Style (by

request)

Puck:

E-Save Remote: App Control (ProControl):

Standard Optional

Power Vent: Home Automation Cable:







#### SUMMUM 100 C

The bigger sibling to the 70 C model, this corner fireplace produces lively, robust flames on finely crafted ceramic logs.



Real Flame Burner



Heat Output (Natural Gas): Heat Output (LPG):

13,000 - 50,000 BTU/hr 9,000 - 45,000 BTU/hr 89%

Efficiency:

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors:


Black Reflective Concrete Style (by


App Control (ProControl): Puck:


Anthracite

request)













For ideal flames: Pair the Quad Burner with all log-based fire media options and the Double Burner with all others.

#### BIDORE 140

With its clean glass on glass corner this fireplace references Modernist architectural icons such as Le Corbusier.



Double or Quad Burner



#### Double Burner

Heat Output (Natural Gas): Heat Output (LPG):

13,650 - 38,200 BTU/hr 11,950 - 34,100 BTU/hr

**Quad Burner** 

Heat Output (Natural Gas): Heat Output (LPG):

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

Efficiency: 90%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard Optional

Standard Interior:

Optional Interiors:

Anthracite Black Reflective Concrete Style

E-Save Remote: App Control (ProControl): Standard Optional Optional Optional

Puck: Power Vent: Home Automation Cable: Optional







#### BIDORE 240H

Asymmetry. Scale. Glass. Fire. The minimalist's approach says you don't have to say much, but if you do say something, pronounce it exceptionally well.

/	(
(	)
-	

Multi Burner

Efficiency:



Heat Output (LPG):

Heat Output (Natural Gas): 26,000 - 88,000 BTU/hr 19,500 - 64,800 BTU/hr 89%


InvisiMesh Safety Barrier: Standard

Standard Interior:

Optional Interiors:

Anthracite Black Reflective Concrete Style (by request)

E-Save Remote: Standard App Control (ProControl): Optional Puck: Optional Power Vent: Optional Home Automation Cable: Optional



#### **CLUB 140 C**

Light up the night. Choose flickering flames, a whole palette of color or both, thanks to the LED Burner exclusive to the Club Series.

1	
()	

LED Burner



Heat Output (Natural Gas): 15,000 - 71,000 BTU/hr Heat Output (LPG): Efficiency:

13,000 - 64,000 BTU/hr 89%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style (by


request)


E-Save Remote:

App Control (ProControl): Standard Puck: Power Vent:

Home Automation Cable:

Standard Optional Optional















# 106½ 77/8 77/8 9368

#### **CLUB 240 C**

Same LED light function and bold, asymmetrical style as the Club 140 C wrapped up in a nearly 8' package. The Club 240 C is sure to turn heads.



LED Burner



()

Heat Output (Natural Gas): Heat Output (LPG): Efficiency: 20,000 - 81,000 BTU/hr 19,000 - 65,000 BTU/hr 89%

InvisiMesh Safety Barrier:
Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style (by

request)

E-Save Remote:
App Control (ProControl):
Puck:
Power Vent:

Standard Standard Optional

Home Automation Cable:

Optional Optional






#### Introduction

## 3-SIDED FIREPLACES

The 3-sided gas fireplace gives you a view of the fire from multiple angles. Thanks to the use of multiple glass panes, you can use this fireplace in many creative ways within your interior. Element4 offers a suitable model for every taste and style, available in various sizes. Be inspired by the collection and find the 3-sided gas fireplace that best suits you.







#### **SUMMUM 70 3/S**

Clean glass corners, highly efficient, optional app control and the world's most natural gas flames. What's not to love?

$\Diamond$	Real Flame Burner	The state of the s
(h)	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	13,376 - 33,439 BTU/hr 10,509 - 26,273 BTU/hr 88%
	InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard By Request
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style (by request)
<del></del>	E-Save Remote: App Control (ProControl): Puck: Power Vent:	Standard Optional Optional

Home Automation Cable:

Optional

#### SUMMUM 100 3/S

39" Wide. 21" Tall. 3 panes of modern glass between the most perfect fire and your favorite lounge chair.



Real Flame Burner



Heat Output (Natural Gas): Heat Output (LPG): Efficiency:

13,000 - 50,000 BTU/hr 9,000 - 45,000 BTU/hr 89%

InvisiMesh Safety Barrier: Glass Safety Barrier:


Standard By Request

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style (by


request)


E-Save Remote:

App Control (ProControl): Standard Puck: Optional Power Vent: Optional Optional Home Automation Cable:










#### TRISORE 95

Proportioned for smaller spaces with plenty of drama to spare. The Trisore 95 features a beautiful design and fuel efficient settings to ensure an Eco-friendly experience.

$\Diamond$	Single Burner	
()	Heat Output (Natural Gas): Heat Output (LPG):	17,050 - 36,200 BTU/hr 13,650 - 32,400 BTU/hr
	Efficiency:  InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard Optional
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style
¢	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Optional Optional Optional Optional




#### TRISORE 100H

Surround the Trisore 100H with stone and a traditional mantel or keep it clean and minimal. With its clean glass corners and tall viewing area, this fireplace is an open canvas waiting for you to create.













For ideal flames: Pair the Quad Burner with all log-based fire media options and the Double Burner with all others.

#### TRISORE 140

A three-sided, or bay-style fireplace, the Trisore 140 features two seamless glass on glass corners; the perfect embodiment of clean European design.



Double or Quad Burner



**Double Burner** 

Heat Output (Natural Gas): Heat Output (LPG): 13,650 - 38,200 BTU/hr 11,950 - 34,100 BTU/hr

Quad Burner

Heat Output (Natural Gas): Heat Output (LPG): Efficiency: 15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

90%

InvisiMesh Safety Barrier:
Glass Safety Barrier:

Standard Optional

Standard

Optional

Optional

Standard Interior: Anthracite
Optional Interiors: Black Reflective

Concrete Style



E-Save Remote:
App Control (ProControl):
Puck:
Power Vent:

Power Vent: Optional Home Automation Cable: Optional

# 59<sup>1</sup>/<sub>4</sub> 7<sup>7</sup>/<sub>8</sub> 8,887 55<sup>1</sup>/<sub>8</sub>









#### CLUB 140 3/S

Similar in size and style to the Trisore 140, the Club 140 3/S ups the ante with the LED Burner which you can control with your favorite smart device.



LED Burner



Heat Output (Natural Gas):
Heat Output (LPG):
Efficiency:

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr 89%

InvisiMesh Safety Barrier:

Glass Safety Barrier:

Standard Optional

Standard Interior:
Optional Interiors:

Standard Interior:

Anthracite
Black Reflective
Concrete Style (by


request)

E-Save Remote:

Ar Ar

App Control (ProControl): Standard
Puck: Standard
Power Vent: Optional

Home Automation Cable: Optional








#### Introduction

# PENINSULA STYLE

Choose a peninsula style gas fireplace and create a stylish separation between two different spaces. Thanks to the tall glass pane, you can view the beautifully natural flames from several positions. As an added benefit, you will enjoy the efficient warmth from your fireplace in both spaces. Peninsula style fireplaces can be installed floating or in a wall. Discover our collection of peninsula style fireplaces and be inspired by the ambiance they create.



#### LUCIUS 100

The Lucius 100 room divider is a stunning, frameless peninsula fireplace featuring an unobstructed view of your flames on three sides.







### LUCIUS 140

Perfect for open floor plans. This fireplace divides space in an ingenious way so that you may see its flickering flames from nearly anywhere.



Double or Quad Burner



**Double Burner** 

Heat Output (Natural Gas): 13,650 - 38,200 BTU/hr Heat Output (LPG):

11,950 - 34,100 BTU/hr

**Quad Burner** 

Efficiency:

Heat Output (Natural Gas): Heat Output (LPG):

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr

90%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard Optional

Standard

Optional

Standard Interior: Optional Interiors: Anthracite Black Reflective Concrete Style

E-Save Remote: App Control (ProControl): Puck:

Home Automation Cable:


Optional Optional Optional Power Vent:

60% **7**½ 165% 541/4





For ideal flames: Pair the Quad Burner with all log-based fire media options and the Double Burner with all others.



# LUCIUS 240H

Nearly 8' wide this peninsula style fireplace is the perfect combination of form and function. Beautiful, efficient, and an ingenious way to divide a large space.







#### CLUB 140 RD

Perfectly proportioned at 6' wide this room divider fireplace features the revolutionary LED Burner so you can dial in the perfect flame and color, every time.



LED Burner



Heat Output (Natural Gas): Heat Output (LPG): Efficiency:

15,000 - 71,000 BTU/hr 13,000 - 64,000 BTU/hr 89%

InvisiMesh Safety Barrier: Glass Safety Barrier:

Standard By Request

Standard Interior: Optional Interiors: Black Reflective Concrete Style (by

request)

App Control (ProControl):

Standard Optional Optional

Anthracite

E-Save Remote:


Standard Puck: Power Vent: Home Automation Cable:


































## CLUB 240 RD

Light up the night: at nearly 8' wide, this stunning peninsula style fireplaces is one of the biggest and boldest designs in the fireplace industry.

$\Diamond$	LED Burner	
()	Heat Output (Natural Gas): Heat Output (LPG): Efficiency:	20,000 - 81,000 BTU/hr 19,000 - 65,000 BTU/hr 89%
	InvisiMesh Safety Barrier: Glass Safety Barrier:	Standard By Request
	Standard Interior: Optional Interiors:	Anthracite Black Reflective Concrete Style (by
<del></del>	E-Save Remote: App Control (ProControl): Puck: Power Vent: Home Automation Cable:	Standard Standard Optional Optional Optional



	SIDORE 35	DORE 140	
	BID	BID	
Burner	Single	Dub/Quad	
Natural Gas	•	•	
Propane	•	•	
Heat Input Natural Gas (Btu/hr)	17,050 -	15,000	
MinMax.	36,200	71,000	
Heat Input LPG (Btu/hr)	13,650 -	13,000	
Min Max.	32,400	64,000	
Efficiency	83%	83%	
INTERIORS			
Anthracite	•		
Reflective Black	0	0	
Concrete Style	0	0	
Rustic Brick	-	-	
FIRE MEDIA			
Log Set	0	0	
Forest Path	0	0	
Fallen Birch	0	0	
Tundra	0	0	
White Carrara Pebbles	0	0	
Brilliants	0	0	
Black Quartz	0	0	
Grey Stones	0	0	
E-Save Remote	•	•	
ProControl via app	0	0	
Direct Vent size Ø (in./in.)	5/8	5/8	
Power Vent	0	0	

BIDORE 240H	BIOPTICA	CLUB 140 C	CLUB 140 F	CLUB 140 RD	CLUB 140 T	CLUB 140 3/5	CLUB 240C	CLUB 240 F	CLUB 240 AD	CLUB 240 T
Multi	Single	LED	LED	LED	LED	LED	LED	LED	LED	LED
•	•	•	•	•	•	•	•	•	•	•
26,000 88,000 19,500 - 64,800	17,070 30,730 8,535 26,300	15,000 71,000 13,000 64,000	15,000 71,000 13,000 - 64,000	15,000 71,000 13,000 64,000	15,000 71,000 13,000 64,000	15,000 71,000 13,000 64,000	20,000 81,000 19,000 - 65,000	20,000 81,000 19,000 - 65,000	20,000 81,000 19,000 - 65,000	20,000 81,000 19,000 - 65,000
89%	80%	89%	89%	89%	89%	89%	89%	89%	89%	89%
•				•		•	•	•		•
0	<u>-</u>	0	0	0	0	0	0	0	0	0
0	-	0	0	0	0	0	0	0	0	0
-	-	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
0	0	0	0	0	0	0	0	0	0	0
0	0	-	-	-	-	-	-	-	-	-
0	0	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	•	•
0	0	•		•	•	•		•		
5/8	4/6	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8
0	0	0	0	0	0	0	0	0	0	0

<sup>=</sup> optional = standard



	100	2%	
	LUCIUS 100	CUCIUS 140	
	707	7/17	
Burner	Double	Dub/Quad	
Natural Gas	•	•	
Propane	•	•	
Heat Input Natural Gas (Btu/hr)	22,000	15,000 -	
MinMax.	59,000	71,000	
Heat Input LPG (Btu/hr)	20,500	13,000	
Min Max.	46,000	64,000	
Efficiency	89%	90%	
INTERIORS			
Anthracite	•	•	
Reflective Black	0	0	
Concrete Style	0	0	
Rustic Brick	-	-	
FIRE MEDIA			
Log Set	0	0	
Forest Path	0	0	
Fallen Birch	0	0	
Tundra	0	0	
White Carrara Pebbles	0	0	
Brilliants	0	0	
Black Quartz	0	0	
Grey Stones	0	0	
E-Save Remote	•	•	
ProControl via app	0	0	
Direct Vent size Ø (in./in.)	5/8	5/8	
Power Vent	0	0	

	HOKZ SAIJA7	MODORE 75H	MODORE 35	MODORE 100L	MODORE 140	MODORE 185	MODORE 240	MODORE 240H	OPTICA	SAY	SAYY
	Multi	Double	Single	Double	Dub/Quad	Multi	Multi	Multi	Single	Double	Double
	•	•	•	•	•	•	•	•	•	•	•
	26,000 - 88,000	14,300 - 46,400	17,050 - 36,200	15,025 - 34,145	15,000 - 71,000	10,919 - 44,699	26,000 - 88,000	26,000 - 88,000	17,070 - 30,730	17,000 - 44,000	17,000 - 44,000
	19,500 - 64,800	16,00 - 37,000	13,650 - 32,400	17,075 - 34,145	13,000 - 64,000	9,213 - 46,746	19,500 - 64,800	19,500 - 64,800	8,535 - 26,300	11,000 - 36,000	11,000 - 36,000
	89%	89%	83%	83%	90%	90%	89%	89%	80%	86%	86%
	•	•	•	•	•	•	•	•	•	•	•
	0	0	0	0	0	0	0	0	-	0	0
	0	0	0	0	0	0	0	0	-	0	0
	-	0	•	0	-	-	-	-	-	-	-
	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0
	0	-	0	-	0	0	0	0	0	0	0
	0	-	0	-	0	0	0	0	0	0	0
	0	- -	0	<u>-</u>	0	0	0	0	0	0	0
		-		-	0	0	0		0	0	
	0		0		0	0	0	0	0	0	0
		•	•	•	•	•		•	•		•
	0	0	0	0	0	0	0	0	0	0	0
	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4/6	5/8	5/8
	0	0	0	0	0	0	0	0	0	0	0


<sup>=</sup> standard

<sup>=</sup> optional



	SUMMU	SUMMU	
Burner	Real Flame	Real Flame	
Natural Gas	•	•	
Propane	•	•	
Heat Input Natural Gas (Btu/hr)	13,376 -	13,376	
MinMax.	33,439	33,439	
Heat Input LPG (Btu/hr)	10,509	10,509	
Min Max.	26,273	26,273	
Efficiency	88%	88%	
INTERIORS			
Anthracite	•		
Reflective Black	0	0	
Concrete Style	0	0	
Rustic Brick	-	-	
FIRE MEDIA			
Log Set	0	0	
Forest Path	-	-	
Fallen Birch	-	-	
Tundra	-	-	
White Carrara Pebbles	-	-	
Brilliants	-	-	
Black Quartz	-	-	
Grey Stones	-	-	
E-Save Remote	•	•	
ProControl via app	0	0	
Direct Vent size Ø (in./in.)	5/8	5/8	
Power Vent	0	0	

Real Flame   Real Flame   Real Flame   Real Flame   Real Flame   Double   Dub/Quad   Multi   Multi   Multi   Multi   Double   Dub/Quad   Multi   Multi   Multi   Double   Dub/Quad   Multi   Multi   Multi   Double   Dub/Quad   Multi   Multi   Mul	ı		zz.	<b>U</b>	<b>L</b>						
Real Flame         Real Flame         Real Flame         Double         Dub/Quad         Multi         Multi         Double         Double         Dub/Quad           13,376         13,000         13,000         13,000         13,000         13,000         15,000         26,000         26,000         17,050         15,025         15,000           33,439         50,000         50,000         59,000         71,000         88,000         88,000         36,220         34,145         71,000           26,273         45,000         45,000         45,000         46,000         64,000         64,800         32,400         34,145         64,000           88%         89%         8	70,		107	001	00	9	9	HO <sub>Y</sub>	35	40 <sub>0</sub>	. 04
Real Flame         Real Flame         Real Flame         Double         Dub/Quad         Multi         Multi         Double         Double         Dub/Quad           13,376         13,000         13,000         13,000         13,000         13,000         15,000         26,000         26,000         17,050         15,025         15,000           33,439         50,000         50,000         59,000         71,000         88,000         88,000         36,220         34,145         71,000           26,273         45,000         45,000         45,000         46,000         64,000         64,800         32,400         34,145         64,000           88%         89%         8	MUM	MUM	MUM	MUM	PE 1	ME 1	MEZ	PE Z	JAE.	JAE.	JAE.
Real Flame         Real Flame         Real Flame         Double         Dub/Quad         Multi         Multi         Double         Double         Dub/Quad           13,376         13,000         13,000         13,000         13,000         13,000         15,000         26,000         26,000         17,050         15,025         15,000           33,439         50,000         50,000         59,000         71,000         88,000         88,000         36,220         34,145         71,000           26,273         45,000         45,000         45,000         46,000         64,000         64,800         32,400         34,145         64,000           88%         89%         8	SUM,	SUM,	SUM,	SUM,	7ENC	<sup>T</sup> ENG	7ENC	7ENG	TRIS.	7R/S	TRIS.
13,376 13,000 13,000 13,000 22,000 15,000 26,000 26,000 17,050 15,025 15,000 33,339 50,000 50,000 50,000 50,000 13,000 19,500 19,500 13,650 17,075 13,000 26,273 45,000 45,000 45,000 46,000 64,000 64,800 64,800 32,400 34,145 64,000 88,000 88,000 36,200 34,145 64,000 88,000 88,000 36,200 34,145 64,000 26,273 45,000 45,000 46,000 64,000 64,800 64,800 32,400 34,145 64,000 88,000 88,000 30,400 34,145 64,000 88,000 88,000 30,400 34,145 64,000 88,000 88,000 30,400 34,145 64,000 88,000 88,000 30,400 34,145 64,000 88,000 88,000 88,000 30,400 34,145 64,000 88		,	•	•				•		•	
13,376	Real Flame	Real Flame	Real Flame	Real Flame	Double	Dub/Quad	Multi	Multi	Double	Double	Dub/Quad
13,376											
13,376 13,000 13,000 13,000 22,000 15,000 26,000 26,000 17,050 15,025 15,000 33,39 50,000 50,000 59,000 71,000 88,000 88,000 36,200 34,145 71,000 10,509 9,000 45,000 45,000 46,000 64,000 64,800 52,400 32,400 34,145 64,000 88,000 88,000 36,200 34,145 71,000 10,509 10,509 45,000 45,000 45,000 46,000 64,000 64,800 64,800 32,400 34,145 64,000 88,806 88,8										•	
33,439   50,000   50,000   50,000   50,000   71,000   88,000   88,000   34,145   71,000     10,509   9,000   9,000   45,000   45,000   46,000   64,000   64,800   64,800   32,400   34,145   64,000     88%   89%   89%   89%   89%   89%   89%   89%   89%   89%   83%   83%   83%   90%											
10,509 9,000 9,000 45,000 45,000 45,000 45,000 64,000 64,800 64,800 32,400 34,145 64,000 64,800 34,145 64,000 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,145 64,1	-	-	-	-	-	-	-	-	-	-	-
26,273       45,000       45,000       46,000       64,000       64,800       32,400       34,145       64,000         88%       89%											
88% 89% 89% 89% 89% 90% 89% 89% 89% 83% 83% 90%  • • • • • • • • • • • • • • • • • • •	-	_	-	-	-	-	-	-	-	_	_
O       O		89%		89%		90%					
O       O											
O       O											
O       O											
0       0											
O       O	-	<u>-</u>			<u>-</u>	-					<u>-</u>
	0	0	0	0				0		0	
	-	-	-	-							
	-	-	-	-						0	
-       -	-	_	-	_						-	
-       -	-	_	-	_						<u>-</u>	
-       -	-	-		_						<del>-</del>	
•       •	-	-	-	-						-	
O         O									0		
5/8 5/8 5/8 5/8 5/8 5/8 5/8 5/8 5/8 5/8		•		•	_	•	•	•		•	
	0	0	0	0	0	0	0	0	0	0	0
	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8
	0	0	0	0	0	0	0	0	0	0	0





www.europeanhome.com info@europeanhome.com

781.324.8383

#### Find Your Local Dealer Today:



You can also visit: www.europeanhome.com/dealer

Intertek, a nationally recognized testing laboratory (NRTL), has certified that the Element4 fireplaces imported by European Home meet the North American standards (ANSI Z21.50a, CSA 2.22a) for direct-vent appliances. These direct-vent appliances are approved for use by all current North American building codes including California, Florida and New York state building codes.

