

## ECLIPSE SMART-HEAT™ PORTABLE

Dim the lights and turn up the heat with our Eclipse Smart-Heat™ Electric Portable heater. Featuring a striking, elegant design, this powerful heater will bring both warmth and light to design-focused outdoor spaces.

### PRECISE CONTROL

Accurately adjust the heat output (0/33/66/100%) for complete control over the level of comfort.

### CERAMIC FASCIA

Spreads heat evenly across any area while minimizing light emission from the heating element.

### DIMMABLE LIGHT

Complete flexibility over level of brightness for the right amount of ambience.

### PREMIUM CONSTRUCTION

Premium, corrosion-resistant, double-coated steel to ensure longevity of use and aesthetic appeal for years to come.

### UNIQUE DESIGN

Elegantly understated design that complements any design-focused outdoor environment.

### FLEXIBILITY OF USE

Stable base unit with wheels for easy manoeuvrability and flexibility over location.



# SPECIFICATIONS


Reference the specification guide below to help you select the correct solution for your needs.

| MODEL NUMBER            |                                              |
|-------------------------|----------------------------------------------|
| PRODUCT CODE            | BH0820001                                    |
| FUEL TYPE               | ELECTRIC (3300W)                             |
| COLOR                   | MATTE BLACK                                  |
| HEAT AREA               | 144FT <sup>2</sup>                           |
| LED COLOR               | WARM WHITE - DIMMABLE                        |
| RATED CURRENT & VOLTAGE | 12.9 A (220V) / 13.5 A (230V) / 14.1 A(240V) |
| MINIMUM FLOOR CLEARANCE | 79"                                          |
| MOUNTING OPTIONS        |                                              |
| FREESTANDING            | ✓                                            |
| CONTROL OPTIONS         |                                              |
| DIMMER CONTROL          | INCLUDED                                     |
| 42 CHANNEL REMOTE       | BH3130012 (OPTIONAL)                         |

Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurement in this document are displayed in inches.

# DIMENSIONS

With a wide range of sizes available, find the ideal heater to suit your outdoor space.




# CLEARANCE


With a wide array of mounting options, Bromic offers solutions to compliment any décor and provide functionality for ambiance and comfort.

## FREESTANDING

FRONT VIEW



CEILING & WALL CLEARANCE




# HEATING REACH

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution options to suit your outdoor heating needs.

## HEAT AREAS

**3300W SERIES**  
HEATING APPROXIMATELY 144FT<sup>2</sup>  
3300W HEATING POWER



\*HEAT AREA DEPENDENT ON AMBIENT TEMPERATURE AND WIND. OPTIMUM CONDITIONS EXPERIENCED AT APPROX 60°F AND IN A LOW WIND COVERED ENVIRONMENT.





EXTEND YOUR COMFORT OUTDOORS  
WITH THE SUPERIOR HEAT AND  
AWARD-WINNING DESIGN OF OUR  
SMART-HEAT™ OUTDOOR HEATERS.

[BROMIC.COM/HEAT](https://bromic.com/heat)

ASIA PACIFIC | NORTH AMERICA | EUROPE

Bromic pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.

04.2021