





- Painted Steel Liner
- Glass Bezel
- Shale
- Traditional Log Set



- Fluted Liner
- Steel Bezel
- Shale
- Traditional Log Set



- Infinity Glass Liner
- Glass Bezel
- Shale
- Traditional Log Set





- Painted Steel Liner
- Clear Glass Media
- Adjustable LED Lighting



- Fluted Liner
- Glass Media
- Glass Bezel



- Infinity Glass Liner
- Glass Media
- Glass Bezel





- Painted Steel Liner
- Glass Bezel
- Driftwood Log Set



- Fluted Liner
- Steel Bezel
- Driftwood Log Set



- Infinity Glass Liner
- Glass Bezel
- Driftwood Log Set





- Painted Steel Liner
- Clear Glass Media
- Adjustable LED Lighting



- Fluted Liner
- Glass Media
- Glass Bezel



- Infinity Glass Liner
- Glass Media
- Glass Bezel







- Painted Steel Liner
- Glass Bezel
- Shale
- Traditional Log Set



- Fluted Liner
- Steel Bezel
- Shale
- Traditional Log Set



- Infinity Glass Liner
- Glass Bezel
- Shale
- Traditional Log Set





- Painted Steel Liner
- Vermiculite
- Glass Bezel



- Fluted Liner
- Vermiculite
- Glass Bezel



- Infinity Glass Liner
- Vermiculite
- Glass Bezels





- Painted Steel Liner
- Glass Bezel
- Driftwood Log Set



- Fluted Liner
- Glass Bezel
- Driftwood Log Set



- Infinity Glass Liner
- Glass Bezel
- Driftwood Log Set





- Painted Steel Liner
- Vermiculite
- Glass Bezel



- Fluted Liner
- Vermiculite
- Glass Bezel



- Infinity Glass Liner
- Vermiculite
- Glass Bezel





22



- Painted Steel Liner
- Glass Bezel
- Traditional Log Set



- Fluted Liner
- Glass Bezel
- Shale
- Traditional Log Set



- Infinity Glass Liner
- Glass Bezel
- Traditional Log Set





- Painted Steel Liner
- Adjustable LED Lighting
- Clear Glass Media



- Fluted Liner
- Steel Bezel
- Vermiculite



- Infinity Glass Liner
- Black Glass Media





- Painted Steel Liner
- Glass Bezel
- Driftwood Log Set



- Fluted Liner
- Steel Bezel
- Driftwood Log Set



- Infinity Glass Liner
- Glass Bezel
- Driftwood Log Set





- Painted Steel Liner
- Adjustable LED Lighting
- Clear Glass Media

- Fluted Liner
- Steel Bezel
- Vermiculite

- Infinity Glass Liner
- Black Glass Media







THE URBANA ADVANTAGE U30 | U50 | U70



COOL WALL

Fireplaces can be framed in with combustible materials such as drywall, veneer, shiplap, etc.




TOP FIREBOX LIGHTING

Adjustable top lights come standard on all Urbana fireplaces and are controlled via an included




3D STAINLESS STEEL BURNER

A stunning new three dimensional fireplace design that adds a "wow" factor to your flame.



NO STEEL PILLARS

Instead of thick metal bars, Urbana fireplaces use a transparent glass-toglass construction that lets you enjoy the fire from any angle.



INVISISEAL SYSTEM Patent Pending

The interior glass panes seal to each other using our proprietary Invisiseal System. Invisiseal uses formed silicone for a no-mess, airtight and re-usable glass seal.



Our Cool Surface System helps channel rising heat within the chase, protecting wall mounted valuables such as paintings or HDTVs.



DOUBLE GLASS SAFETY

Urbana fireplaces use a second layer of glass for hot surface protection instead of steel mesh alternatives.



COOL SURFACE SYSTEM

A large selection of burner media and firebox liners give Urbana units plenty of variation in their flame presentation.

33



FIREBOX MEDIA



BAY FIREPLACE

By design, all Urbana units are built to be installed as a Bay Fireplace. Every Urbana fireplace is designed with *Double Glass Safety* by using a second layer of glass for hot surface protection instead of a steel mesh alternative. With glass to glass assembly and *Double Glass Safety*, these units achieve unobstructed views from all angles. Creating a modern fireplace that is the perfect centerpiece for any home.







FLOATING INSTALLATION

The U30 unit can be installed as a floating design using the Floating Installation Kit. This installation kit gives you more creative freedom with your fireplace to suit your unique vision. This suspended design is built to be a focal point within your home, while providing the cozy and homelike atmosphere that you expect from your hearth product.



URBANA INSTALL STYLES

A three-dimensional fireplace creates further design opportunities that fit your project. An
Urbana Fireplace removes the design barriers of a classic mantel and allows you to create the
perfect framing style that fits your vision. Here are some of the many design ideas that you can
achieve with your U Series Fireplace.




















U30 | U50 | U70 & Tall VENTING SOLUTIONS

Every Urbana fireplace is designed with our COOL SURFACE SYSTEM which allows air coming into the fireplace to be heated and rise up safely within the chase, protecting wall mounted valuables from unsafe temperatures. This gives you the freedom to decorate your room without the worry of heat damage over the long term. Rising heat exits the top of an open chase; however, we have additional venting options if you wish to frame the chase all the way up to the ceiling.



HIDDEN INTAKE CONSTRUCTION — URBANA EXCLUSIVE

Where approved by local codes and the building's HVAC supplier, the chase intake air may be supplied from a basement or conditioned crawl space below if no visible open area is desired at the bottom of the chase.



SHADOW LINE

Fans pull air into the unit through a gap beneath the fireplace's "plinth" or "lower construction".



FLOOR VENTS

The "plinth" or "lower construction" is finished to the floor and optional floor vents are installed on the left and right sides to allow for air intake.



TOP SHADOW LINE

The chase is constructed leaving an open gap at the ceiling allowing rising heat to freely enter the room.



FORWARD FACING VENT

Optionally, you can channel the rising heat through a forward facing vent with a paintable bezel.



SIDE VENTS

Side vents are also available and operate by exiting hot air out the left and right sides of the chase.



Aesthetic Features U30 - U50 - U70 & Tall

Fluted Liner



Painted Steel Liner



Infinity Black Glass Liner





Driftwood Log Set



Glass Media



L/R Corner Install Kit



Bezel - Black Glass



Bezel - Antique Rust



River Rock Set



Adjustable LED Lighting



Shale



41



Introducing the U37 and U44 traditional gas fireplaces. These models feature clean, contemporary aesthetics and a wide variety of options allowing you to truly personalize the centerpiece of your room. Offered in a well-known square or eye-catching arched configuration, the U37/U44 can be customized to fit any design. Pair the unit with a traditional log set or a modern glass configuration. No matter what you are looking for, the U37/U44 delivers.





- Traditional Log Set
- Black Enameled Steel Liner



- Black Glass Media
- Black Enameled Steel Liner



- Driftwood Log Set
- Black Enameled Steel Liner



- River Rock Set w/Twigs
- Black Enameled Steel Liner









- Birch Log Set
- Ledgestone Liner



- Traditional Log Set
- Herringbone Liner (Sandstone)



- Birch Log Set
- Herringbone Liner (Umber)







- Traditional Log Set
- Rustic Brick Liner



- Birch Log Set
- Rustic Brick Liner



- Traditional Log Set
- Painted Black Steel Liner



- Birch Log Set
- Painted Black Steel Liner



- Traditional Log Set
- Black Enameled Steel Liner



- Glass Media
- Black Enameled Steel Liner



- Driftwood Log Set
- Black Enameled Steel Liner



- River Rock Set w/Twigs
- Black Enameled Steel Liner













Birch Log Set

Ledgestone Liner



- Traditional Log Set
- Herringbone Liner Umber



Birch Log Set

Herringbone Liner – Sandstone









Birch Log Set

Rustic Brick Liner

- Traditional Log Set
- Painted Steel Liner



- Birch Log Set
- Painted Steel Liner











Aesthetic Features U37 & U44

Rustic Brick Liner



Painted Steel Liner



Reflective Liners - TWO OPTIONS





Birch Log Set



Driftwood Log Set



Ledgestone Liner



Herringbone Liner - SANDSTONE



Herringbone Liner - UMBER



River Rock Set w/Twigs



Glass Media



Shale



 \circ

Specifications

	U30 / U30T	U50 / U50T	U70 / U70T	U37	U44
BTU Max. Input - NG/LP	22,500 BTUs	38,000 BTUs	52,500 BTUs	47,000 BTUs	63,000 BTUs
P4 Efficiency	65.9% 65.9% U30T	68.5% 68.5% U50T	59.2% 59.2% U70T	36.6% 46.6% [†]	37.6% 47.6% [†]
Turn Down	Up to 33%	Up to 33%	Up to 33%	Up to 33%	Up to 33%
Valve Configuration	IPI	IPI	IPI	IPI	IPI
Venting	6 5/8"	8"	8"	8" or 11"	8" or 11"
Flex Venting	Up to 40'	Up to 40'	Up to 40'	N/A	N/A
Viewing Area	1042 in ² 1,440 in ² U30T	1,390 in ² 1,920 in ² U50T	1,737 in ² 2,400 in ² U70T	1,112 in ²	1,586 in ²
	H W C	H W D	H W D	HEIGHT WIDTH	HEIGHT WIDTH
Glass Dimensions	19¾" 26¾"U30T 30" 15	" 19¾" 50" 15" 26¾"U50T	19¾" 70" 15" 26¾"U70T	305/16" 353/16"	365/16" 423/16"
Unit Dimensions	HEIGHT WIDTH DEF 40" 465%" U30T 303/4" 21	17"	HEIGHT WIDTH DEPTH 47" 535%" U70T 7034" 21"	HEIGHT WIDTH DEPTH 44½" 46¼" 24¼"	HEIGHT WIDTH DEPTH 50½" 53½" 27½"

^{*}See owner's manual for detailed fireplace specifications.

U30/U50/U70

U37/U44

DESIGN FEATURES

- Left/Right Corner Installation Kits
- Single Sided Installation Kit
- Top Firebox Lighting
- Ventilated Chase Design
- No Safety Screen Required
- 3D Stainless Steel Burner
- Cool Surface System
- Power Vent Compatible (Approved for Duravent CVS 5"/3")
- Optional Bezels (Black Glass, Antique Rust)
- Optional Chase Comfort Kit
- Floating Installation Compatible (U30)

FIREBOX MEDIA

- Driftwood Log Set
- Traditional Split Log Set
- River Rock Set w/Twigs
- Adjustable Color LED Lighting
- Glass Media
- Vermiculite
- Bezel w/Glass or Vermiculite
- Shale

LINER OPTIONS

- Painted Steel Liner (Included)
- Fluted Liner
- Infinity Glass Liner Black

DESIGN FEATURES

- Clean Face Design
- IPI Pilot System
- Compatible with NG & LP
- Top Firebox Lighting
- ClearView Safety Screen
- Stainless Steel Burner
- Cool Surface System
- Power Vent Compatible
- Optional Chase Comfort Kit

OPTIONAL FACE

■ Forgeworks Face

FIREBOX MEDIA

- Driftwood Log Set
- Birch Log Set
- Traditional Split Log Set
- River Rock Set w/Twigs
- Glass Media
- Shale

LINER OPTIONS

- Painted Steel Liner (Included)
- Rustic Brick Liner
- Ledgestone Liner
- Herringbone (Sandstone) Liner
- Herringbone (Umber) Liner
- Black Enameled Steel Liner
- Black Glass Liner

COMPATIBLE WITH MOST FINISHES

The low heat nature of Urbana fireplaces allow you to use a large variety of combustible finishes during framing. Here are some examples.



Wallpaper



Drywall



Shiplap



Tile





Fabric



Wood





Imitation Stone

Marble

62 63

[†] Based on in-house testing using an 8" vent

COOL SURFACE SYSTEM

The Cool Surface System allows the fireplaces rising heat to move safety up the chase without creating excessive surface temperatures that can damage HDTV's or other wall mounted valuables.

Rising heat is channeled safely past valuable wall mounted items such as a TV


Rising heat is evenly vented forward into the living space above the chase

Heat radiates forward from the fireplace window

COMFORT KIT

Our available Comfort Kit is an installation option that allows excess rising heat to be channeled outside through an exterior wall behind the fireplace.


This setup allows you and your loved ones to enjoy a beautiful flame at comfortable temperatures.




BUILD YOUR FIREPLACE

Find the ideal combination of logs and liners with the Urbana Fireplace Builder. This tool includes the ability for customers to receive a PDF of their fireplace as well as provide a list of authorized dealers in their area.


Visit urbanafireplaces.com/fireplace-builder to build your dream fireplace today




U30/U50/U70 & TALL DIMENSIONS



U37/U44 DIMENSIONS







Full Install Details Available online

Venting, Clearances, Install guides and more are available on our website. Please scan the above QR code for these guides and more detailed information.



urbanafireplaces.com















