

W O O
O O O
D K E
R S



 **NORDICA**[®]
Extraflame

Warms up your life.

INDEX

OUR ROOTS	2
STRENGTH	3

UL-C SERIES

ALASKA	6
ROSA XXL STEEL	8
ROSA XXL MAJOLICA.....	10
ROSA XXL STONE	12
MILLY	14
ROSA REVERSE CERAMIC.....	16
ROSA SINISTRA REVERSE	18
ROSA CERAMIC	20
ROSA MAJOLICA.....	22

ROSA STONE	24
ROSA L	26

ACCESSORIES

COOKING ACCESSORIES	28
NOTE, LEGEND, CERTIFICATES.....	31

OUR ROOTS.



La Nordica has been Warming Life for over 50 years.

There is work and there is passion. There is a family and there is an ideal. There is optimism and the desire to change, but always in the footsteps of one's own tradition. There's all this, and even more, in a La Nordica product. This is well known by the many customers who rely on this large group that has become synonymous

with warmth, reliability and safety.

More than fifty years have passed since Silvano, Giannino and Giorgio Dal Zotto began this adventure that today the family carries on with the spirit of our times, investing in technology and innovation. From the 1960s to the present, the production of stoves, cookers, wood-burning and pellet fireplaces and boilers has transformed

itself into a great industrial reality, but the love and dedication of the beginnings have remained unchanged. A journey that in the last five decades has led the Group to positioning itself as a leader in an international market in more than 50 countries around the world, with an offer of over 200 Hi-tech Made in Italy Products for the production of energy for domestic heating using biomass. A history of quality

and continuous renewal, attested by the most up-to-date international certifications, puts the Group's proposals at the forefront of the sector.

Our history is at the roots of our future.



STRENGTH.

+200 Innovative products



Over 200 articles for the production of energy for domestic heating: wood-burning and pellet stoves, fireplaces, cookers, thermo-products and boilers. A proposal of quality and continuous innovation that puts the Group at the forefront of the sector.

5 Production Plants



The La Nordica-Extraflame Group has reached a prestigious international position thanks to 5 production plants, all of them strictly Made in Italy.

+50 Countries in the world



The La Nordica-Extraflame sales network can supply its products in over 50 foreign countries.

6 Thematic classrooms



In the Training Centre, equipped with 6 thematic classrooms, technicians and salespeople undergo constant training, to be able to meet all the needs of the end user.

400 Technical Assistance Centres in Europa



To ensure rapid and timely interventions on products, over the years the La Nordica-Extraflame Group has created and consolidated on the territory a widespread network of qualified and authorised technicians, constantly trained on the innovations on the products and services and in direct contract with "Customer Service".


WOOD-BURNING



Hearth in Nordiker
La Nordica uses a special material called Nordiker for the production of hearth walls refractories.



Post combustion
The combustion system developed by La Nordica allows, due to a secondary/tertiary air system, a post combustion which significantly reduces emissions.




Doors in cast iron
The high-quality cast-iron doors are made to last and ensure perfect sealing at all times.



Automatic safety device
It is a safety device created to quickly reduce water temperature, according to rules in force. DSA valve not included.




Glass cleaning system
A system of pre-heated air which removes any deposit from the fire-door glass.




Direct outdoor air intake (BBC)
Air intake system which draws fresh air from outside directly into the adjust system combustion regulation of the firebox of the appliance.



Outdoor air intake (ASC)
A particular connection system which allows to introduce air from the outside into the pre-heated environment around the fire-box.



Radiant system (PRS)
High efficiency Heat exchanger system



WOOD-BURNING COOKERS UL-C

La Nordica woodburning cookers combine technology and attention to the materials with the values of tradition and the flavours of the past, to offer the possibility of cooking freely, and at the same time, heating your home. In fact, cooking with a wood-burning stove gives food a unique taste and releases the traditional aromas, without sacrificing the comfort and efficiency of its performance for heating the rooms.

The use of quality materials and the skilful design allow you to take advantage of every bit of heat in an efficient and environmentally friendly way using an energy source.

The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.

Page	Dimensions (WxHxD)	BTU/h*	Smoke outlet diameter	Oven capacity	External covering	
6	ALASKA	51.5 x 33.9 x 26.8 inch	40,946	6 inch	20.6 gal	Enameled cast-iron
8	ROSA XXL STEEL	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Enameled steel
10	ROSA XXL MAJOLICA	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Majolica
12	ROSA XXL STONE	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Natural Stone
14	MILLY	41.5 x 34 x 26.5 inch	29,686	6 inch	20.6 gal	Enameled steel and majolica
16	ROSA REVERSE CERAMIC	40.6 x 33.5 x 25.6 inch	27,638	6 inch	7.5 gal	Majolica
18	ROSA SINISTRA REVERSE CERAMIC	40.6 x 33.5 x 25.6 inch	27,980	6 inch	7.5 gal	Majolica
20	ROSA CERAMIC	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Majolica
22	ROSA MAJOLICA	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Majolica
24	ROSA STONE	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Natural Stone
26	ROSA L	38.4 x 34 x 26.4 inch	27,638	6 inch	14.6 gal	Enameled steel

N.B.: The technical specifications are verified for every single product

* Data obtained in accordance to EN 12815:2006


ALASKA

Wood-burning cooker

40,946* BTU/h | up to 1,370* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
40,946 BTU/h

Efficiency*
88.6%

Hourly consumption*
7.1 lb/h

Dimensions (WxHxD)
51.5 x 33.9 x 26.8 inch

Net weight
772 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
15.9 x 11 inch

Hearth dimensions (WxHxD)
15.7 x 13.4 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download technical data sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006


STANDARD EQUIPMENT



OPTIONAL



TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.




FINISHES

External covering in enamelled cast iron



Glazed Black

DETAIL



Three-ring plate

LA NORDICA • ALASKA

Colour	Code
Glazed Black	7016055

OPTIONAL

	Code
Handrail and end caps Chrome	7016057
Enamelled backing tray Dimensions: 15.2 x 16.8 inch	1017229
Enamelled backing tray (to place on the grid) Dimensions: 15.2 x 11.6 inch	1119000
Double inox grid	7016150
Inox Oven grid Dimensions: 16.8 x 16.1 inch	1017109


ROSA XXL STEEL

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
446 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



KIT 3 BLACK TILES (3.9 x 3.9 inch)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.


COLOUR CHOICES

External finish in enameled steel





Anthracite Black

LA NORDICA • ROSA XXL STEEL

Colour	Code
 Anthracite Black	7015300

OPTIONAL

	Code
 Enameled backing tray Dimensions: 15.2 x 16.8 inch	1017229
 Inox Oven grid Dimensions: 16.8 x 16.1 inch	1017109

ROSA XXL MAJOLICA

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
519 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External facing in majolica



White Infinity





Bordeaux

LA NORDICA • ROSA XXL MAJOLICA

Colour	Code
<input type="checkbox"/> White Infinity	7015302
<input checked="" type="checkbox"/> Bordeaux	7015303

OPTIONAL

	Code
 Enameled backing tray Dimensions: 15.2 x 16.8 inch	1017229
 Inox Oven grid Dimensions: 16.8 x 16.1 inch	1017109

ROSA XXL STONE

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
607 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.


COLOUR CHOICES

External facing in natural stone





Natural Stone

LA NORDICA • ROSA XXL STONE

Colour	Code
 Natural stone	7015301

OPTIONAL

	Code
 Enameled backing tray Dimensions: 15.2 x 16.8 inch	1017229
 Inox Oven grid Dimensions: 16.8 x 16.1 inch	1017109

MILLY

Wood burning cooker

29,686* BTU/h | up to 1,000* sqft



CHARACTERISTICS

- Vitrified cast-iron top frame



TECHNICAL DATA

Nominal power*
29,686 BTU/h

Efficiency*
89.1 %

Hourly consumption*
5 lb/h

Dimensions (LxHxD)
41.5 x 34 x 26.5 inch (without food warmer)

Net weight
479 lb (without food warmer)

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
9.5 x 7.3 inch

Hearth dimensions (WxHxD)
10.5 x 11.3 x 18 inch

Oven dimensions (WxHxD)
17 x 16.5 x 17 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download technical sheet




SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT




OPTIONAL



Food warmer (optional): Interior in lava stone and stainless steel for food use

TECHNOLOGY



N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

Finish in enamelled steel and majolica



Bordeaux

White Infinity



Dimensions (WxHxD 38.9 x 28 x 14.6 inch)

LA NORDICA • MILLY

Colour	Code
Bordeaux	7018005
White Infinity	7018006

OPTIONAL

	Food warmer Bordeaux dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included	Code 7018010
	Food warmer White Infinity dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included	Code 7018013
	Enameled backing tray 15.2 x 16.8 inch	Code 1017229
	Inox Oven grid Dimensions: 16.8 x 16.1 inch	Code 1017109


ROSA REVERSE CERAMIC

Wood burning cooker

27,638* BTU/h | up to 950* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,638 BTU/h

Efficiency*
81.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13.8 x 9.3 inch

Hearth dimensions (WxHxD)
14.7 x 11.4 x 12.6 inch

Oven dimensions (WxHxD)
9.6 x 11.9 x 15.1 inch

Wood length (max)
8.7 inch

Oven capacity
7.5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

DETAIL



Wood drawer

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA REVERSE CERAMIC

Colour	Code
Liberty Bordeaux	7015316
Liberty Panna	7015325

OPTIONAL

	Code
Inox tank 4.5	1014950
Inox Oven grid Dimensions: 9.2 x 15 inch	1014110
Enameled backing tray Dimensions: 9.1 x 15.4 inch	1210610

ROSA SINISTRA REVERSE

Wood burning cooker

27,980* BTU/h | up to 950* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,980 BTU/h

Efficiency*
86.5 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
404 - 441 Stone lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13.8 x 9.3 inch

Hearth dimensions (WxHxD)
14.7 x 11.4 x 12.6 inch

Oven dimensions (WxHxD)
9.6 x 11.9 x 15.1 inch

Wood length (max)
8.7 inch

Oven capacity
7.5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica or in natural stone



Liberty Bordeaux (Ceramic)



Liberty Panna (Ceramic)



Natural stone (Stone)

LA NORDICA • ROSA SINISTRA REVERSE

Colour	Code
Liberty Bordeaux	7015317
Liberty Panna	7015327
Natural stone	7015309

OPTIONAL

	Code
Inox tank 4.5	1014950
Inox Oven grid Dimensions: 9.2 x 15 inch	1014110
Enameled backing tray Dimensions: 9.1 x 15.4 inch	1210610

ROSA CERAMIC

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
 28,662 BTU/h
Efficiency*
 87.1 %
Hourly consumption*
 5 lb/h
Dimensions (WxHxD)
 40.6 x 33.5 x 25.6 inch
Net weight
 404 lb
Fumes flue diameter (Ø)
 6 inch B/T
Hearth opening size (WxH)
 8.7 x 10.4 inch
Hearth dimensions (WxHxD)
 10.7 x 12.6 x 14.3 inch
Oven dimensions (WxHxD)
 13 x 11.8 x 16 inch
Wood length (max)
 11.8 inch
Oven capacity
 10.8 gallons

Download technical sheet



SCAN ME


* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



TECHNOLOGY



COLOUR CHOICES

External facing in majolica



LA NORDICA • ROSA CERAMIC

Colour	Code
Liberty Bordeaux	7015311
Liberty Panna	7015326

OPTIONAL

	Code
Inox tank 4.5	1014950
Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
Enameled backing tray Dimensions: 11.7 x 14.8 inch	1014024
High-adjustable grate	1035402


ROSA MAJOLICA

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28,662 BTU/h

Efficiency*
87.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
450 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.7 x 10.4 inch

Hearth dimensions (WxHxD)
10.7 x 12.6 x 14.3 inch

Oven dimensions (WxHxD)
13 x 11.8 x 16 inch

Wood length (max)
11.8 inch

Oven capacity
10.8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



COLOUR CHOICES

External facing in majolica



White Infinity



Bordeaux



Tortora

LA NORDICA • ROSA MAJOLICA

Colour	Code
White Infinity	7015313
Bordeaux	7015314
Tortora	7015315

OPTIONAL

	Code
Inox tank 4.5	1014950
Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
Enameled backing tray Dimensions: 11.7 x 14.8 inch	1014024
High-adjustable grate	1035402

ROSA STONE

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28,662 BTU/h

Efficiency*
87.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
441 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.7 x 10.4 inch

Hearth dimensions (WxHxD)
10.7 x 12.6 x 14.3 inch

Oven dimensions (WxHxD)
13 x 11.8 x 16 inch

Wood length (max)
11.8 inch

Oven capacity
10.8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in natural stone







Natural stone

LA NORDICA • ROSA STONE

Colour	Code
 Natural stone	7015312

OPTIONAL

	Code
 Inox tank 4.5	1014950
 Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
 Enameled backing tray Dimensions: 11.7 x 14.8 inch	1014024
 High-adjustable grate	1035402

ROSAL

Wood burning cooker

27,638* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,638 BTU/h

Efficiency*
84.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
38.4 x 34 x 26.4 inch

Net weight
424 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12 x 18.1 inch

Oven dimensions (WxHxD)
12 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
14.6 gallons

Download technical sheet




SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



DETAIL



COLOUR CHOICES

External finish in enameled steel



Anthracite black

LA NORDICA • ROSAL

Colour	Code
Anthracite black	7015304

OPTIONAL

	Code
Enameled backing tray Dimensions: 11.7 x 14.8 inch	1014024
Ceramic glass top kit	7016255
Inox Oven grid Dimensions: 11.7 x 15.0 inch	1014100


TECHNOLOGY









N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

THE IDEAL SOLUTION TO FACILITATE THE INSTALLATION AND USE OF OUR PRODUCTS







To satisfy even the most demanding customers, we have enhanced our catalogue with important accessories.



COOKING ACCESSORIES

Description	Code
<p>Milly warming compartment</p> <ul style="list-style-type: none"> • Top food warmer with back for Milly cookers • Enameled cast iron sides • Interior in lava stone and stainless steel for food use 	
  <p>Food warmer Bordeaux dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included</p>	7018010
 <p>Food warmer White Infinity dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included</p>	7018013
 <p>Rosa high-adjustable grate</p> <p>High-adjustable grate for the cast iron hearth of</p> <ul style="list-style-type: none"> • Rosa 	1035402
 <p>Oven grid</p> <p>Inox Oven grid 11.7 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa • Rosa L <p>Inox Oven grid 9.2 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse <p>Inox Oven grid 16.8 x 116.1 inch. Available for:</p> <ul style="list-style-type: none"> • Milly • Rosa XXL • Alaska 	1014100 1014110 1017109
 <p>Inox grid</p> <p>Double inox grid. Available for:</p> <ul style="list-style-type: none"> • Alaska 	7016150

COOKING ACCESSORIES

	Description	Code
	Enameled backing tray Enameled backing tray 11.7 x 14.8 inch. Available for: <ul style="list-style-type: none"> • Rosa • Rosa L 	1014024
	Enameled backing tray 9.1 x 15.4 inch. Available for: <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse 	1210610
	Enameled backing tray 15.2 x 16.8 inch. Available for: <ul style="list-style-type: none"> • Rosa XXL • Milly • Alaska 	1017229
	Enamelled backing tray 15.2 x 11.6 inch. Available for: <ul style="list-style-type: none"> • Alaska (to place on the grid) 	1119000
	Inox tank Inox tank 4.5. Available for: <ul style="list-style-type: none"> • Rosa • Rosa Sinistra Reverse • Rosa Reverse 	1014950
	Handrail and end caps Chrome. Available for: <ul style="list-style-type: none"> • Alaska 	7016057

NOTE

Due to printing reasons the reproduction of colours has to be considered only indicative. Facing tones and characteristics are subject to slight variations because they are natural products. The manufactures reserve the right to change the products without any previous notice. The La Nordica products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others. yd³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer. Interim document and subject to changes

LEGEND

BTU/h: Nominal thermal power (kW) - **sqft:** Heatable ft² - **%:** Efficiency (%) - **lb/h:** Hourly consumption (lb/h) - **Ø inch:** Smoke outlet diameter (inch) T = Top, B = Back, RH side = Right side, LH side = Left side - **Dim. WxHxD:** Dimensions WxHxD (inch) - **lb:** Net weight (lb) - **W:** Electrical power consumption (W)

CERTIFICATES



ETL (Electrical Testing Laboratories) – Product Safety Approval.

The ETL Listed marking certifies that the product has been tested by an independent and accredited laboratory (Intertek), complying with the minimum safety requirements, recognized and accepted in the same way as the UL and ULC marking, to be sold and distributed in the territory of North America.

“The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.”

NORDICA[®]
Extraflame
Warms up your life.

FEELING COSY AT HOME
A natural choice





© Edizione 1, 2023 EN - La Nordica SpA - All rights reserved - LINEX05/23



MCA Group.it

La Nordica S.p.A.

Via Summano, 104 • 36030 Montecchio Precalcino - Vicenza - Italy

Tel. +39 0445 804000

export@lanordica.com

www.lanordica-extraflame.com