



"Our diverse team brings together creativity, strategic thinking, and cutting-edge heating technologies to craft solutions for a warmer tomorrow."

- Zack Sharon, Vice President

### Welcome to Eurofase Heating - the newest member of the Eurofase family!

For the past 30 plus years, contractors, architects, and designers have relied on Eurofase as their go-to brand for providing a diverse selection of high-quality, innovative products for both residential and commercial applications.

As a natural extension to Eurofase, Eurofase Heating is the perfect addition to complete every outdoor space. We invite you to learn more about Eurofase Heating products in this catalog, or by visiting us online.

### **Table of Contents**

EF20       pg         EF25       pg         EF30       pg         EF40       pg         EF50       pg         EF60       pg         LP30       pg         LP40       pg         Mounting       Flush Mount       pg         Suspension Kit       pg         Pole Mount       pg         Controls       pg         On/Off Switches       pg         Smart Wifi Control       pg         Contactor Box       pg         Universal Relay Box       pg         Timers and Dimmers       pg         Create Your Space       pg		pg. 4
EF15       pg         EF20       pg         EF25       pg         EF30       pg         EF40       pg         EF50       pg         EF60       pg         LP30       pg         LP40       pg         Mounting       Flush Mount       pg         Suspension Kit       pg         Pole Mount       pg         Controls       pg         Smart Wifi Control       pg         Contactor Box       pg         Universal Relay Box       pg         Timers and Dimmers       pg         Create Your Space       pg		pg. 5
EF20       pg.         EF25       pg.         EF30       pg.         EF40       pg.         EF50       pg.         EF60       pg.         LP30       pg.         LP40       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       pg.         On/Off Switches       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.		
EF25       pg         EF30       pg         EF40       pg         EF50       pg         EF60       pg         LP30       pg         LP40       pg         Mounting       Flush Mount       pg         Suspension Kit       pg         Pole Mount       pg         Controls       pg         On/Off Switches       pg         Smart Wifi Control       pg         Contactor Box       pg         Universal Relay Box       pg         Timers and Dimmers       pg         Create Your Space       pg		pg. 7
EF30       pg.         EF40       pg.         EF50       pg.         EF60       pg.         LP30       pg.         LP40       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       pg.         On/Off Switches       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	γ	pg. 8
EF40       pg.         EF50       pg.         EF60       pg.         LP30       pg.         LP40       pg.         Décor Plates       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	p	pg. 9
EF50       pg.         EF60       pg.         LP30       pg.         LP40       pg.         Décor Plates       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	F	pg. 10
EF60       pg.         LP30       pg.         LP40       pg.         Décor Plates       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       On/Off Switches       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	F	pg. 11
LP30       pg.         LP40       pg.         Décor Plates       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       On/Off Switches       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	p	pg. 12
LP40       pg.         Décor Plates       pg.         Mounting       Flush Mount       pg.         Suspension Kit       pg.         Pole Mount       pg.         Controls       On/Off Switches       pg.         Smart Wifi Control       pg.         Contactor Box       pg.         Universal Relay Box       pg.         Timers and Dimmers       pg.         Create Your Space       pg.	p	pg. 13
Décor Plates         pg.           Mounting         Flush Mount         pg.           Suspension Kit         pg.           Pole Mount         pg.           Controls         on/Off Switches         pg.           Smart Wifi Control         pg.           Contactor Box         pg.           Universal Relay Box         pg.           Timers and Dimmers         pg.           Create Your Space         pg.	p	og. 14
Mounting         Flush Mount         pg.           Suspension Kit         pg.           Pole Mount         pg.           Controls         On/Off Switches         pg.           Smart Wifi Control         pg.           Contactor Box         pg.           Universal Relay Box         pg.           Timers and Dimmers         pg.           Create Your Space         pg.		pg. 15
Flush Mount pg. Suspension Kit pg. Pole Mount pg.  Controls On/Off Switches pg. Smart Wifi Control pg. Contactor Box pg. Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.	F	pg. 17
Suspension Kit pg. Pole Mount pg.  Controls  On/Off Switches pg. Smart Wifi Control pg. Contactor Box pg. Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.		
Pole Mount pg.  Controls  On/Off Switches pg. Smart Wifi Control pg. Contactor Box pg. Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.		pg. 22
ControlsOn/Off Switchespg.Smart Wifi Controlpg.Contactor Boxpg.Universal Relay Boxpg.Timers and Dimmerspg.Create Your Spacepg.	ŗ	pg. 22
On/Off Switchespg.Smart Wifi Controlpg.Contactor Boxpg.Universal Relay Boxpg.Timers and Dimmerspg.Create Your Spacepg.	p	pg. 23
Smart Wifi Control pg. Contactor Box pg. Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.		
Contactor Box pg. Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.	F	pg. 25
Universal Relay Box pg. Timers and Dimmers pg. Create Your Space pg.	F	pg. 26
Timers and Dimmers pg.  Create Your Space pg.	F	pg. 27
Create Your Space pg.	F	pg. 28
•		pg. 29
\A/ .	F	pg. 30
Warrantypg.	r	pg. 32

# Where comfort & design meet outdoor living

At Eurofase Heating, we pride ourselves on developing products that meet the highest quality and safety standards while at the same time keeping our eyes on the latest architectural trends to ensure that our products bring added function and form to your space.

Imagine investing in patio furniture, a BBQ grill, or any other expensive outdoor furnishings but not being able to enjoy your space all year round because of weather constraints. Forced air heating systems can be ineffective in outdoor spaces, which may lead you to use structures such as fire pits. Although beautiful, its inability to heat large spaces or have ease of control may create more strife than pleasure.

### At Eurofase Heating, we choose infrared

Infrared heaters emit a clean and safe beam of light that primarily heats objects rather than the surrounding air. This results in an immediate feeling of warmth. Infrared heat is evenly distributed and unaffected by factors like drafts or wind, providing consistent comfort.











Light rays that are below red in the spectrum are not visible to the human eye but have the highest temperature of all the colors. That light is known as "Infra (below)











No Ventilation Required



Eurofase Heating has an ideal approach to keep you warm. Infrared heaters instantly distribute heat evenly without having to worry about ventilation requirements or wind conditions. These silent heaters enable you to enjoy quality time with friends and family indoor or outdoor. Eurofase Heating helps create a safe and sustainable space for yourself and your loved ones!



# **Radiant Warmth, Unmatched Quality** 6 Step Outside With Eurofase.

## **EF15**

### 39" 1500 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER



Color Options








### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 1500 Watt 120V heater warms an approximate  $5 \times 6$  foot area and is advised to be installed no higher than 8 feet off the ground. Eurofase provides the EF15 series in a standard Black, Stainless Steel or White finish and offers the option to upgrade a custom finish to complement any patio decor.

### **HEAT COVERAGE AREA: 5'x6' (30 sq.ft.)**




Optimal Mounting Height: 6'-8'

### **SPECIFICATIONS**

WATTAGE	1500 Watts
SERIES	EF15
VOLTAGE RATING	120V
TOTAL AMPS	12.5A
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	5'x6' (30 sq.ft.)
COMPATIBLE ELEMENTS	EF15120E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	39.37"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	9.4 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage.







### 39" 2000 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER



Color Options








### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 2000 Watt heater warms an approximate 6 x 6 foot area and is advised to be installed no higher than 8 feet off the ground. Eurofase provides the EF20 series in a standard Black, Stainless Steel or White finish and offers the option to upgrade a custom finish to complement any patio decor.


### **HEAT COVERAGE AREA:** 6'x6' (36 sq.ft.)



### **SPECIFICATIONS**


WATTAGE	2000 Watts
SERIES	EF20
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	9.6A**, 8.3A, 7.2A, 4.2A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	6'x6' (36 sq.ft.)
COMPATIBLE ELEMENTS	EF20208E, EF20240E, EF20277E, EF20480E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	39.37"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	9.4 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage. \*\* Load calculation may change on a 3-phase system feed.





### 39" 2500 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER



The perfect blend of functionality and aesthetics can elevate any

remarkably precise and versatile. The Eurofase 2500 Watt heater

in a standard Black, Stainless Steel or White finish and offers the

**HEAT COVERAGE AREA: 7'x7' (49 sq.ft.)** 

option to upgrade a custom finish to complement any patio decor.

warms an approximate  $7 \times 7$  foot area and is advised to be installed

no higher than 9 feet off the ground. Eurofase provides the EF25 series

outdoor area. Offering a lifestyle experience, these heaters are

**FEATURES** 

**Color Options** 













### **SPECIFICATIONS**

WATTAGE	2500 Watts
SERIES	EF25
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	12A**, 10.4A, 9A, 5.2A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	7'x7' (49 sq.ft.)
COMPATIBLE ELEMENTS	EF25208E, EF25240E, EF25277E, EF25480E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	39.37"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	9.4 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage. \*\* Load calculation may change on a 3-phase system feed.



Optimal Mounting Height: 7'-9'



EurofaseHeating.com 9 8 Step Outside With Eurofase.



### 61" 3000 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER




### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 3000 Watt heater warms an approximate 8 x 8 foot area and is advised to be installed no higher than 9 feet off the ground. Eurofase provides the EF30 series in a standard Black, Stainless Steel or White finish and offers the option to upgrade a custom finish to complement any patio decor.

Color Options

### **HEAT COVERAGE AREA: 8'x8' (64 sq.ft.)**




Optimal Mounting Height: 7'-9'

### **SPECIFICATIONS**

WATTAGE	3000 Watts
SERIES	EF30
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	14.4A**, 12.5A, 10.8A, 6.25A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	8'x8' (64 sq.ft.)
COMPATIBLE ELEMENTS	EF30208E, EF30240E, EF30277E, EF30480
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	61.25"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	14.8 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage. \*\* Load calculation may change on a 3-phase system feed.





### 39" 4000 WATT ELECTRIC DUAL QUARTZ ELEMENT HEATER



**Color Options** 










### 

### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 4000 Watt heater warms an approximate 8 x 10 foot area and is advised to be installed no higher than 10 feet off the ground. Eurofase provides the EF40 series in a standard Black, Stainless Steel or White finish and offers the option to upgrade a custom finish to complement any patio decor.

### **HEAT COVERAGE AREA: 8'x10' (80 sq.ft.)**



### **SPECIFICATIONS**

WATTAGE	4000 Watts
SERIES	EF40
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	19.2A**, 16.7A, 14.4A, 8.33A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	8'x10' (80 sq.ft.)
COMPATIBLE ELEMENTS	EF20208E, EF20240E, EF20277E, EF20480E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	39.37"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	10.5 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage.



10 Step Outside With Eurofase. EurofaseHeating.com 11

<sup>\*\*</sup> Load calculation may change on a 3-phase system feed.



### 39" 5000 WATT ELECTRIC DUAL QUARTZ ELEMENT HEATER



**Color Options** 








### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 5000 Watt heater warms an approximate  $9 \times 10$  foot area and is advised to be installed no higher than 10 feet off the ground. Eurofase provides the EF50 series in a standard Stainless Steel, Black or White finish and offers the option to upgrade a custom finish to complement any patio decor.


### **HEAT COVERAGE AREA:** 9'x10' (90 sq.ft.)




### **SPECIFICATIONS**

WATTAGE	5000 Watts
SERIES	EF50
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	24A**, 20.8A, 18.1A, 10.4A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	9'x10' (90 sq.ft.)
COMPATIBLE ELEMENTS	EF25208E, EF25240E, EF25277E, EF25480E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	39.37"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	10.5 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage. \*\* Load calculation may change on a 3-phase system feed.





## **EF60**

### 61" 6000 WATT ELECTRIC DUAL QUARTZ ELEMENT HEATER



Color Options








### **FEATURES**

The perfect blend of functionality and aesthetics can elevate any outdoor area. Offering a lifestyle experience, these heaters are remarkably precise and versatile. The Eurofase 6000 Watt heater warms an approximate 11 x 11 foot area and is advised to be installed no higher than 12 feet off the ground. Eurofase provides the EF60 series in a standard Stainless Steel, Black or White finish and offers the option to upgrade a custom finish to complement any patio decor.

### **HEAT COVERAGE AREA:** 11'x11' (121 sq.ft.)




Optimal Mounting Height: 8'-10'

### **SPECIFICATIONS**

WATTAGE	6000 Watts
SERIES	EF60
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	28.8A**, 25A, 21.7A, 12.5A**
FINISH	Black, Stainless Steel, White, Custom
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	11'x11' (121sq.ft.)
COMPATIBLE ELEMENTS	EF30208E, EF30240E, EF30277E, EF30480E
MOUNTING OPTIONS	Wall/ Ceiling/ Flush/ Pole*
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
MOUNTING ANGLE (Pole)	0°/15°/30°/45°/60°
LENGTH	61.25"
HEIGHT	8.1875"
DEPTH (With 6.36"Brackets)	9.36" (6.36"+3")
WEIGHT	14.8 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage. \*\* Load calculation may change on a 3-phase system feed.



EurofaseHeating.com 13 12 Step Outside With Eurofase.



### 64" 3000 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER








### **FEATURES**

With a sleek, modern design, the Eurofase 3000 Watt Low Profile heater effortlessly blends into any space. Featuring quartz heating elements and 6-inch wall/ceiling brackets, it delivers warmth and comfort within a 8 x 8 foot area. Eurofase provides the LP30 series in a standard Black finish and offers the option to upgrade a custom finish to complement any patio decor.

### **HEAT COVERAGE AREA: 8'x8' (64 sq.ft.)**




Optimal Mounting Height: 7'-9'

### **SPECIFICATIONS**

WATTAGE	3000 Watts
SERIES	LP30
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	14.4A**, 12.5A, 10.8A, 6.25A**
FINISH	Black
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	8'x8' (64 sq.ft.)
COMPATIBLE ELEMENTS	EF30208E, EF30240E, EF30277E, EF30480E
MOUNTING OPTIONS	Wall/ Ceiling
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
LENGTH	64.3"
HEIGHT	4.65"
DEPTH (With 6"Brackets)	9" (6"+3")
WEIGHT	17 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year


Actual output wattage ranging 90% to 105% of the rated output wattage.


<sup>\*\*</sup> Load calculation may change on a 3-phase system feed.



## **LP4()**

### 64" 4000 WATT ELECTRIC SINGLE QUARTZ ELEMENT HEATER










### **FEATURES**

With a sleek, modern design, the Eurofase 4000 Watt Low Profile heater effortlessly blends into any space. Featuring quartz heating elements and 6-inch wall/ceiling brackets, it delivers warmth and comfort within a 10 x 10 foot area. Eurofase provides the LP40 series in a standard Black finish and offers the option to upgrade a custom finish to complement any patio decor.

### **HEAT COVERAGE AREA: 10'x10' (100 sq.ft.)**




Optimal Mounting Height: 8'-10'

### **SPECIFICATIONS**

WATTAGE	4000 Watts
SERIES	LP40
VOLTAGE RATING	208V, 240V, 277V, 480V
TOTAL AMPS	19.2A**, 16.7A, 14.4A, 8.33A**
FINISH	Black
CONSTRUCTION	Stainless Steel (304 SS)
HEATING AREA (Approximate)	10'x10' (100 sq.ft.)
COMPATIBLE ELEMENTS	EF40208E, EF40240E, EF40277E, EF40480E
MOUNTING OPTIONS	Wall/ Ceiling
MOUNTING ANGLE (Wall/Ceiling)	30°/45°
LENGTH	64.3"
HEIGHT	4.65"
DEPTH (With 6"Brackets)	9" (6"+3")
WEIGHT	17 LBS
INFRARED HEAT TECHNOLOGY	MEDIUM WAVE
IPX RATING	IPX4
WARRANTY	3 year

Actual output wattage ranging 90% to 105% of the rated output wattage.



14 Step Outside With Eurofase. EurofaseHeating.com 15

<sup>\*\*</sup> Load calculation may change on a 3-phase system feed.



### **DÉCOR PLATES**

### **COLOR LEGEND**



White

Stainless Steel

Any RAL color

\*Any RAL color available for most décor plates. Refer to page 19.



61" ● EF61DCS2 ● EF61DCB2 ○ EF61DCW2



61" ●EF61DCS3 ●EF61DCB3 ○EF61DCW3



BRIX **05** 







39" ● EF39DCS6 ● EF39DCB6 ○ EF39DCW6

61" ● EF61DCS6 ● EF61DCB6 ○ EF61DCW6



Eurofase Heating takes pride in our designs and stands at the forefront of innovation, passion, providing our customers with exactly what they need.



**AAMA 2603** 

Our customization abilities do not end at metal laser cutting of décor plates. With our resources, we can accommodate a large assortment of custom colors to visually enhance your space based on your needs.


> From the design concept to product engineering, Eurofase Heating can manufacture and produce your custom design.

Get in touch with one of our dealers to get your Eurofase heater customized.

18 Step Outside With Eurofase.

It's Up To Hue

décor plates



For smooth integration and a harmonious design of your space, combine

our lighting to stay warm and cozy outside, while staying in style.

**Complete Your Setup with Our Accessories** 

mounting



### **FLUSH MOUNT KIT**

Ideal for both indoor and outdoor applications in commercial or residential settings and crafted from durable 304 stainless steel, it is built to withstand the elements, ensuring long-lasting performance.

Eurofase provides these Flush Mount Kits in a standard Black, Stainless Steel or White finish and offers the option to upgrade a custom finish to complement any patio decor.

Note: The flush mount Kit comes with:

- Flush Mount Frame
- A 4' 4-wire High Temperature Whip
- Brackets and other mounting accessories

FINISH	EF15, EF20, EF25, EF40, EF50	EF60, EF30
STAINLESS STEEL	EF39FMPFS	EF61FMPFS
BLACK	EF39FMPFB	EF61FMPFB
WHITE	EF39FMPFW	EF61FMPFW
MARINE GRADE STAILESS STEEL	EF39FMPFSMG	EF61FMPFSMG

### **SUSPENSION KIT**

Enhance your design options with Eurofase's Suspension Kit, an ideal choice for spaces featuring high or sloped ceilings. Specifically crafted for flexible installations, this solution caters to various ceiling types, particularly in areas where heaters are placed above the 12-foot threshold.



### Did you know...

For optimal heat coverage, we recommend installing the heater between 8ft to a maximum of 12ft. In cases of higher ceiling applications or slope ceilings, it is advisable to use the suspension kit for proper positioning.

ITEM NO.	EF15, EF20, EF25, EF40, EF50
EFSMKB	26 INCH TO 48 INCH TELESCOPING MOUNTING KIT
EFSMKBEXT66	66 INCH EXTENSION KIT FOR TELESCOPING MOUNTING KIT

TEM NO.	DESCRIPTION
EFHTW10	10'4-WIRE HIGH TEMPERATURE WHIP
EFHTW15	15'4-WIRE HIGH TEMPERATURE WHIP
EFHTW20	20'4-WIRE HIGH TEMPERATURE WHIP
EFHTW30	30'4-WIRE HIGH TEMPERATURE WHIP
EFHTW40	40'4-WIRE HIGH TEMPERATURE WHIP
EFHTW50	50'4-WIRE HIGH TEMPERATURE WHIP
EFHTW75	75'4-WIRE HIGH TEMPERATURE WHIP

### HIGH TEMP. WHIP





The pole mount option from Eurofase Heating is an excellent way to direct heat when wall or ceiling mounting is not an option. Standing 8' high, Eurofase Heating offers a single and double mount that can be angled to 0°/15°/30°/45°/60° degrees to ensure you get the perfect angle.

ITEM NO.	DESCRIPTION
EF3908PMW	8' POLE MOUNT, SINGLE 39", WHITE
EF3908PMB	8' POLE MOUNT, SINGLE 39", BLACK
EF6108PMW	8' POLE MOUNT, SINGLE 61", WHITE
EF6108PMB	8' POLE MOUNT, SINGLE 61", BLACK
EF3908PMDW	8' POLE MOUNT, DOUBLE 39", WHITE
EF3908PMDB	8' POLE MOUNT, DOUBLE 39", BLACK
EF6108PMDW	8' POLE MOUNT, DOUBLE 61", WHITE
EF6108PMDB	8' POLE MOUNT, DOUBLE 61", BLACK

<sup>\*</sup>Custom sizes and colors avaliable. Please contact us to know more.

### **DUST COVER**

Ensure your patio heater stays in prime condition with our weather-resistant dust covers. Crafted from durable materials, these covers offer robust protection against dust, dirt, rain, and snow, safeguarding your investment and prolonging its lifespan. With secure closures and a snug fit, our covers provide peace of mind, allowing you to enjoy your outdoor heating experience with confidence year after year.

EUROfase

ITEM NO.	DESCRIPTION
EF39CVRB	39 INCH NYLON PATIO HEATER COVER
EF61CVRB	61 INCH NYLON PATIO HEATER COVER

### **Installation Tip...**

Prior to covering your heater with the dust cover, ensure that you switch off the breakers for safety precautions.

22 Step Outside With Eurofase.

## TALVILLIA TO **Take Control of Your Outdoor Living** 24 Step Outside With Eurofase.

### **ON/OFF SWITCHES**

Eurofase's on/off switches are crafted with meticulous engineering to provide precision and reliability, offering effortless control over your heaters. What sets our switches apart is their exceptional versatility, offering outdoor weatherproof covers in both recessed and surface mount options. Designed for durability, these covers are built to withstand the challenges of outdoor environments, protecting your switches from rain, snow, dust, and other environmental elements.

All switches are available in both stainless steel and white.

### Did you know...

You have the option to upgrade to our universal relay control box, which unlocks additional functionality such as timer settings, variant heat control, and thermostat capabilities.

### SINGLE AND DUAL DUPLEX SWITCHES







SKU#: EFSSPW2







SKU#: EFDWPW

### **WEATHERPROOF SURFACE & RECESSED SWITCHES**







SKU#: EFDOWPW



SKU#: EFSWWPS



SKU#: EFDWWPW

controls

### **SMART WIFI CONTROL**






Transform any patio heater into a smart device with the Eurofase Heating WiFi controller! Effortlessly switch your heaters on or off and schedule timers using your iPhone or Android device. Whether it's a new installation or retrofit, the Eurofase WiFi controller adds convenience to your outdoor heating experience.

### **SPECIFICATIONS**

ITEM NO.	EFIKWSM	1 0 9
HEMINO.	EFIKWSWI	
COLOR	Light Grey	
INPUT VOLTAGE	240V	
MAX. AMPERAGE	25A	
WIRELESS COMMUNICATION	Wifi, Bluetooth	10"
MOUNTING TYPE	Surface mount	
HEIGHT	5"	
LENGTH	10"	5"
WIDTH	3"	
ENCLOSURE RATING	IP65	NEATTING AND
WARRANTY	3 year	



### **CONTACTOR BOX**




The Contactor panel is suitable for all Eurofase Heaters and can be matched with either a Eurofase single paddle on/off switch or a Eurofase timer. It allows seemless integration of other 120V or 277V controls, including timers, thermostats or smart switches.

ITEM NO.	DESCRIPTION
EFCB24M1	120V-240V MULTI INPUT, 1 ZONE
EFCB24M2	120V-240V MULTI INPUT, 2 ZONE
EFCB24M3	120V-240V MULTI INPUT, 3 ZONE
EFCB24M4	120V-240V MULTI INPUT, 4 ZONE
EFCB48M1	277V-480V MULTI INPUT, 1 ZONE
EFCB48M2	277V-480V MULTI INPUT, 2 ZONE
EFCB48M3	277V-480V MULTI INPUT, 3 ZONE
EFCB48M4	277V-480V MULTI INPUT, 4 ZONE

### **SPECIFICATIONS**

EFCB
Light Grey
208V, 240V, 277V, 480V
40A
160A
120V
Surface Mount
14"
16"
12"
14"
6"
NEMA 4
3 year
Canada



26 Step Outside With Eurofase.

controls timers / dimmers

### UNIVERSAL RELAY CONTROL BOX



The Eurofase Universal Relay Control Box makes managing your comfort zone easier. It helps control multiple heaters and furthermore, creates varied heat zones throughout your space. This control box is a highly recommended addition for commercial spaces like restaurant patios where customers have individual heat preferences. Modify each area with precise temperature conditions that are easily accessible and achievable with this control box.

Custom control boxes are available, please contact factory.


ITEM NO.	DESCRIPTION
EFURCB24M1	120V-240V MULTI INPUT, 1 ZONE
EFURCB24M2	120V-240V MULTI INPUT, 2 ZONE
EFURCB24M3	120V-240V MULTI INPUT, 3 ZONE
EFURCB24M4	120V-240V MULTI INPUT, 4 ZONE
EFURCB48M1	277V-480V MULTI INPUT, 1 ZONE
EFURCB48M2	277V-480V MULTI INPUT, 2 ZONE
EFURCB48M3	277V-480V MULTI INPUT, 3 ZONE
EFURCB48M4	277V-480V MULTI INPUT, 4 ZONE

Compatible with: **UTRON** @ CRESTRON Control (4)

and more!

### **SPECIFICATIONS**

SERIES	EFURCB
COLOR	Light Grey
INPUT VOLTAGE	208V, 240V, 277V, 480V
ZONE CAPACITY	50A
MAX. AMPERAGE	200A
CONTROL VOLTAGE	0V-10V DC
MOUNTING TYPE	Surface mount
HEIGHT (1 and 2 Zone)	14"
HEIGHT (3 and 4 Zone)	16"
WIDTH (1 and 2 Zone)	12"
WIDTH (3 and 4 Zone)	14"
DEPTH	6"
ENCLOSURE RATING	NEMA 4
WARRANTY	3 year
COUNTRY OF ORIGIN	Canada



### **TIMERS & DIMMERS**

At Eurofase Heating, we strive to provide our customers with the means to create a cozy, comfortable space with a single press. We make having a luxurious and relaxed environment easy with our controls so that you can enjoy your space no matter your preference.

All Eurofase heaters are compatible with timers, dimmers and a combination of both to give you the ability to optimize the infrared heatwaves emitted from our heaters (a control box is required to enable dimmer functionality). This helps you moderate the flow of heat from 0 to 100 percent along with giving you the absolute flexibility to choose how long you would like the heater to run.

Custom configurations (weather proof, surface mounted, etc.) are available.

### TIMER WITH DIMMER

(COMBINATIONS UP TO 1 TIMER + 4 DIMMERS)







SKU#:EFSWTD2



SKU#:EFSWTD3

### TIMER (ONLY)

### DIMMER (ONLY)



SKU#: EFSWT

SKU#: EFSWD

### Good to know...

To ensure optimal performance and longevity of the heater, it is recommended to observe a 15-minute cool-down period after 4 hours of continuous usage. Our timers are specifically designed to contribute to optimal heater performance.



SKU#: EFSWTD4

EurofaseHeating.com 29 28 Step Outside With Eurofase.

Create your space

### eurofase lighting

### **CREATE YOUR SPACE**


### **VISIT US ONLINE**


Take control of your space with our user-friendly, drag-and-drop tools.
Achieve the optimal layout by dragging and dropping the selected heater into your space to simulate the heat coverage.

eurofaseheating.com/createyourspace/

### **PRO TIP**

It's better to slightly overheat a space than to underheat it. Choosing a slightly larger heater ensures better coverage, especially with infrared heaters that primarily heat people and objects.







### **DESIGN VISION**

Creativity (forward thinking), originality (individuality), influence (social and environmental), and excellence (quality), are the key design values of Eurofase.

These concepts support a perspective that shapes and symbolizes the fusion of lifestyle, luxury, and timelessness.

30 Step Outside With Eurofase.



We are incredibly proud of our quality and craftsmanship and offer an industry-leading warranty on all our products. If your Eurofase Heating products ever disappoint, simply give us a shout and we will repair or replace our products within 3

years from the date of purchase.



33 West Beaver Creek, Richmond Hill, ON L4B 1L8 info@eurofaseheating.com T. 1-833-346-6682

Eurofase Showroom, Suit #4002

