

NAPOLEON

LINEAR SERIES GAS FIREPLACES



LINEAR SERIES GAS FIREPLACES
napoleon.com



Linear Gas Fireplaces. Limitless Possibilities.

Napoleon's linear gas fireplaces, the award-winning Vector™ and Luxuria™ series, as well as the Ascent™ Linear provides you with an elegant fire element allowing the flames radiant glow to enhance every room

Napoleon's innovative Bluetooth enabled **eFIRE** app can be accessed from your mobile device and used to control everything on your fireplace (flame height, LED ember bed colors, blower and more).

Napoleon's industry leading Heat Management allows for installation of combustible materials up to the fireplace opening. This heat management system eliminates the need for loud power vents, fan systems or blowers to provide better heat distribution. Take advantage of simple installation framing and easily install your televisions, sound bars or artwork above the fireplace to truly customize your home decor thanks to the drastically reduced temperatures above the fireplace.

| | |
|---|---------|
| Vector™ Series | 3 - 9 |
| Luxuria™ Series | 10 - 15 |
| Ascent™ Linear Series | 16 - 21 |
| Media Options | 22 |
| Napoleon's Heat Management | 23 - 25 |
| Detailed Specifications & Line Drawings | 26 - 27 |

Please note, colors and finishes of decorative panels, log sets and accessories may vary.





See your dream fireplace come to life in front of your eyes! Scan here to visit Napoleon's Fireplace Design Studio and build your custom fireplace with available design options.



Vector™ Series

Sophisticated Fires

Napoleon's Vector™ series of linear gas fireplaces is the perfect fit for any room to make a statement in your home. Customize your fireplace with our selection of designer surrounds, choose a different surround for either side of the See Through Vector™ units to match or enhance your current décor. Napoleon's Vector™ Series can also be dressed to match any interior design with dozens of media options available, the possibilities are endless. Optional Dynamic Heat Control or Ducted Heat Management allow for zero clearance to combustibles and designed for TV installations.

Available Sizes:



Features



Remote Control (Included)



Choice of Glass Beads or CRYSTALINE™ Ember Bed



MIRRO-FLAME™ Porcelain Reflective Radiant Panels (Included)



End Panel Kit available on single sided Vector™ Series fireplaces.



eFIRE controller application available free on iTunes and Google Play store

Mobile Device Controlled

Napoleon's eFIRE app will revolutionize the way you use your fireplace. We have cracked the code and present to you the first fireplace to be controlled by Bluetooth® technology, using an intuitive app on your mobile device.

The eFIRE application allows you to create every imaginable color, selecting the one that fits your current mood or your décor with ease. The simple color wheel tool swiftly scrolls through the full color spectrum. Napoleon's eFIRE app controls every function of your fireplace including; on/off, flame height and blower speed for total convenience.

Vector™ 62 featured on page 8

Style & Size Options

Various Models, Media Kits, Surrounds and Trims Shown



Black Premium Safety Barrier

Shown on Single Sided Vector™ 38 with Wrought Iron Globe Kit on Topaz Glass Embers



Black Premium Safety Barrier and 1" Finishing Trim

Shown on See Through Vector™ 50 with Contemporary Logs and Shore Fire Kit




Black Premium Safety Barrier

Shown on Single Sided Vector™ 74 with Wrought Iron Globe Kit on Topaz Glass Embers



Classic Black Surround

Shown on See Through Vector™ 38 with Shore and Beach Fire Kits combined



Black Premium Safety Barrier and 1" Finishing Trim

Shown on See Through Vector™ 50 with Wrought Iron Globe Kit on Topaz Glass Embers



Black Premium Safety Barrier

Shown on See Through Vector™ 74 with Beach Fire Kit on Clear Glass Beads



Brushed Stainless Steel Surround

Shown on Single Sided Vector™ 38 with Premium Birch Logs and Shore Fire Kit



Brushed Stainless Steel Premium Safety Barrier and 1" Finishing Trim

Shown on Single Sided Vector™ 50 with Shore and Beach Fire Kits combined



Brushed Stainless Steel Premium Safety Barrier

Shown on Single Sided Vector™ 74 with Premium Birch Logs and Shore Fire Kit



Brushed Stainless Steel Surround

Shown on Single Sided Vector™ 38 with Premium Birch Logs and Shore Fire Kit



Brushed Stainless Steel Premium Safety Barrier and 1" Finishing Trim

Shown on Single Sided Vector™ 50 with Shore Fire Kit




Black 4 Sided Finishing Trim

Shown on Single Sided Vector 74 with Nickel Stix and Black Glass Beads

Vector™ 38


Single-Sided & See Through Models



See Through Vector™ 38 - Black Premium Safety Barrier



Single Sided Vector™ 38 - Classic Black Surround



See Through Vector™ 38 - Brushed Stainless Steel Surround



Single Sided Vector™ 38 - Black Premium Safety Barrier

LV38N-1 / LV38N2-1

Up to 30,000 BTU's

Viewing Area: 18 5/8" h x 40 3/4" w

Propane Conversion Kit sold separately


For more detailed specifications on this unit, see pages 26 - 27



See Through Vector™ 50 - Black Premium Safety Barrier



Single Sided Vector™ 50 - Black Premium Safety Barrier



See Through Vector™ 50 - Black Premium Safety Barrier and 1" Black Finishing Trim



Single Sided Vector™ 50 - Brushed Stainless Steel Premium Safety Barrier and 1" Stainless Steel Finishing Trim

LV50N-2 / LV50N2-2

Up to 36,000 BTU's


Viewing Area: 18 5/8" h x 52 3/4" w

Propane Conversion Kit sold separately

For more detailed specifications on this unit, see pages 26 - 27

Vector™ 50

Single-Sided & See Through Models




Vector™ 62

Single-Sided & See Through Models




Single Sided Vector™ 62 - Brushed Stainless Steel Premium Safety Barrier



See Through Vector™ 62 - Black Premium Safety Barrier



Single Sided Vector™ 62 - Black Premium Safety Barrier



See Through Vector™ 62 - Brushed Stainless Steel Premium Safety Barrier



See Through Vector 62 - Black 4 sided Finishing Trim

LV62N / LV62N2

Up to 42,000 BTU's

Viewing Area: 18 5/8" h x 64 3/4" w

Propane Conversion Kit Sold Separately

For more detailed specifications on this unit, see pages 26 - 27


The See Through Vector™ 62 shown with Brushed Stainless Steel Premium Safety Barrier, Beach and Shore Fire Kits combined. Dynamic Heat Control™ hard valance installation shown.

Vector™ 74

Single-Sided & See Through Models




Single Sided Vector™ 74 - Black Premium Safety Barrier



See Through Vector™ 74 - Black Premium Safety Barrier



Single Sided Vector™ 74 - Brushed Stainless Steel Premium Safety Barrier



See Through Vector™ 74 - Black Premium Safety Barrier



Single Sided Vector™ 74 - Black 4 sided Finishing Trim

LV74N/LV74N2 (NATURAL)

LV74P/LV74P2 (PROPANE)

Up to 48,000 BTU's

Viewing Area: 18 5/8" h x 76 3/4" w

For more detailed specifications on this unit, see pages 26 - 27



Luxuria™ Series

Limitless Possibilities

Make a spectacular statement with Napoleon's Luxuria™ series of gas fireplaces. Thanks to our Vesta Award winning Premium Glass Guard system, there is no safety screen required, enhancing your view of the brightest flames in the series. Choose a Single Sided unit or maximize your viewing pleasure with a See Through model. This versatile series allows for easy installation of electronics, artwork or other heat sensitive items directly above the unit, and combustible material to be installed flush to the opening. In combination with premium media options, the Luxuria™ series offers endless installation opportunities.

Available Sizes:



Features



Remote Control (Included)



Choice of Glass Beads or CRYSTALINE™ Ember Bed



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Premium Glass Guard



eFIRE controller application available free on iTunes and Google Play store

Mobile Device Controlled

Napoleon's eFIRE app will revolutionize the way you use your fireplace. We have cracked the code and present to you the first fireplace to be controlled by Bluetooth® technology, using an intuitive app on your mobile device.

The eFIRE application allows you to create every imaginable color, selecting the one that fits your current mood, or your décor with ease, the simple color wheel tool swiftly scrolls through the full color spectrum. Napoleon's eFIRE app controls every function of your fireplace including on/off, flame height and blower speed for total convenience.

Style & Size Options

Various Models and Media Kits Shown

Vector™ 50 featured on page 15



Single Sided Luxuria™ 38

Shown with Birch Logs and Shore Fire Kit




See Through Luxuria™ 62

Shown with Shore and Beach Fire Kits combined



Single Sided Luxuria™ 74

Shown with Contemporary Logs and Shore Fire Kit




See Through Luxuria™ 38

Shown with Beach and Shore Fire Kits combined



Single Sided Luxuria™ 62

Shown with Birch Logs on Black Glass Beads




See Through Luxuria™ 74

Shown with Beach and Shore Fire Kits combined



Single Sided Luxuria™ 38

Shown with Wrought Iron Globes on Clear Glass Beads



See Through Luxuria™ 62

Shown with Wrought Iron Globes and Shore Fire Kit



Single Sided Luxuria™ 74

Shown with Birch Logs on Clear Glass Beads

Luxuria™ 38

Single-Sided & See Through Models




Single Sided Luxuria™ 38



See Through Luxuria™ 38



Single Sided Luxuria™ 38



See Through Luxuria™ 38

LVX38NX-1 / LVX38N2X-1

Up to 31,000 BTU's

Viewing Area: 18 5/8" h x 42 1/8" w


For more detailed specifications on this unit, see pages 26 - 27



See Through Luxuria™ 50



Single Sided Luxuria™ 50



See Through Luxuria™ 50



Single Sided Luxuria™ 50

LVX50NX-1 / LVX50N2X-1


Up to 38,000 BTU's

Viewing Area: 18 5/8" h x 54 1/8" w

For more detailed specifications on this unit, see pages 26 - 27

Luxuria™ 50

Single-Sided & See Through Models




The Single Sided Luxuria™ 50 shown with Nickel Stix on Topaz Glass Beads. Dynamic Heat Control™ open enclosure installation shown.

Luxuria™ 62

Single-Sided & See Through Models



Single Sided Luxuria™ 62



See Through Luxuria™ 62



Single Sided Luxuria™ 62



See Through Luxuria™ 62

LVX62NX-1 / LVX62N2X-1


Up to 44,000 BTU's

Viewing Area: 18 5/8" h x 66 1/8" w

For more detailed specifications on this unit, see pages 26 - 27

Luxuria™ 74


Single-Sided & See Through Models



See Through Luxuria™ 74



Single Sided Luxuria™ 74



See Through Luxuria™ 74



Single Sided Luxuria™ 74

LVX74N/LVX74N2 (NATURAL)

LVX74PX/LVX74P2X (PROPANE)

Up to 50,000 BTU's

Viewing Area: 18 5/8" h x 78 1/8" w

For more detailed specifications on this unit, see pages 26 - 27



Ascent™ Linear Series

Boasts Beauty and Performance

With multiple designer options, Napoleon's Ascent™ Linear Gas Fireplace Series is ideal for making a dramatic statement in your home. A Topaz CRYSTALINE™ ember bed is included with the Ascent™ Linear and adds shimmer wherever it's installed. Customize the look by using the optional Beach Fire, Shore Fire, or Mineral Rock enhancement Kits, and you can even mix and match Kits to enhance your personal style. Use the optional eFIRE app and your favorite mobile device to control this fireplace with ease from the comfort of your chair. Available with Napoleon's industry-leading heat management systems, easily install your television, electronics and sensitive artwork closer to your fireplace, increasing design flexibility. Perfect for homeowners, remodelers and even builders who wish to add something special to a space.

Available Sizes:



Features



Optional F45 & F60 Remote Controls On/off with digital screen



Optional eFIRE Remote App



CRYSTALINE™ Ember Bed



eFIRE controller application available free on iTunes and Google Play store

Mobile Device Controlled

Napoleon's eFIRE app will revolutionize the way you use your fireplace. We have cracked the code and present to you the first fireplace to be controlled by *Bluetooth*® technology, using an intuitive app on your mobile device.

Optional with the Ascent Linear Series, the eFIRE application controls every function of your fireplace including on/off, flame height and blower speed for total convenience.

Style & Size Options

Various Models and Media Kits Shown



Ascent™ Linear™ 36

Shown with Glass Beads, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels with Black Surround



Ascent™ Linear™ 42

Shown with Shore Fire Logset, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels with Black Surround



Ascent™ Linear™ 46

Shown with Mineral Rock and MIRRO-FLAME™ Porcelain Reflective Radiant Panels and Black Surround



Ascent™ Linear™ 56

Shown with Topaz CRYSTALINE™ Ember Bed, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 36

Shown with Mineral Rock, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 42

Shown with Beach Fire Logset and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 46

Shown with Beach and Shore Fire Media, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 56

Shown with Mineral Rock Logset, MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 36

Shown with Mineral Rock and Beach Fire Log Set, MIRRO-FLAME™ Porcelain Reflective Radiant Panels with Black Surround



Ascent™ Linear™ 42

Shown with Topaz CRYSTALINE™ Ember Bed, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Linear™ 46

Shown with Topaz CRYSTALINE™ Ember Bed, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels, and Black Surround



Ascent™ Linear™ 56

Shown with Beach and Shore Fire Media Kits, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels with Black Surround

Ascent™ Linear 36



Ascent™ Linear 36 Shown with Glass Beads,
Black Surround



Ascent™ Linear 36 Shown with Mineral Rock
and Beach Fire logset and Black Surround



Ascent™ Linear 36 Shown with Shore Fire
logset and Black Surround

BL36-1

Up to 17,500 BTU's

Viewing Area: 18 13/16" h x 31 9/16" w

For more detailed specifications on this unit, see pages 26 - 27



Ascent™ Linear 42 Shown with Beach Fire and Shore Fire Logset and Black Surround



Ascent™ Linear 42 Shown with Shore Fire Logset and Black Surround



Ascent™ Linear 42 Shown with Mineral Rock Logset and glass Embers



Ascent™ Linear 42 Shown with Topaz CRYSTALINE™ Ember Bed


BL42

Up to 20,000 BTU's

Viewing Area: 18 13/16" h x 38 1/2" w

For more detailed specifications on this unit, see pages 26 - 27

Ascent™ Linear 42



The Ascent™ Linear 42 shown with Classic Black Surround, Topaz CRYSTALINE™ Ember Bed, and MIRRO-FLAME™ Porcelain Reflective Radiant Panels.

Ascent™ Linear 46



Ascent™ Linear 46 Shown with Shore Fire and Beach Fire Logsets



Ascent™ Linear 46 with Topaz CRYSTALINE™ Ember Bed, Mineral Rock Logset and Black Surround

BL46

Up to 24,000 BTU's

Viewing Area: 18 13/16" h x 42 1/2" w

For more detailed specifications on this unit, see pages 26 - 27



Ascent™ Linear 56 Shown with Classic Surround and Shore Fire Logset



Ascent™ Linear 56 Shown with Classic Surround, Beach Fire and Shore Fire Logset



Ascent™ Linear 56 Shown with Mineral Rock Logset



Ascent™ Linear 56 Shown with Topaz CRYSTALINE™ Ember Bed

BL56

Up to 28,000 BTU's

Viewing Area: 18 13/16" h x 52 1/2" w

For more detailed specifications on this unit, see pages 26 - 27



Ascent™ Linear 56

Media Options



Premium Birch Log Kit with Shore Fire Kit



Beach Fire Kit




Shore Fire Kit (sand included)



Mineral Rock Kit



Beach Fire, Shore Fire and Mineral Rock Kits combined



Contemporary Log Kit on Shore Fire Kit*



Nickel Stix on Topaz Glass Embers*



Wrought Iron Globes with Shore Fire Kit*



Blue Glass Embers



Amber Glass Embers



Black Glass Embers




Topaz Glass Embers



Clear Glass Embers




Red Glass Embers



Blue Glass Beads




Amber Glass Beads



Black Glass Beads



Topaz Glass Beads



Clear Glass Beads

*Available for Vector and Luxuria only.

FOCUSED ON VERSATILITY.

HEAT MANAGEMENT

Heat Management serves many purposes and offers several benefits. With our innovative systems, easily install your television, electronics and sensitive artwork closer to your fireplace, increasing design flexibility. These industry-leading technologies offer a more effective and quieter solution than standard blowers and operate without power. For a simpler installation, heat management reduces clearance to combustibles and allows for an easier installation of mantels. Finally, cooler glass and walls near the fireplace ensure that you and your family can safely enjoy the comfort and light of a gas fireplace. With our Heat Management Solutions, you control the heat.



UNIVERSAL HEAT MANAGEMENT

Using a set of ducts, the heat is efficiently circulated around the room instead of blowing directly from the front of the fireplace. Operating without the need for electrical or blowers, this is a silent system which is ideal for spending quality time with your loved ones watching a movie or reading. UHM lowers clearances for combustibles and allows for the safe installation of electronics above the fireplace.

Compatible with the Ascent™ Linear Series.



DYNAMIC HEAT CONTROL™



No ducting, fans or power required to circulate the heat ensuring silent operation. Allows you to design and build your space, completely integrating a fireplace into the décor with true zero clearance to combustible materials. An industry-leading system that has been designed for your TV or artwork to be installed directly above the fireplace. Napoleon's Luxuria™ Series fireplaces include the Dynamic Heat Control™ System and Premium Glass Guard, providing a completely unobstructed view of the tallest flames in the Linear Series, eliminating the need for safety screens!

Compatible with the Luxuria™ and Vector™ Series.

AWARD-WINNING SYSTEMS






DYNAMIC HEAT CONTROL™ PLUS

A powered solution that allows heat to be pulled from the fireplace enclosure and directed to any living area in the home that needs it, including outdoors when not needed inside your home. This system is as quiet as a bathroom fan. Easily install a TV above the fireplace. Uses variable speed which allows the installer to reduce the fan speed to suit the specific installation and minimize any sound.


Compatible with the Luxuria™ and Vector™ Series.



Stopping shy of the ceiling allows rising hot air to escape freely from the top of the enclosure and into the room.



Uses an air outlet opening that will be built into the front of the constructed enclosure, at the top, centered above the appliance.



Stopping shy of the ceiling, allows rising hot air to escape freely from the top of the enclosure and into the room.



This style of enclosure includes an air outlet opening that will be built into the rear of the constructed enclosure above the appliance.



DUCTED HEAT MANAGEMENT

Offers the greatest amount of flexibility for installations with front venting, side venting and off-the-side termination. This passive heat management system requires no fans or blowers for silent operation. The temperature directly above the fireplace is drastically reduced and safely distributed, allowing for the installation of electronics or fine art directly above the fireplace without fear of heat damage. The ultimate in flexible design with true zero clearance to combustible materials.

The Ducted Heat Management System is built with termination plates and ducts. An industry-first termination plate installation offers homeowners the benefits of off-the-side venting and room divider installations, as well as providing a way to safely pass cables through the wall for ease of electronic installation.

Compatible with the Luxuria™ and Vector™ Series.

***Termination plates are for Vector™ appliances only.*

Dimensions and Specifications

Single Sided Vector™ Series

| Product Code | BTU's (Input) | Venting 5" / 8" | Height | | Width | | Depth | | Viewing Area | | Efficiency |
|--------------|---------------|-----------------|---------|---------|----------|-----------|--------|---------|--------------|---------|------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | Height | Width | P4 |
| LV38N-1 | 30,000 | Top | 39 3/4" | 40" ** | 53 5/16" | 56 3/16" | 20" | 20 1/8" | 18 5/8" | 40 3/4" | 38.4% |
| LV50N-2 | 36,000 | Top | 39 3/4" | 40" ** | 65 5/16" | 65 13/16" | 20" | 20 1/8" | 18 5/8" | 52 3/4" | 45.4% |
| LV62N | 42,000 | Top | 39 3/4" | 40" ** | 77 5/16" | 77 13/16" | 20" | 20 1/8" | 18 5/8" | 64 3/4" | 52% |
| LV74N | 48,000 | Top | 39 3/4" | 40" ** | 89 5/16" | 89 13/16" | 20" | 20 1/8" | 18 5/8" | 76 3/4" | 52.1% |

** Non-Combustible Header, Framing and Finishing Material MAY be required.

See Through Vector™ Series

| Product Code | BTU's (Input) | Venting 5" / 8" | Height | | Width | | Depth | | Viewing Area (per side) | | Efficiency |
|--------------|---------------|-----------------|---------|---------|----------|-----------|----------|----------|-------------------------|---------|------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | Height | Width | P4 |
| LV38N2-1 | 30,000 | Top | 39 3/4" | 40" ** | 53 5/16" | 53 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 40 3/4" | 38.4% |
| LV50N2-2 | 36,000 | Top | 39 3/4" | 40" ** | 65 5/16" | 65 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 52 3/4" | 45.4% |
| LV62N2 | 42,000 | Top | 39 3/4" | 40" ** | 77 5/16" | 77 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 64 3/4" | 52% |
| LV74N2 | 48,000 | Top | 39 3/4" | 40" ** | 89 5/16" | 89 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 76 3/4" | 52.1% |

** Non-Combustible Header, Framing and Finishing Material MAY be required.

Single Sided Luxuria™ Series

| Product Code | BTU's (Input) | Venting 5" / 8" | Height | | Width | | Depth | | Viewing Area | | Efficiency |
|--------------|---------------|-----------------|---------|---------|----------|-----------|-----------|---------|--------------|---------|------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | Height | Width | P4 |
| LVX38N-1 | 32,000 | Top | 39 3/4" | 40" | 53 5/16" | 53 13/16" | 17 11/16" | 18" | 18 5/8" | 42 1/8" | 39.6% |
| LVX50N-1 | 38,000 | Top | 39 3/4" | 40" | 65 5/16" | 65 13/16" | 17 11/16" | 18" | 18 5/8" | 54 1/8" | 45% |
| LVX62N-1 | 44,000 | Top | 39 3/4" | 40" | 77 5/16" | 77 13/16" | 17 11/16" | 18" | 18 5/8" | 66 1/8" | 47.4% |
| LVX74N-1 | 50,000 | Top | 39 3/4" | 40" | 89 5/16" | 89 13/16" | 17 11/16" | 18" | 18 5/8" | 78 1/8" | 52.1% |

Dimensions and Specifications

See Through Luxuria™ Series

| Product Code | BTU's (Input) | Venting 5" / 8" | Height | | Width | | Depth | | Viewing Area (per side) | | Efficiency P4 |
|--------------|---------------|-----------------|---------|---------|----------|-----------|----------|----------|-------------------------|---------|---------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | Height | Width | |
| L VX38N2X-1 | 32,000 | Top | 39 3/4" | 40" | 53 5/16" | 53 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 42 1/8" | 39.6% |
| L VX50N2X-1 | 38,000 | Top | 39 3/4" | 40" | 65 5/16" | 65 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 54 1/8" | 45% |
| L VX62N2X-1 | 44,000 | Top | 39 3/4" | 40" | 77 5/16" | 77 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 66 1/8" | 47.4% |
| L VX74N2X-1 | 50,000 | Top | 39 3/4" | 40" | 89 5/16" | 89 13/16" | 16 3/16" | 16 3/16" | 18 5/8" | 78 1/8" | 52.1% |

Ascent™ Linear Series

| Product Code | BTU's (Input) | Venting 5" / 8" | Height | | Width | | Depth | | Viewing Area | | Efficiency P4 |
|--------------|---------------|-----------------|-----------|---------|-----------|----------|----------|----------|--------------|----------|---------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | Height | Width | |
| BL36-1 | 17,500 | Top 4" / 7" | 39 1/16" | 39 3/8" | 35 15/16" | 36 1/2" | 15 3/4" | 16" | 18 13/16" | 31 9/16" | 45.3 % |
| BL42 | 20,000 | Top 4" / 7" | 38 3/16" | 39 3/8" | 42" | 42 1/2" | 18 5/16" | 18 9/16" | 18 13/16" | 38 1/2 " | 47.1 % |
| BL46 | 24,000 | Top 4" / 7" | 39 1/16" | 39 3/8" | 46 7/8" | 47 3/8" | 18 5/16" | 18 9/16" | 18 13/16" | 42 1/2 " | 49.4 % |
| BL56 | 28,000 | Top 5" / 8" | 38 13/16" | 39 3/8" | 56" | 56 1/2 " | 18 5/16" | 18 9/16" | 18 13/16" | 52 1/2 " | 47.2 % |


NAPOLEON

CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
 103 Miller Drive, Crittenden, Kentucky, USA 41030
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-888-721-7253
napoleon.com



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.