

ASCENT™ LINEAR PREMIUM

DIRECT VENT GAS FIREPLACE



BLX42 | BLX46 | BLX56 | BLX76

SLEEK STYLE, ELEVATED COMFORT.

The Ascent™ Linear Premium is a modern and sleek linear gas fireplace that combines customizable design options, optional heat management, and the unique feature of top lighting to illuminate the fire. With its elegant design and the choice of logs or glass, this fireplace adds a touch of sophistication to any space. Take control of the heat for optimal comfort while elevating your home with the Ascent™ Linear Premium.

CUSTOMIZE

MEDIA (MUST CHOOSE ONE)

Driftwood Logs




Birch Logs



Oak Logs



Glass Beads
(Blue, Amber, Black,
Topaz, Clear)



Glass Embers
(Blue, Amber, Black,
Topaz, Clear, Red)



OPTIONAL ENHANCEMENT KITS

Beach Fire



Mineral Rock



Woodland



OPTIONAL DECORATIVE PANELS

MIRRO-FLAME™ Porcelain
Reflective Radiant Panels




Ledgestone Brick Panels



OPTIONAL TRIM

Adjustable 4pc 5/8" finishing trim for
installations that require more coverage



FEATURES

- A linear gas fireplace featuring lower heat output making it ideal for heating smaller spaces
- Standard blower included
- Upgraded premium safety barrier included
- Includes top lights for an illuminated effect
- Up to 36,000 BTUs
- Warranty: President's Limited Lifetime
- Available sizes: 42", 46", 56", 76"



CONTROLS

eFIRE MOBILE APP

Providing a more connected and convenient experience by controlling every setting right from your mobile device. This includes: on/off, flame height and blower speed, top light and more!

INCLUDED REMOTE

Enhanced full-function remote controls every function of your fireplace including on/off, thermostat, flame, top lights, and blower speed.



OPTIONAL HEAT MANAGEMENT

DUCTED HEAT MANAGEMENT (DHM) (76" MODEL ONLY)

Offers the greatest amount of flexibility for installations with multiple configurations available, including an option where you can install the fireplace as a room divider and safely pass cables through the wall for ease of electronic installation. Enjoy true zero clearance to combustible materials without fear of heat damage.



DHM

UNIVERSAL HEAT MANAGEMENT (UHM) (42", 46", 56" MODELS ONLY)

This system operates electricity-free and without blowers, utilizing a set of ducts to efficiently circulate heat throughout the room, rather than blowing it directly from the front of the fireplace. Additionally, the (UHM) system lowers clearances for combustibles and enables the safe installation of electronics above the fireplace.



UHM

HOT AIR DISTRIBUTION KIT (LHAD) (42", 46", 56" MODELS ONLY)

Efficiently moves warm air from the fireplace to a different room or outdoors using flexible ducting.

INNOVATIONS

BATTERY BACK-UP CONTROL

In the event of a loss of power, your fireplace will still light and keep you warm—requires 4 AA batteries (not included).

DIRECT VENT

Effectively removes exhaust and fumes from your space, keeping your indoor air clean while also conserving energy.




COMPARISON

Good

Better

Best

Premium



Ascent™ Linear



Ascent™ Linear Premium



Vector™



Luxuria™

SPECIFICATIONS

	PRODUCT WIDTH (IN)	PRODUCT HEIGHT (IN)	PRODUCT DEPTH (IN)	FRAMING WIDTH (INCHES)	FRAMING HEIGHT (INCHES)	FRAMING DEPTH (INCHES)	GLASS / VIEWING WIDTH (IN)	GLASS / VIEWING HEIGHT (IN)
BLX42NTE	42"	38 13/16"	18 5/16"	42 1/2"	39 3/8"	18 9/16"	35"	14 1/8"
BLX46NTE	47"	39"	18 5/16"	47 3/8"	39 3/8"	18 6/16"	39"	14 1/8"
BLX56NTE	56"	38 13/16"	18 5/16"	56 1/2"	39 3/8"	18 9/16"	49"	14 3/4"
BLX76NTE	76"	38 13/16"	18 5/16"	76 1/2"	39 3/8"	18 9/16"	69"	15 1/4"

FIREPLACE DESIGN STUDIO

See your dream fireplace come to life in front of your eyes! Scan here to build your custom fireplace with available design options.



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon® is a registered trademark of Wolf Steel Group Inc. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.

Napoleon is a trademark of Wolf Steel Group Inc. and is used under license.
Napoleon est une marque de commerce du Groupe Wolf Steel inc. et est utilisée sous licence.

ADBRI1-ASCENTLINPREM-1