

HD FLAMETECH™ SERIES



ACTIVEFLAME HD FLAMETECH™ MULTI-SIDED ELECTRIC FIREPLACE

This fireplace offers homeowners a striking and contemporary option. Its interchangeable multi-sided or corner glass configuration makes this a stylish and practical fireplace solution.

HD FlameTech features the latest and greatest electric flame technology boasting hyper realistic flames with a variety of LCD flame effects to choose from.

Comes in 55" size.

SKU: EF10192

01

Hyper Realistic Flames

HD Flame Tech™ LCD screen featuring life-like flame visuals.

02

Powerful Heating

Enjoy cozy warmth with 5000 or 10000 BTU outputs, perfect for warming a 400 or 800 sq. ft. room. 120 or 240 volts compatible.

03

Versatile Installation

Recessed installation, choose from 3-sided, 2-sided left/right panel, or 1-sided front display to fit any design layout. Allows front access for easy maintenance.

04

Multiple Flame Options

Customize your ambiance with gas, wood, or electric flames, plus a bonus festive holiday-themed option.

05

Realistic Sound Effects

Enjoy authentic fireplace sound effects for a complete sensory experience.

06

Complete Package

Includes mixed grey and black fire glass, river stones and birch logs media for a sophisticated look.



SPECIFICATIONS


BTU/ Watts	5000 / 1000 BTU 1500 / 3000 Watts
Heat Settings	2 Heat Settings
Flame Technology	LCD
Heater Type	Forced Fan
Adjustable Flames	Yes
Number of HD Flame Effects	5
Voltage	110V / 240V
Frequency	60 Hz
Safety Listing	CSA Certified






Fireplace Dimensions

Top View / Vue de dessus



Front View / Vue de face


Side View / Vue de côté




Dimensions						
Model/Modèle	A	B	C	D	E	F
JRLCD-EF10192	1397mm / 55"/po	1370mm / 53.94"/po	262mm / 10.31"/po	77mm / 3.03"/po	130mm / 5.10"/po	55mm / 2.17"/po
	G	H	I	J	K	L
	578mm / 22.76"/po	67mm / 2.64"/po	96mm / 3.78"/po	164mm / 6.46"/po	384mm / 15.12"/po	30mm / 1.18"/po

Measurements are taken from the top of the appliance:

Bottom, Sides, and Back	0"
Top	0" recessed into wall and 3 9/16" (90mm) to mantel

 Appliance is NOT load-bearing. Carefully consider the weight of finishing materials when constructing rough framing.

 NOTE: Ensure the installation complies with all local building codes and requirements

Dimensions			
Installation Type	Framing Opening Width	Framing Opening Depth	Framing Opening Height
Front View	1417mm / 56"	285mm / 11"	600mm / 24"

