



eDELRAY / FROM MINIMALIST TO INDULGENCE

eDELRAY
SQUARE

CONTEMPORARY & TRADITIONAL

eDELRAY SQUARE

EDRSQ34-1
EDRSQ38-1
EDRSQ42-1

SINGLE SIDED
ELECTRIC

QUICK DIMENSIONS

	EDRSQ34-1		EDRSQ38-1		EDRSQ42-1	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
WIDTH	34	34½	38	38⅞	42	42½
HEIGHT	24⅝	24¾	24⅝	28¾	24⅝	32¾
DEPTH	16⅞	17⅞	16⅞	17⅞	16⅞	19⅝
VIEWING	29⅝ X 18⅞		33⅝ X 22⅞		37⅝ X 26⅞	

Standard

Glow-in-log technology

Multi Function remote

1500w heater

Uplighting

Downlighting

Options

Adjustable trim kits

Traditional logsets

Contemporary scenes

Traditional and contemporary liners

Speckled stones, glass media

BTU LISTING




EDRSQ34-1 / 5,000

EDRSQ38-1 / 5,000

EDRSQ42-1 / 5,000



eDEL RAY SQUARE DIMENSIONS



	A	B	C	D	E	F	G
EDRSQ34-1	24 ⁵ / ₁₆	18 ¹⁵ / ₁₆	3 ¹ / ₁₆	29 ¹¹ / ₁₆	34	16 ¹ / ₈	15 ⁵ / ₈
EDRSQ38-1	28 ⁵ / ₁₆	22 ¹⁵ / ₁₆	3 ¹ / ₁₆	33 ¹¹ / ₁₆	38	16 ¹ / ₈	15 ⁵ / ₈
EDRSQ42-1	32 ¹ / ₄	26 ⁷ / ₈	3 ¹ / ₁₆	37 ¹¹ / ₁₆	42	18 ¹⁵ / ₁₆	18 ⁷ / ₁₆

eDEL RAY / SQUARE / EDRSQ38-1 / STANDARD LIT LOGSET



OPTIONS & FEATURES



REMOTE^{A†}



DOWNLIGHTING^A



TRADITIONAL LOGETS



CONTEMPORARY SCENES



TRIM KIT

LINERS



GREY HERRINGBONE



GREY LEDGESTONE



ASH FLUTED



VINTAGE BRICK



TAN BRICK



RED BRICK


Unit Specifications

ICON LEGEND

AVAILABLE	+	NOT AVAILABLE	-
DEDICATED	◊	STANDARD	◦

	BTU (HEATER)	VENTING	CLEARANCE TOP	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
EDRSQ34-1	16,000	N/A	0	0	0	0	29 ¹¹ / ₁₆ X 18 ⁷ / ₈	TEMPERED	GLOW LOGS	-	-	◦	◦	◦	◦
EDRSQ38-1	16,000	N/A	0	0	0	0	33 ¹¹ / ₁₆ X 22 ⁷ / ₈	TEMPERED	GLOW LOGS	-	-	◦	◦	◦	◦
EDRSQ42-1	21,000	N/A	0	0	0	0	37 ¹¹ / ₁₆ X 26 ⁷ / ₈	TEMPERED	GLOW LOGS	-	-	◦	◦	◦	◦
EDRL48-1	21,000	N/A	0	0	0	0	48 ¹ / ₂ X 14 ¹¹ / ₁₆	TEMPERED	N/A	-	-	◦	◦	◦	◦
EDRL60-1	28,000	N/A	0	0	0	0	60 ¹ / ₂ X 14 ¹¹ / ₁₆	TEMPERED	N/A	-	-	◦	◦	◦	◦
EDRL72-1	28,000	N/A	0	0	0	0	72 ¹ / ₂ X 14 ¹¹ / ₁₆	TEMPERED	N/A	-	-	◦	◦	◦	◦

eDELWAY FRAMING



	A	B	C
EDRL4813	53 ³ / ₈	21 ⁷ / ₈	12 ³ / ₄
EDRL6013	65 ³ / ₈	21 ⁷ / ₈	12 ³ / ₄
EDRL7213	77 ⁷ / ₈	22 ³ / ₈	13 ¹ / ₄

	A	B	C
EDRSQ34-1	34 ¹ / ₂	24 ³ / ₄	17 ¹ / ₈
EDRSQ38-1	38 ⁷ / ₁₆	28 ³ / ₄	17 ¹ / ₈
EDRSQ42-1	42 ¹ / ₂	32 ³ / ₄	19 ¹⁵ / ₁₆