

ASTOUND™ SLIMMOUNT

WALLMOUNT ELECTRIC FIREPLACE



NEFL42AS | NEFL50AS | NEFL62AS | NEFL74AS

ULTRA REALISTIC FLAMES ULTRA SLIM PROFILE

The Astound™ SlimMount Electric Fireplace delivers sleek, contemporary design with effortless installation. Its ultra-slim four-inch depth fits within a standard 2" × 4" wall or mounts with minimal projection for a clean, streamlined focal point. Spark flame technology creates a dynamic, lifelike flame, combining modern design, smart control, and versatile installation for a seamless fit in today's homes.

CUSTOMIZE

MEDIA INCLUDED

Woodland Glass



OPTIONAL KITS: GLASS EMBERS

Black



Blue



Clear



Topaz



Red



Amber



FLAME COLORS

Orange



Yellow



Combined



FEATURES

- Requires no venting for easy and cost-effective installations
- Slim 4" depth wall mounts easily
- Can recess directly into a standard 2" × 4" framed wall without excessive construction
- Edge Panels and trim are included for fully recessed or wallmount installations
- 13 top light and ember color options; more customization offered via the Napoleon® Home mobile app
- Tinted, anti-glare glass ensures exceptional flame visibility
- ECO mode: runs at half heat – consuming less energy
- BOOST mode: heater at max heat with increased blower speed
- 120V delivers 5,000 BTUs/1,500 watts
- Plug-in or hardwire
- Sizes (width): 42", 50", 62", 74"
- 3 Year Registered Warranty



CONTROLS

PREMIUM REMOTE:

The included remote controls every function of your fireplace including; on/off, thermostat, 7-day schedule feature, flame, ember bed and top lights.

NAPOLEON® HOME APP:

Access more options not included on the remote with the Napoleon® Home app. Create your Favorite settings and choose from a multitude of flame, ember bed and top light combinations.

SMART HOME SYSTEM:

Easily control select fireplace settings with the sound of your voice through Google Home and Alexa devices.

WALL MOUNT REMOTE:

This optional remote is ideal for commercial settings and features black and white faceplate options.



INNOVATIONS

EASE OF INSTALLATION:


Incredibly slim depth means seamless installation – recessed in 2" x 4" wall or wall mounted.

FLAME TECHNOLOGY:

Featuring flame colors (orange and yellow) and stunning spark technology that mimics a real fire.

SMART TECHNOLOGY:

Offers the ability to connect to your phone so you can easily and conveniently control every feature of the fireplace from anywhere, even when you're not home.





COMPARISON

Better

Best



Entice™



Astound™ SlimMount



Astound™ FlexMount

SPECIFICATIONS

	WIDTH	HEIGHT	DEPTH	VIEWING AREA (W × H)
NEFL42AS	44 1/8"	18"	4"	42 1/8" × 12 3/8"
NEFL50AS	52 1/8"	18"	4"	50 1/8" × 12 3/8"
NEFL62AS	64 1/8"	18"	4"	62 1/8" × 12 3/8"
NEFL74AS	76 1/8"	18"	4"	74 1/8" × 12 3/8"

FIREPLACE DESIGN STUDIO

See your dream fireplace come to life in front of your eyes! Scan here to build your custom fireplace with available design options.



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon® is a registered trademark of Wolf Steel Group Inc. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.

Napoleon is a trademark of Wolf Steel Group Inc. and is used under license.
Napoleon est une marque de commerce du Groupe Wolf Steel inc. et est utilisée sous licence.

ADBRN1-ASTND5M